


KÄRCHER

makes a difference



PROFESSIONAL

PRESSURE WASHERS, FLOOR CARE AND DETERGENTS | 2020 Price List



VALUE ADDED ICONS

Throughout the following pages, look for these icons displayed with each Kärcher machine. Find out what makes our professional cleaning equipment some of the most innovative and sought after equipment in the industry.



Tested by a Nationally Recognized Testing Laboratory (NRTL) and meets safety standards.



Puncture proof, flat free tires.



Many Kärcher German machines can be operated using environmentally friendly biodiesel.



Economical and environmental mode for reducing energy consumption while still offering optimal cleaning performance.



International (Canadian Standards Association) tests and certifies electrical, mechanical, plumbing and gas of products.



Trigger gun uses the recoil force of the high-pressure spray to reduce the hold force of the trigger to zero.



Two-way dosing valve for switching between different detergents and for precise and variable cleaning agent dosing.



Many Kärcher North American models come with a Honda Engine.



Most Kärcher pumps come with a 7-year warranty, wear parts excluded.



Quick lock screw connection for pressure washers and accessories.



Pressure and water flow regulation directly at the gun.



Leadership in Energy and Environmental Design and is widely used green building rating system.



Electric start of motor for convenience of easier and faster start-up.



Automatically shuts down the motor and pump when the trigger gun is released.



Complies with Environmental laws.



National Association of Trailer Manufacturers that provides applicable Federal Motor Vehicle Safety Standards for members.



Lithium Ion battery offering a longer life than other batteries, consistent voltage, and energy charging savings.



Easy Operation dial provides self-explanatory symbols to identify cleaning modes.



FACT - Flexible Application Control Technology allows adjustment of brush speed for different applications.



FLEET management system monitors vital functions of a machine and sends updates electronically.

TABLE OF CONTENTS

HOT WATER PRESSURE WASHERS >			
ELECTRIC POWERED > DIESEL HEATED	5		
HDS UPRIGHT CLASS	5		
HDS COMPACT CLASS	6		
HDS MID CLASS	7		
HDS SUPER CLASS	8		
HDS CAGE	10		
HDS HAND TRUCK	11		
HOT WATER PRESSURE WASHERS >			
ELECTRIC POWERED > ELECTRIC HEATED	9		
HDS SPECIAL CLASS	9		
HDS CABINET	12		
HOT WATER PRESSURE WASHERS >			
ELECTRIC POWERED > NG/LP HEATED	13		
HDS STATIONARY - NG / LP	13		
HDS STATIONARY - NG / LP - NORTH AMERICAN	14		
HDS STATIONARY - NG	15		
HDS STATIONARY - LP	16		
HDS VHP	17		
HOT WATER PRESSURE WASHERS >			
GAS POWERED > DIESEL HEATED	18		
HDS P / PE CAGE	18		
HDS PE CAGE	19		
HDS PE / DE / GE CAGE	20		
TRAILERS	21		
TULE SERIES HDS 3.5/40 GE MT	21		
TRK-2500 HDS 4.7/35	22		
TRK-2500	23		
TRK-6000, TRK-3500	24		
COLD WATER PRESSURE WASHERS > ELECTRIC POWERED	25		
PRO HD 400 ED	25		
HD COMPACT CLASS, HD 1.8/13 C	26		
HD COMPACT CLASS, HD 2.3/15 AND HD 3.0/2.0	27		
HD MID CLASS	28		
HD SUPER CLASS	29		
HD SPECIAL CLASS	30		
HD HAND HELD	31		
HD WALL MOUNTED	32		
HD SERIES ELECTRIC	33		
HD ROLL CAGE	34		
HD CABINET - BELT DRIVE	35		
COLD WATER PRESSURE WASHERS > GAS POWERED	36		
JARVIS SERIES	36		
HD CLASSIC	37		
HD SERIES GAS	38		
HD SERIES GAS SKID	39		
HD CART	40		
HD PB CART	41		
HD PB / PEB / D CAGE	42		
DENALI SERIES	43		
HD HAND HELD	44		
COLD WATER PRESSURE WASHERS > HOT WATER GENERATORS	45		
MOBILE HOT WATER GENERATOR	45		
STATIONARY HOT WATER GENERATOR SERIES	46		
PRESSURE WASHERS > WATER RECOVERY / FILTRATION	47		
MISSISSIPPI RECOVERY	47		
FLOOR CARE > SWEEPERS	50		
KM 70/20 C	50		
KM 70/30 C BP ADV	51		
KM 75/40 W BP	52		
FLOOR CARE > EXTRACTORS	53		
PUZZI™ 8/1 C	53		
FLOOR CARE > VACUUMS	54		
NT 25/1 AP	54		
NT 30/1 TACT TE	55		
NT 40/1 TACT TE	56		
NT 50/1 TACT TE	57		
NT 30/1, 40/1, 50/1 ACCESSORIES	58		
NT 48/1	59		
NT 68/1	60		
FLOOR CARE > SCRUBBERS	61		
BR 35/12 C BP	61		
BD 38/12 C BP	62		
BD 50/50 C BP	63		
B 40 W BP	64		
B 40 W BP ACCESSORIES	65		
B 60 W BP	66		
B 60 W BP ACCESSORIES	67		
B 80 W BP	68		
B 80 W BP ACCESSORIES	69		
BD 80/100 W BP CLASSIC	70		
B 150 R BP	71		
B 150 R BP ACCESSORIES	72		
CLEANING HEADS AND BRUSHES	73-76		
FLOOR CARE > SPECIALTY	77		
SG 4/4	77		
SGV 6/5	78		
SG BP GUM REMOVER	79		
FLOOR CARE > AIR BLOWER	80		
AB 84 CUL	80		
FLOOR CARE > VACUUMS	81		
BV/VAC PAC™ HEPA SERIES	81		
CV 300	82		
FLOOR CARE > SWEEPERS	83		
EB 30/1	83		
FLOOR CARE > FLOOR MACHINES	84		
BDS 51/175 C	84		
DETERGENTS	85		
SPECIALS	94		

IDENTIFYING KÄRCHER EQUIPMENT BY NAME

All Kärcher branded machines are named systematically so that every machine name explains what the product is. For example, all hot water pressure washer names start with HDS, while all cold water pressure washers names start with HD. Floor care product names range from a direct to indirect relation to the product, such as BV for Backpack Vacuum to KM for a Sweeper. Below is a chart to help with identifying Kärcher equipment by name.



PRESSURE WASHER MACHINE NAMES

Model	GPM / PSI	Type	Voltage and Phase	Feature
HDS = Hot Water	Gallons Per Minute / Pounds Per Square Inch	U = Upright	Ea = 230V / 1 ph	e = electric start
HD = Cold Water		C = Compact	Eb = 230V / 3 ph	ECO = Environmentally Friendly
		M = Mid Class	Ec = 460V / 3 ph	+ = Remote On / Off
		S = Super Class	Ed = 120V / 1 ph	
		ST = Stationary	Eg = 208 / 1 ph	
		G = Gas	Eh = 208V / 3 ph	
		P = Petrol	Ef = 575 / 3 ph	
		D = Diesel		
		E = Electric		
		B = Belt Driven		
		Mt = Mini Trailer		

EXAMPLE: HDS 1.7/12 U ED = HOT WATER, 1.7 GPM / 1200 PSI, UPRIGHT, ELECTRIC, 120V / 1 PH

FLOOR CARE MACHINE NAMES

Model	CAPACITY LITERS / GALLONS	CLEANING PATH CM / Inches	OPTIONS / FEATURES
KM = Sweeper	4 = 1	1 = .4	BP = Battery Powered
Puzzi = Spotter or Box & Wand Extractor	25 = 6.6	4 = 1.6	C = Scrubbers = Pad Assist
NT = Wet/Dry Vacuum	30 = 7.9	12 = 5	C = Extractors = Compact
BR = Scrubber with Cylindrical Brushes	35 = 9.25	20 = 8	AP = Semi-Automatic Filter Cleaning System
BD = Scrubber with Disc Brushes	38 = 10.0	30 = 12	W = Scrubbers = Traction Drive
B = Scrubber	40 = 10.6	40 = 16	HEPA = HEPA Level Air Filtration
SG = Steamer	48 = 12.68	50 = 20	Tact = Triggered Airdraft Cleaning Technology
SGV = Steamer Vacuum	50 = 13.21	175 = 69	Te = Automatic Power Outlet
SG1 = Gum Remover	51 = 13.47		R = Ride-On Machine
AB = Air Blower	60 = 15.85		
BV = Backpack Vacuum	68 = 17.96		
CV = Upright Vacuum	70 = 18.49		
EB = Compact Sweeper	75 = 19.81		
BDS = Floor Machine	80 = 21.13		
	150 = 39.63		

EXAMPLE: KM 70/20 C = SWEEPER, 18.49 GALLONS / 8 INCHES CLEANING PATH / COMPACT

HDS UPRIGHT CLASS



Mobility at its finest.

This high-performance, robust upright machine offers outstanding maneuverability, easy transport and intuitive operation. Ideal for tradesmen, commercial use and contract cleaners.



Features

Effortless transport over landings or stairs and space saving storage

Large, flat-free tires for unpaved surfaces

Large fine mesh filter reliably protects against dirt particle damage

Easy!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down – so no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 1.7/12 U Ed	1.064-907.0	1.7	1200	Direct	2.3	110-120V / 1ph	12.5	Kärcher Axial	178	28 x 28 x 46	\$3,290.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-006.0	33" spray lance	\$103.00
6.110-034.0	33' high-pressure hose	\$119.00
4.117-027.0	Triple jet nozzle, 032	\$94.50
<input type="checkbox"/> 2.112-015.0	Gutter cleaning lance	\$351.00
<input type="checkbox"/> 4.112-032.0	Underbody lance	\$165.00
<input type="checkbox"/> 6.110-051.0	High-pressure hose, 10m DN8, suitable for food industry, extension piece	\$264.00
<input type="checkbox"/> 6.110-049.0	Pipe cleaning hose	\$212.00
<input type="checkbox"/> 2.111-013.0	FR 30 ME surface cleaner	\$604.00
<input type="checkbox"/> 2.111-011.0	Surface cleaner FR 30	\$420.00
<input type="checkbox"/> 4.115-000.0	Wet blasting attachment	\$429.00
<input type="checkbox"/> 4.113-003.0	Rotating washing brush natural fiber bristles	\$134.00
<input type="checkbox"/> 4.113-004.0	Rotating washing brush nylon bristles	\$99.50
<input type="checkbox"/> 2.113-000.0	Power nozzle 25° spray angle	\$19.60
<input type="checkbox"/> 4.114-019.0	Dirtblaster Nozzle 035	\$91.00
<input type="checkbox"/> 4.637-033.0	Detergent injector for high pressure	\$243.00
<input type="checkbox"/> 2.115-000.0	Quick coupling	\$77.50
<input type="checkbox"/> 2.115-001.0	Plug nipple	\$37.70
<input type="checkbox"/> 4.112-000.0	41" Spray lance	\$114.00

Included Optional Compatible with EASY!Lock

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HDS COMPACT CLASS



it's all in the detail.

Kärcher's German-built electric hot water machines are the most advanced on the market, featuring Kärcher's patented axial pump integrated with a 2-pole motor for optimum efficiency. Kärcher's efficient and compact downdraft-fired burner uses far less fuel than standard heat exchangers. Units come standard with low-fuel shut-off, low-water protection, high-temperature shut-off, thermal overload protection, EASY!Force gun, and 50' hose. All units are ETL certified to UL and CSA standards.



Features

- eco:efficiency mode – economical and environmentally friendly, even during longer periods of use, and this mode reduces fuel consumption and CO² emissions by 20%
- Robust wheels and steering mechanism for maneuverability
- Large integrated handles in the chassis
- Integrated tilting aid for effortlessly negotiating obstacles such as steps and curves

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 2.3/12 C Ed	1.272-901.0	2.3	1100	Direct	2.8	110-120V / 1ph	18.5	Kärcher Axial	270	40 x 28 x 41	\$4,535.00
HDS 3.0/20 C Ea	1.170-903.0	1.3-2.9	460-2000	Direct	5.6	220-240 / 1ph	18.5	Kärcher Axial	285	40 x 28 x 41	\$5,840.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-000.0	41" spray lance	\$114.00
6.110-030.0	High pressure hose, 15m (50'), both sides Easy!Lock, ID 8	\$227.00
4.117-037.0	Triple jet nozzle, 050 (for machine 1.272-901.0)	\$95.50
2.113-007.0	Power nozzle, 042 (for machine 1.170-903.0)	\$19.60
<input type="checkbox"/> 4.111-041.0	Adapter for Easy!Force trigger gun connection to 3/8" hose	\$15.90

Included Optional Compatible with EASY!Lock

HDS MID CLASS



Jack of all trades.

The perfect hot water pressure washer for car dealers, building service contractors, agriculture and municipal use. The mid class machines set the standard in performance, ease of use, economy and service life.



Features

eco!efficiency mode – economical and environmentally friendly, even during longer periods of use, and this mode reduces fuel consumption and CO² emissions by 20%

Easy!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 4.0/20-4M Ea	1.071-907.0	2.0-4.0	460-2000	Direct	8	220-240V / 1ph	28	Kärcher Axial	495	51 x 32 x 45	\$7,440.00
HDS 4.5/22-4M Ea	1.071-908.0	2.4-4.5	460-2250	Direct	9.5	220-240V / 1ph	30	Kärcher Axial	501	51 x 32 x 45	\$8,220.00
HDS 3.5/30-4M Ea	1.071-911.0	2.0-3.5	460-3000	Direct	9.5	220-240V / 1ph	30	Kärcher Axial	500	51 x 32 x 45	\$8,150.00
HDS 3.5/23-4M Eg	1.071-906.0	2.0-3.5	460-2300	Direct	8.1	200-208V / 1ph	30	Kärcher Axial	500	51 x 32 x 45	\$8,350.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-000.0	41" spray lance	\$114.00
6.110-029.0	50' EASY!Lock Longlife hose with ANTI!Twist connection	\$290.00
2.113-010.0	Power nozzle, 048 (for machine 1.071-906.0)	\$19.60
2.113-012.0	Power nozzle, 062 (for machine 1.071-908.0)	\$19.60
2.113-021.0	Power nozzle, 040 (for machine 1.071-911.0)	\$10.60
2.113-026.0	Power nozzle, 060 (for machine 1.071-907.0)	\$19.60
<input type="checkbox"/> 4.111-041.0	Adapter for EASY!Force trigger gun connecting to 3/8" hose	\$15.90
<input type="checkbox"/> 4.118-008.0	Servo control	\$91.00
<input type="checkbox"/> 8.750-685.0	100' pivot reel	\$393.00
<input type="checkbox"/> 8.921-775.0	Hose reel bracket (complete with Easy!Lock adapter, street elbow and 6' jumper hose)	\$155.00

HDS SUPER CLASS



Full-size power.

Super class hot water pressure washers offer optimum cleaning performance, easy handling and the latest technology.



Features

Service switch offers a choice of five settings to suit local water hardness. This allows optimum metered quantities of anti-scaler and corrosion inhibitor to be added to the water supply, and prevents the buildup of lime scale on the heater coil. Operating data can be called up any time, allowing you to make continual adjustments

Kärcher burner technology not only translates to more economical operation, but also makes our hot water pressure washers trendsetters in environmental protection thanks to their low emissions and highly efficient operation

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) inches	List Price
HDS 5.0/30-4S Eb	1.071-919.0	2.4-5.0	460-3000	Direct	11	208-240V / 3ph	27	Kärcher Axial	516	51 x 32 x 45	\$8,880.00
HDS 5.0/30-4S Ec	1.071-920.0	2.4-5.0	460-3000	Direct	11	460-480V / 3ph	15	Kärcher Axial	516	51 x 32 x 45	\$9,010.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-000.0	41" spray lance	\$114.00
6.110-029.0	50' EASY!Lock Longlife hose with ANTI!Twist connection	\$290.00
2.113-012.0	Power nozzle, 062 (for machine 1.071-908.0)	\$19.60
<input type="checkbox"/> 4.111-041.0	Adapter for EASY!Force trigger gun connecting to 3/8" hose	\$15.90
<input type="checkbox"/> 4.118-009.0	Servo control	\$119.00
<input type="checkbox"/> 8.750-685.0	100' pivot reel	\$393.00
<input type="checkbox"/> 8.921-775.0	Hose reel bracket (complete with Easy!Lock adapter, street elbow and 6' jumper hose)	\$155.00

HDS SPECIAL CLASS



The zero emission specialist.

The emission-free HDS-E 3.3/25-4M Ec with electric heater is ideal where exhaust gases are undesirable or prohibited. Thanks to the unique type of heater insulation and Kärcher ecoefficiency mode, the HDS-E 3.3/25-4M Ec is efficient and eco-friendly. Models are ETL certified to UL & CSA safety standards.



Features

ecoefficiency mode – economical and environmentally friendly, even during longer periods of use
Intuitive operation with large single-button selector dial

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS-E 3.3/25-4M Ec	1.030-902.0	1.6-3.3	465-2520	Direct	7.5	460V / 3ph	31	Kärcher Axial	290	50 x 32 x 45	\$10,660.00
HDS-E 3.3/25-4M Ef	1.030-903.0	1.6-3.3	465-2520	Direct	7.5	575V / 3ph	28	Kärcher Axial	352	50 x 32 x 45	\$10,750.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-000.0	41" spray lance	\$114.00
6.110-029.0	50' EASY!Lock Longlife hose with ANTI!Twist connection	\$290.00
2.113-009.0	Power nozzle, TR 25047	\$19.10
<input type="checkbox"/> 2.111-013.0	Surface cleaner, FR 30 ME	\$604.00
<input type="checkbox"/> 4.111-037.0	Coupler	\$15.90
<input type="checkbox"/> 4.118-007.0	Servo Control	\$91.00
<input type="checkbox"/> 4.111-036.0	Adapter for EASY!Lock lance connecting to M18 Dirtblaster nozzle	\$15.90
<input type="checkbox"/> 4.111-041.0	Adapter for EASY!Lock gun connecting to 3/8" hose	\$15.90
<input type="checkbox"/> 8.750-685.0	100' pivot reel	\$393.00
<input type="checkbox"/> 8.921-775.0	Hose reel bracket (complete with Easy!Lock adapter, street elbow and 6' jumper hose)	\$155.00

HDS CAGE



Rugged operations.

Built on a rugged 1-1/4" powder coated steel frame, these compact electric roll cage models are designed for construction sites, farms and factories where electricity is available. The three models deliver hot water cleaning of up to 2000 PSI using 120V or 230V/1ph. Each features a Kärcher direct-drive crankcase-style pump with limited 7-year warranty, industrial-grade motor and flat-free tires.



Features

- 50 ft. of durable, wire braid hose rated for 3000 PSI and with hose guard for burst
- Safety relief valve attached to discharge side for protection against excess pressure build up
- Easy-to-attach downstream detergent injection with quick couplers and brass soap nozzle
- Fuel filter/water separator ensures pure fuel supply
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 2.0/10 Ed Cage	1.575-511.0	2.1	1000	Direct	1.5	120V / 1ph	15	Kärcher KF	480	50 x 40 x 50	\$4,650.00
HDS 1.9/15 Ed Cage	1.575-512.0	1.9	1500	Direct	2	120V / 1ph	20	Kärcher KF	480	50 x 40 x 50	\$4,715.00
HDS 3.5/20 Ea Cage	1.575-513.0	3.5	2000	Direct	5	230V / 1ph	22	Kärcher KF	500	50 x 40 x 50	\$5,755.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
9.801-024.0	100' EZEE hose reel kit (hose not Included)	\$258.00
9.804-570.0	100' Pivot hose reel kit (hose not Included)	\$671.00

Included Optional Compatible with EASY!Lock

Please Note: NOT compatible with EASY!Lock

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HDS HAND TRUCK



Heavy-duty output.

Kärcher's North American hand truck design features heavy-gauge 1 1/4" steel frame with powder coat finish and a high pressure rupture disc rated to 7000 lbs to protect the operator against injury. Units come with belt-drive Kärcher crankcase pumps. All models are ETL certified to UL and CSA safety standards.



Features

Cast iron pulley system with OSHA-compliant, totally enclosed belt guard, and easy-to-adjust belt tension (belt-drive models). Water resistant control box, burner on/off switch and adjustable thermostat
EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 3.9/20 Ea	1.575-505.0	3.9	2000	Belt	6	230V / 1ph	29	Kärcher KM	660	49 x 40 x 50	\$7,295.00
HDS 3.5/30 Ea	1.575-508.0	3.5	3000	Belt	7.5	230V / 1ph	36	Kärcher KM	690	49 x 40 x 50	\$8,605.00
HDS 3.5/30 Eb	1.575-509.0	3.5	3000	Belt	7.5	230V / 3ph	25	Kärcher KM	605	49 x 40 x 50	\$8,265.00
HDS 3.5/30 Ec	1.575-510.0	3.5	3000	Belt	7.5	460V / 3ph	13	Kärcher KM	605	49 x 40 x 50	\$8,265.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.925-163.0	Kärcher hose, 3/8" x 100' R1, 4000 PSI, 250°F	\$181.00
9.801-023.0	100' EZEE hose reel kit (hose not included)	\$294.00

HDS CABINET



Cleaning technology for indoors.

This Kärcher all-electric hot water pressure washer introduces hot-water tank technology to deliver hot water on demand ideal for indoor cleaning. Water is heated by flowing through a coil inside an 80-gallon water tank. Heating elements generate 138,000 BTU to produce hot water of up to 180°F. All models are ETL and CSA certified.



Features

- Heavy-duty, steel cabinets are protected by an epoxy powder coat finish; upper cabinet ventilated for cool operation
- Thermal pump saver valve prevents damage by venting recirculated water
- Low-water flow switch prevents damage to heating elements due to lack of water
- Easy-to-attach detergent injector and four quick couplers nozzles
- Auto start function allows unit to be turned on with pull of the trigger
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 4.0/20 E Ec	1.109-075.0	4.2	2000	Belt	6.2	460V / 3ph	55	Kärcher KM	640	32 x 24 x 52	\$11,120.00
HDS 4.0/30 E Ec	1.109-076.0	3.5	3000	Belt	7.5	460V / 3ph	59	Kärcher KM	640	32 x 24 x 52	\$11,660.00
HDS 4.0/20 E Ef	1.109-956.0	3.5	2000	Belt	5	575V / 3ph	46	Kärcher KM	620	34 x 25 x 52	\$11,120.00
HDS 4.0/30 E Ef	1.109-957.0	3.5	3000	Belt	7.5	575V / 3ph	49	Kärcher KM	640	34 x 25 x 52	\$12,070.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.925-520.0	Time delay shutdown (replaces auto start-stop) (only for 460V units)	\$37.20
9.801-002.0	Pressure washer stainless steel cabinet (only for 460V units)	\$336.00

Included Optional Please Note: NOT compatible with EASY!Lock

HDS STATIONARY - NG / LP



Innovation inside and out.

The innovative, rugged design of the Kärcher Classic HDS natural gas and LP-heated cabinet pressure washer delivers up to 5 gpm at 3,000 psi of industrial power. Built in the U.S.A., each model is constructed with anodized structural rivets, a water cooled electric motor, standard auto start/stop and Kärcher's axial direct-drive pump backed by a 7-year warranty. All models are ETL certified to UL and CSA safety standards.



Features

- Integrated RM 110 reservoir and steam stage
- Inlet/outlet connections can be moved to either side of the unit
- Auto start-stop for on-demand cleaning
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down
- "Stay-in-Place" ignition pilot light with swing out burner ring
- Cool wall cabinet construction and pulsation damper

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	BTU	Ship Dimensions (L x W x H) inches	List Price
Natural Gas												
HDS 3.5/23 Eg ST NG	1.109-797.0	3.5	2300	Direct	8.1	208V / 1ph	26	Kärcher Axial / 1725	695	310000	49 x 24 x 48	\$9,440.00
HDS 4.5/22 Ea ST NG	1.109-722.0	4.5	2200	Direct	9.5	230V / 1ph	30	Kärcher Axial / 1725	695	393000	49 x 24 x 48	\$9,410.00
HDS 3.5/30 Ea ST NG	1.109-729.0	3.5	3000	Direct	9.5	230V / 1ph	27	Kärcher Axial / 1725	695	310000	49 x 24 x 48	\$9,270.00
HDS 5.0/30 Eb ST NG	1.109-742.0	5.0	3000	Direct	11	230V / 3ph	27	Kärcher Axial / 1725	700	398000	49 x 24 x 48	\$9,845.00
HDS 5.0/30 Ec ST NG	1.109-743.0	5.0	3000	Direct	11	460V / 3ph	19	Kärcher Axial / 1725	700	398000	49 x 24 x 48	\$9,845.00
LP Gas-Heated												
HDS 3.5/23 Eg ST LP	1.109-798.0	3.5	2300	Direct	8.1	208V / 1ph	26	Kärcher Axial / 1725	695	310000	49 x 24 x 48	\$9,440.00
HDS 4.5/22 Ea ST LP	1.109-763.0	4.5	2200	Direct	9.5	230V / 1ph	30	Kärcher Axial / 1725	695	393000	49 x 24 x 48	\$9,450.00
HDS 3.5/30 Ea ST LP	1.109-770.0	3.5	3000	Direct	9.5	230V / 1ph	27	Kärcher Axial / 1725	695	310000	49 x 24 x 48	\$9,215.00
HDS 5.0/30 Eb ST LP	1.109-783.0	5	3000	Direct	11	230V / 3ph	27	Kärcher Axial / 1725	700	398000	49 x 24 x 48	\$9,695.00
HDS 5.0/30 Ec ST LP	1.109-784.0	5	3000	Direct	11	460V / 3ph	19	Kärcher Axial / 1725	700	398000	49 x 24 x 48	\$9,845.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
2.744-008.0	Remote Kit single station	\$455.00
6.685-195.0	Chemical solenoid valve (brass) for use with remote kit	\$155.00
8.708-846.0	Chemical solenoid valve (stainless steel) for use with remote kit	\$165.00
9.801-040.0	Draft diverter, 10"	\$160.00
8.753-474.0	Damper, draft 10"	\$27.40
8.925-154.0	Hose 3/8" x 50', 4000 PSI	\$99.00
6.392-106.0	Self-winding hose reel, 66'	\$1,120.00
2.639-931.0	Swivel wall mount bracket	\$232.00
8.923-213.0	Hot water discharge outlet relocation	\$46.00

HDS STATIONARY - NG / LP - NORTH AMERICAN



High cleaning performance.

The North American Kärcher HDS natural gas and LP-heated cabinet pressure washer delivers up to 9.5 gpm at 3000 psi of industrial power. Built in the U.S.A., each model is constructed with anodized structural rivets, industrial motors and Kärcher pumps that are backed by a 7-year warranty.



Features

- All-access cabinet design with six lift out panels and easy lock fasteners provides easy access to components for maintenance in tight situations
- Swing-out cast iron burner ring with separate “stay-in-place” ignition pilot light allows easy access and removal of the burner ring
- Improved “Stay-Tite” belt tensioning system maintains belt tension on the pump with a torsion bar for precise tension adjustment
- The heating coil is made of leak-free, cold rolled, schedule 80 steel pipe and is wrapped with a thick foil blanket insulation that keeps cabinet walls cool to the touch
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$83.00
8.917-509.0	Kit, wireless remote pump/burner/detergent	\$1,985.00
8.921-832.0	Wireless hand-held transmitter	\$491.00
8.917-817.0	Kit, wall bracket wireless transmitter	\$179.00
8.921-774.0	NG kit, wired remote station - pump and burner (note: cord length is 20 ft)	\$496.00
8.921-773.0	NG kit, wired remote detergent	\$238.00
8.922-157.0	Remote control box (wired) (Pump / burner switch Included, add 8.921-773.0 for detergent switch). For additional remote only.	\$434.00
8.917-507.0	Snap-N-Go Auto Start/Stop Kit w/ Lock Out (no remote, or wireless remote)	\$258.00
9.807-646.0	Snap-N-Go Auto Start/Stop Kit w/o Lock Out (wired remote, requires 8.921-774.0)	\$258.00
8.917-508.0	Snap-N-Go Time Delay Kit	\$181.00
8.921-776.0	Kit, steam combo	\$196.00
9.801-040.0	Draft diverter, 10", up to 5 gpm	\$160.00
8.717-730.0	Draft diverter, 12", over 5 gpm	\$248.00
8.753-474.0	Draft damper, 10"	\$27.40
8.753-478.0	Draft damper, 12"	\$13.90
8.753-706.0	Reducer, stack 12" to 10"	\$31.00
8.753-707.0	Reducer, stack 10" to 8"	\$24.80
8.923-213.0	Outlet relocater	\$46.00

Included Optional Compatible with EASY!Lock

HDS STATIONARY - NG

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	BTU	Ship Dimensions (L x W x H) Inches	List Price
Natural Gas-Heated 3.5-5.0 GPM Medium Cabinet Design												
HDS 3.5/20 Ea ST NG	1.109-715.0	3.5	2000	Belt	5	230V / 1ph	25	KD4020R / 1350	815	320000	49 x 24 x 48	\$6,875.00
HDS 4.0/22 Ea ST NG	1.109-716.0	4	2200	Belt	6.2	230V / 1ph	29	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Eb ST NG	1.109-717.0	4	2200	Belt	6.2	230V / 3ph	16	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Ec ST NG	1.109-718.0	4	2200	Belt	6.2	460V / 3ph	7	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Ef ST NG	1.109-719.0	4	2200	Belt	6.2	575V / 3ph	6.5	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 4.0/22 Eg ST NG	1.109-720.0	4	2200	Belt	6.2	208V / 1ph	30	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 4.0/22 Eh ST NG	1.109-721.0	4	2200	Belt	6.2	208V / 3ph	18	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 3.9/30 Ea ST NG	1.109-723.0	3.9	3000	Belt	8.2	230V / 1ph	36	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Eb ST NG	1.109-724.0	3.9	3000	Belt	8.2	230V / 3ph	25	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Ec ST NG	1.109-725.0	3.9	3000	Belt	8.2	460V / 3ph	11	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Ef ST NG	1.109-726.0	3.9	3000	Belt	8.2	575V / 3ph	14	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 3.9/30 Eg ST NG	1.109-727.0	3.9	3000	Belt	8.2	208V / 1ph	38	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 3.9/30 Eh ST NG	1.109-728.0	3.9	3000	Belt	8.2	208V / 3ph	27	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Ea ST NG	1.109-730.0	5.0	2300	Belt	8.2	230V / 1ph	36	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Eb ST NG	1.109-731.0	5.0	2300	Belt	8.2	230V / 3ph	25	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Ec ST NG	1.109-732.0	5.0	2300	Belt	8.2	460V / 3ph	11	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Ef ST NG	1.109-733.0	5.0	2300	Belt	8.2	575V / 3ph	14	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Eg ST NG	1.109-734.0	5.0	2300	Belt	8.2	208V / 1ph	38	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Eh ST NG	1.109-735.0	5.0	2300	Belt	8.2	208V / 3ph	27	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 4.8/30 Ea ST NG	1.109-736.0	4.8	3000	Belt	10	230V / 1ph	42	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Eb ST NG	1.109-737.0	4.8	3000	Belt	10	230V / 3ph	26	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Ec ST NG	1.109-738.0	4.8	3000	Belt	10	460V / 3ph	15	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Ef ST NG	1.109-739.0	4.8	3000	Belt	10	575V / 3ph	14	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,635.00
HDS 4.8/30 Eg ST NG	1.109-740.0	4.8	3000	Belt	10	208V / 1ph	49	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,635.00
HDS 4.8/30 Eh ST NG	1.109-741.0	4.8	3000	Belt	10	208V / 3ph	32	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,635.00

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	BTU	Ship Dimensions (L x W x H) Inches	List Price
Natural Gas-Heated 6.3+ GPM Large Cabinet Design												
HDS 6.3/32 Eb ST NG	1.109-744.0	6.3	3200	Belt	15	230V / 3ph	39	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,150.00
HDS 6.3/32 Ec ST NG	1.109-745.0	6.3	3200	Belt	15	460V / 3ph	19	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,150.00
HDS 6.3/32 Ef ST NG	1.109-746.0	6.3	3200	Belt	15	575V / 3ph	18	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,200.00
HDS 6.3/32 Eh ST NG	1.109-747.0	6.3	3200	Belt	15	208V / 3ph	39	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,200.00
HDS 8.0/32 Eb ST NG	1.109-748.0	8.0	3200	Belt	20	230V / 3ph	46	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,040.00
HDS 8.0/32 Ec ST NG	1.109-749.0	8.0	3200	Belt	20	460V / 3ph	26	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,040.00
HDS 8.0/32 Ef ST NG	1.109-750.0	8.0	3200	Belt	20	575V / 3ph	21	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,150.00
HDS 8.0/32 Eh ST NG	1.109-751.0	8.0	3200	Belt	20	208V / 3ph	60	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,150.00
HDS 9.5/30 Eb ST NG	1.109-752.0	9.5	3000	Belt	20	230V / 3ph	52	KX1036R / 1650	1910	816000	64 x 35 x 61	\$15,080.00
HDS 9.5/30 Ec ST NG	1.109-753.0	9.5	3000	Belt	20	460V / 3ph	26	KX1036R / 1650	1910	816000	64 x 35 x 61	\$15,080.00
HDS 9.5/30 Ef ST NG	1.109-754.0	9.5	3000	Belt	20	575V / 3ph	21	KX1036R / 1650	1910	816000	64 x 35 x 61	\$15,090.00
HDS 9.5/30 Eh ST NG	1.109-755.0	9.5	3000	Belt	20	208V / 3ph	30	KX1036R / 1650	1910	816000	64 x 35 x 61	\$15,090.00

HDS STATIONARY - LP

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	BTU	Ship Dimensions (L x W x H) Inches	List Price
LP Gas-Heated 3.5-5.0 GPM Medium Cabinet Design												
HDS 3.5/20 Ea ST LP	1.109-756.0	3.5	2000	Belt	5	230V / 1ph	25	KD4020R / 1350h	815	320000	49 x 24 x 48	\$6,875.00
HDS 4.0/22 Ea ST LP	1.109-757.0	4	2200	Belt	6.2	230V / 1ph	29	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Eb ST LP	1.109-758.0	4	2200	Belt	6.2	230V / 3ph	16	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Ec ST LP	1.109-759.0	4	2200	Belt	6.2	460V / 3ph	7	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,675.00
HDS 4.0/22 Ef ST LP	1.109-760.0	4	2200	Belt	6.2	575V / 3ph	6.5	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 4.0/22 Eg ST LP	1.109-761.0	4	2200	Belt	6.2	208V / 1ph	30	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 4.0/22 Eh ST LP	1.109-762.0	4	2200	Belt	6.2	208V / 3ph	18	KM4035R / 1250	843	364000	49 x 24 x 48	\$7,900.00
HDS 3.9/30 Ea ST LP	1.109-764.0	3.9	3000	Belt	8.2	230V / 1ph	36	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Eb ST LP	1.109-765.0	3.9	3000	Belt	8.2	230V / 3ph	25	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Ec ST LP	1.109-766.0	3.9	3000	Belt	8.2	460V / 3ph	11	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,210.00
HDS 3.9/30 Ef ST LP	1.109-767.0	3.9	3000	Belt	8.2	575V / 3ph	14	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 3.9/30 Eg ST LP	1.109-768.0	3.9	3000	Belt	8.2	208V / 1ph	38	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 3.9/30 Eh ST LP	1.109-769.0	3.9	3000	Belt	8.2	208V / 3ph	27	KM4035R / 1225	856	354000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Ea ST LP	1.109-771.0	5.0	2300	Belt	8.2	230V / 1ph	36	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Eb ST LP	1.109-772.0	5.0	2300	Belt	8.2	230V / 3ph	25	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Ec ST LP	1.109-773.0	5.0	2300	Belt	8.2	460V / 3ph	11	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,210.00
HDS 5.0/23 Ef ST LP	1.109-774.0	5.0	2300	Belt	8.2	575V / 3ph	14	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Eg ST LP	1.109-775.0	5.0	2300	Belt	8.2	208V / 1ph	38	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 5.0/23 Eh ST LP	1.109-776.0	5.0	2300	Belt	8.2	208V / 3ph	27	KT6035R / 1225	856	439000	49 x 24 x 48	\$8,360.00
HDS 4.8/30 Ea ST LP	1.109-777.0	4.8	3000	Belt	10	230V / 1ph	42	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Eb ST LP	1.109-778.0	4.8	3000	Belt	10	230V / 3ph	26	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Ec ST LP	1.109-779.0	4.8	3000	Belt	10	460V / 3ph	15	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,400.00
HDS 4.8/30 Ef ST LP	1.109-780.0	4.8	3000	Belt	10	575V / 3ph	14	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,620.00
HDS 4.8/30 Eg ST LP	1.109-781.0	4.8	3000	Belt	10	208V / 1ph	49	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,620.00
HDS 4.8/30 Eh ST LP	1.109-782.0	4.8	3000	Belt	10	208V / 3ph	32	KT6035R / 1225	885	415000	49 x 24 x 48	\$9,620.00

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	BTU	Ship Dimensions (L x W x H) Inches	List Price
Natural Gas-Heated 6.3+ GPM Large Cabinet Design												
HDS 6.3/32 Eb ST LP	1.109-785.0	6.3	3200	Belt	15	230V / 3ph	39	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,140.00
HDS 6.3/32 Ec ST LP	1.109-786.0	6.3	3200	Belt	15	460V / 3ph	19	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,140.00
HDS 6.3/32 Ef ST LP	1.109-787.0	6.3	3200	Belt	15	575V / 3ph	18	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,200.00
HDS 6.3/32 Eh ST LP	1.109-788.0	6.3	3200	Belt	15	208V / 3ph	39	KT6035R / 1625	1825	507000	64 x 35 x 61	\$12,200.00
HDS 8.0/32 Eb ST LP	1.109-789.0	8.0	3200	Belt	20	230V / 3ph	46	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,030.00
HDS 8.0/32 Ec ST LP	1.109-790.0	8.0	3200	Belt	20	460V / 3ph	26	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,030.00
HDS 8.0/32 Ef ST LP	1.109-791.0	8.0	3200	Belt	20	575V / 3ph	21	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,150.00
HDS 8.0/32 Eh ST LP	1.109-792.0	8.0	3200	Belt	20	208V / 3ph	60	KX9536R / 1458	1840	658000	64 x 35 x 61	\$14,150.00
HDS 9.5/30 Eb ST LP	1.109-793.0	9.5	3000	Belt	20	230V / 3ph	52	KX1036R / 1650	1910	775000	64 x 35 x 61	\$15,080.00
HDS 9.5/30 Ec ST LP	1.109-794.0	9.5	3000	Belt	20	460V / 3ph	26	KX1036R / 1650	1910	775000	64 x 35 x 61	\$15,080.00
HDS 9.5/30 Ef ST LP	1.109-795.0	9.5	3000	Belt	20	575V / 3ph	21	KX1036R / 1650	1910	775000	64 x 35 x 61	\$15,090.00
HDS 9.5/30 Eh ST LP	1.109-796.0	9.5	3000	Belt	20	208V / 3ph	60	KX1036R / 1650	1910	775000	64 x 35 x 61	\$15,090.00

HDS VHP



For dirt and grime indoors and out.

Looking for a heavy-duty pressure washer that can handle the dirt and grime indoors and out? Then the versatile VHP is the right machine for the task. Available in both 120V and 230V configurations, this hot water pressure washer features cleaning power up to 2.5 GPM and 2000 PSI. And, since the VHP is built with tubed pneumatic tires, this heavy-duty series delivers power wherever the job takes you. It is designed for vapor type propane only.



Features

- Belt-driven Kärcher pump with a 7-year warranty
- Four tubed pneumatic tires provide excellent maneuverability
- Extra-durable heating coil is made of leak-free, cold-rolled steel pipe and features a 5-year warranty
- Features a rugged 10 gauge steel chassis with polyester powder coat finish
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	HP	Electrical	Amps	Pump RPM	Pump	BTU	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
VHP2-15024D	1.109-556.0	1.8	1500	2	120V / 1ph	17	1100	KP3030R	140,000	470	50" x 26" x 41"	\$6,110.00
VHP3-20024A	1.109-557.0	2.5	2000	5	230V / 1ph	20	1375	KP3030R	245,000	500	50" x 26" x 41"	\$6,685.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.903-501.0	Electrical ignition (convenience in lighting pilot)	\$687.00
8.903-538.0	Stainless-steel coil wrap and motor cover	\$532.00

HDS P / PE CAGE



Outstanding on all terrains.

Built on a rugged 1-1/4" powder coated steel frame, these compact gas roll cage models are designed for construction sites, farms and factories. The different models deliver hot water cleaning of up to 3500 PSI. Each features a Kärcher pump with limited 7-year warranty, industrial-grade motor and flat-free tires.



POWERED by **HONDA**



Features

- Flat-free tires
- 7-year pump warranty
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Start	Pump	Burner	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 2.8/25 P Cage	1.575-555.0	2.7	2400	Direct	208	Kohler CH270	Recoil	Kärcher KG	12V DC	406	50 x 40 x 50	\$5,965.00
HDS 2.6/30 P Cage	1.575-550.0	3.0	3000	Direct	270	Honda GX270	Recoil	Kärcher KP	12V DC	500	50 x 40 x 58	\$6,895.00
HDS 3.5/30 P Cage	1.575-551.0	3.5	3000	Direct	337	Honda GX340	Recoil	Kärcher KS	12V DC	550	50 x 40 x 58	\$7,400.00
HDS 3.5/30 Pe Cage	1.575-552.0	3.5	3000	Direct	337	Honda GX340	Electric	Kärcher KS	12V DC	560	50 x 40 x 58	\$7,835.00
HDS 3.5/35 Pe Cage	1.575-553.0	3.5	3500	Direct	389	Honda GX390	Electric	Kärcher KS	12V DC	595	50 x 40 x 58	\$8,240.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

HDS PE CAGE



Performance at remote locations.

These durable, skid-mounted models are designed for optimum cleaning performance at remote locations and feature Kärcher's unique 12V downdraft burner system. It's 92% efficient top-fired burner delivers more heat from less fuel, resulting in the lowest operating costs in the industry, and these skids feature belt-drive crankcase-style pumps. Certified to UL and CSA safety standards.



Features

Industrial-duty, tri-plunger, oil-bath, belt-drive Kärcher KT pump with 7-year warranty, brass pump head, and Tru-Trak belt adjustments; operates at a low RPM for low-maintenance operation and long life
 Proprietary scale inhibiting system prevents build-up of mineral deposits inside the coil
 Rust-free 11 gallon polyethylene diesel and gasoline tanks.
 Infinitely variable operating pressure, water volume, temperature control, and detergent metering
 Safety features include: pressure switches, rupture disk, low-water and low-fuel protection that shuts down burner when incoming water and fuel are insufficient or interrupted
 EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Fuel	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 5.5/35 Pe Cage	1.575-617.0	5.5	3500	Belt	11	Honda GX630	Gas	Kärcher KT	741	51 x 33 x 45	\$13,240.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun (German model) - zero force required.	\$134.00
4.112-000.0	41" spray lance	\$114.00
6.110-029.0	50' EASY!Lock Longlife hose with ANTI!Twist connection	\$290.00
2.113-026.0	Power Nozzle 25060 (Fits HDS 5.5/35 Pe Cage)	\$19.60
<input type="checkbox"/> 4.111-041.0	Adapter for EASY!Force trigger gun connecting to 3/8" hose	\$15.90

HDS PE / DE / GE CAGE



The industrial workhorse.

Kärcher Series oil-fired skids are the workhorses of the pressure washer industry. Delivering up to 8.0 GPM of hot water and up to 3500 PSI, these rugged gas and diesel-powered machines are built on an open frame using heavy-gauge 1-1/4" powder coated steel and are ideal for mounting in a truck or on a trailer. The electric-start engine and powerful belt-drive Kärcher KT and KX pumps are isolated from the rest of the machine on a shock-mounted sub-frame to reduce vibration. Steam combination comes standard with all models.



Features

Honda, Vanguard and Kubota engines with electric start
 Kärcher belt-drive tri-plunger pumps with 7-year warranty
 EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Fuel	Pump	Burner	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 3.9/30 Pe Cage	1.575-600.0	3.9	3000	Belt	389	Honda GX390	Gas	Kärcher KT	12V DC	790	54 x 56 x 55	\$9,410.00
HDS 4.8/30 Pe Cage	1.575-601.0	4.8	3000	Belt	570	Vanguard 18	Gas	Kärcher KT	12V DC	800	54 x 56 x 55	\$9,140.00
HDS 4.8/30 Pe Cage	1.575-602.0	4.8	3000	Belt	570	Vanguard 18	Gas	Kärcher KT	120V AC	945	54 x 56 x 55	\$10,450.00
HDS 4.7/35 Pe Cage	1.575-603.0	4.7	3500	Belt	688	Honda GX630	Gas	Kärcher KT	12V DC	855	54 x 56 x 55	\$10,530.00
HDS 4.7/35 Pe Cage	1.575-604.0	4.7	3500	Belt	688	Honda GX630	Gas	Kärcher KT	120V AC	890	54 x 56 x 55	\$11,750.00
HDS 5.6/35 Pe Cage	1.575-605.0	5.6	3500	Belt	688	Honda GX660	Gas	Kärcher KT	12V DC	852	54 x 56 x 55	\$12,160.00
HDS 5.6/35 Pe Cage	1.575-606.0	5.6	3500	Belt	688	Honda GX660	Gas	Kärcher KT	120V AC	970	54 x 56 x 55	\$12,940.00
HDS 5.6/35 De Cage	1.110-622.0	5.4	3500	Belt	1123	Kubota D1105-E3B	Diesel	Kärcher KT	12V DC	1214	54 x 56 x 55	\$22,000.00
HDS 5.6/35 De Cage	1.110-623.0	5.4	3500	Belt	1123	Kubota D1105-E3B	Diesel	Kärcher KT	120V AC	1300	54 x 56 x 55	\$23,590.00
HDS 8.0/30 Ge Cage	1.575-611.0	8.0	3000	Belt	688	Honda GX660	Gas	Kärcher KX	12V DC	805	54 x 56 x 55	\$12,400.00
HDS 8.0/30 Ge Cage	1.575-612.0	8.0	3000	Belt	688	Honda GX660	Gas	Kärcher KX	120V AC	865	54 x 56 x 55	\$13,390.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.903-430.0	Stackless flue adapter	\$196.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.904-051.0	Battery installed on Honda GX630 and GX660 models only	\$531.00

Included Optional Please Note: NOT compatible with EASY!Lock

TULE SERIES HDS 3.5/40 GE MT




Shown with optional hose reel

Towable and maneuverable hot water pressure washer.

Ready to pick up and go at a moments notice, Kärcher's Tule Series HDS 3.5/40 Ge MT hot water pressure washer trailer provides the necessary cleaning power on virtually any job site which has a water source. Simply unhitch the Tule Series HDS 3.5/40 Ge MT and take the cleaning power where you need it most. The Tule Series trailer features a reliable Honda engine, 8 gallon diesel fuel tank, electric start with manual start backup and much more.

U.S. Design Patent No. 9,724,734 B2



Features

- Honda GX 390 engine and electric start with manual start backup
- Adjustable thermostat for water temperature regulation
- 8 gallon diesel fuel tank
- Lift handle and swing away tongue for easier hook up of the trailer and storage
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	Engine	Start	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HDS 3.5/40 Ge MT	1.103-844.0	3.5	4000	Direct	Honda GX390	Electric*	Kärcher KS	750	100 x 45 x 75	\$12,100.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50
8.756-797.0	3-5 GPM Chemical Injector Kit	\$20.40
8.754-990.0	12V Battery (required for hot water operation)	\$269.00
8.711-293.0	Zinc plated variable pressure lance	\$102.00
8.925-182.0	50', 3/8" hose, double-wire at 6000 PSI	\$124.00

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.924-367.0	2-5/16" Ball Coupler	\$90.00
8.924-667.0	Lifting Kit	\$119.00
8.924-370.0	LED Lights	\$150.00
8.924-700.0	2-inch Collar Lock Coupler	\$356.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.750-682.0	Hose Reel Fixed 100', 5000 PSI, 325° F, equipped for 3/8" hose	\$310.00
8.925-255.0	Hose Reel Bracket (Mount Kit)	\$269.00

Included Optional Please Note: NOT compatible with EASY!Lock

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.


TRK-2500 HDS 4.7/35



Convenient cleaning performance.

Kärcher's TRK-2500 HDS 4.7/35 pressure washer trailer package includes the TRK-200 trailer, HDS 4.7/35 Pe Cage pressure washer, mounting kit, battery and high and low-pressure hose reels. This package is rugged, affordable, versatile, and easy to ship and store.

The TRK-2500 is made of rugged 10-gauge steel. The wheel and axle assembly features leaf-spring suspension of up to 3,500 lbs. The 39-inch tongue features a swing-away hinge that saves on storage space.



POWERED by
HONDA



Features

Electrical wiring recessed within tubular frame
Lighted license plate holder and recessed tail lights
1,000 lb. swivel jack with a 2-inch ball coupler for quick and easy hook up of the trailer
3-way ball valve for easy switching of the water flow from the holding tank to a faucet

High-density, polyethylene 200-gallon water tank with a 12-inch access port, 1 1/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter; and two 5/16-inch chains for additional safety

Electric brakes and break away kit

TECHNICAL DATA

Model	Part No.	Axle	(GVWR) lbs.	Water Tank (Gallons)	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
TRK-2500 HDS 4.7/35	1.103-843.0	Single	3500	200	1815	123 x 76 x 70	\$19,300.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.917-558.0	Saddle Box (each)	\$267.00
8.917-559.0	Rock Guard	\$93.00
8.917-560.0	Utility Rack	\$708.00

TRK-2500 HDS 4.7/35 PACKAGE INCLUDES

Product	Description
TRK-2500	Single axle trailer, 3500 lbs GVWR, 200 gallon water tank
HDS 4.7/35 Pe Cage	Hot water pressure washer, 4.7 GPM, 3500 PSI, 688 CC, Honda GX630 engine, gas, 120V AC burner
Mounting Kit	Skid mounting kit
Battery	Battery installed on pressure washer
Hose Reels	Factory installed high-pressure and low-pressure hose reels



HDS 4.7/35 Features

Honda engine and stainless steel coil wrap
1-1/4" full steel skid frame and electric start engine
Burner available in 120V AC
Kärcher belt-drive tri-plunger pump
North American-style accessories

EASY!Force trigger gun with cruise control like technology – uses its own recoil force to hold the trigger down – so, no more sore hands after hours of use.

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50

Included Optional

Please Note: NOT compatible with EASY!Lock

TRK-2500



Shown with optional hot water pressure washer skid

High cleaning performance.

Kärcher's TRK-2500 pressure washer trailer is designed to accommodate a variety of pressure washer skids. This trailer package is rugged, affordable, versatile, and easy to ship and store.

The TRK-2500 is made of rugged 10-gauge steel. The wheel and axle assembly features leaf-spring suspension of up to 3,500 lbs. The 39-inch tongue features a swing-away hinge that saves on storage space.



Features

Electrical wiring recessed within tubular frame
 Lighted license plate holder and recessed tail lights
 1,000 lb. swivel jack with a 2-inch ball coupler for quick and easy hook up of the trailer
 3-way ball valve for easy switching of the water flow from the holding tank to a faucet

High-density, polyethylene 200-gallon water tank with a 12-inch access port, 1 1/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter; and two 5/16-inch chains for additional safety
 Electric brakes and break away kit

TECHNICAL DATA

Model	Part No.	Axle	(GVWR) lbs.	Water Tank (Gallons)	Ship Weight (lbs)*	Ship Dimensions (L x W x H) Inches	List Price
TRK-2500	1.103-819.0	Single	3500	200	1072	123 x 76 x 70	\$6,080.00

*Trailer and water tank only

OPTIONS

Order No.	Description	List Price
8.917-294.0	North American Engineered Series Skid mounting kit (required for mounting pressure washer to trailer)	\$95.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.917-558.0	Saddle Box (each)	\$267.00
8.917-559.0	Rock Guard	\$93.00
8.917-560.0	Utility Rack	\$708.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.917-398.0	Hydraulic Brakes	\$1,840.00
8.917-554.0	High Pressure Hose Reel Kit	\$537.00
8.924-493.0	2-5/16" Ball Hitch Coupler	\$108.00
8.917-555.0	Low Pressure Hose Reel Kit	\$537.00
8.917-556.0	Saddle Boxes (2)	\$232.00
8.917-557.0	Rock Guard	\$99.00
8.904-051.0	Battery Installed on Pressure Washer	\$531.00

TRK-6000, TRK-3500



TRK-6000 - shown with options and gas-powered hot water pressure washer; accommodates both gas and diesel-powered pressure washers. Tool box shown is no longer available on this unit.



TRK-3500 - shown with options; accommodates gasoline-powered pressure washers only.

Customizable mobile solution.

Kärcher has made customizing a mobile wash system for on-site cleaning as easy as 1-2-3:

1. Choose from 3 rugged trailers—the dual-axle TRK-6000 with 330-gallon water tank or the single-axle TRK-3500 or TRK-2500 with 200-gallon water tank.
2. Choose a compatible skid-mounted hot water pressure washer.
3. Customize your trailer with a broad selection of options and accessories, such as hose reels, chrome coverings, etc.



Features

Electrical wiring recessed within tubular frame
 Lighted license plate holder and recessed tail lights
 1,000 lb. swivel jack with a 2-5/16 inch ball coupler for quick and easy hook up of the trailer
 Two 3-way ball valve for easy switching of the water flow from the holding tank to a faucet
 High-density, polyethylene 200-330 gallon water tank with a 12-inch access port, 1 1/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter; and two 5/16-inch chains for added safety
 Electric brakes and break away kit
 Rugged steel cage for security while transporting

TECHNICAL DATA

Model	Part No.	Axle	(GVWR) lbs.	Water Tank (Gallons)	Ship Weight (lbs)*	Ship Dimensions (L x W x H) Inches	List Price
TRK-6000	1.103-807.0	Tandem	6000	330	1980	185 x 82 x 65	\$10,700.00
TRK-3500	1.103-806.0	Single	3500	200	840	123 x 76 x 70	\$7,175.00

*Trailer and water tank only

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.904-051.0	Battery installed on pressure washer	\$531.00
8.902-436.0	3" Lunette eye hitch coupler (TRK-3500)	\$139.00
8.902-438.0	Hydraulic brakes, two axles, 2-5/16" ball coupler (TRK-6000)	\$1,555.00
8.902-441.0	Hydraulic brakes, single axle, 2" ball coupler (TRK-3500)	\$1,285.00
8.902-452.0	Hydraulic brakes, two axles, 3" Lunette eye coupler (TRK-6000)	\$1,585.00
8.924-493.0	From 2" to 2-5/16" ball hitch coupler (TRK-3500)	\$108.00
8.902-471.0	3" Lunette eye hitch coupler (TRK-6000)	\$139.00
8.902-442.0	Hydraulic Brakes Kit (Single axle, 3" Lunette eye hitch) (TRK-3500)	\$1,295.00
8.912-409.0	2-5 gallon bucket chemical rack for TRK-6000 only (factory installed only)	\$191.00
8.915-156.0	High-pressure hose, 3/8-inch x 100 ft., 2-Wire, installed	\$362.00
8.902-447.0	Hose reel kit for 100 ft. Of 3/8-inch high-pressure hose	\$682.00
8.902-448.0	Hose reel kit for 200 ft. Of 3/8-inch high-pressure hose	\$728.00
8.902-449.0	Hose reel kit for 75 ft. Of 3/4-inch industrial garden hose	\$878.00
8.902-455.0	Skid mounting & plumbing kit (required for mounting pressure washer to trailer)	\$398.00
8.902-469.0	Sign plate	\$64.00
8.902-466.0	Chrome wheels, pair, (2 pair required for TRK-6000)	\$413.00
8.902-468.0	Chrome fenders, pair, TRK-6000 tandem axle	\$480.00
8.902-467.0	Chrome fenders, pair, TRK-3500 single axle	\$346.00


Included Optional Please Note: NOT compatible with EASY!Lock

PRO HD 400 ED



Practical anywhere.

The PRO HD 400 ED is a light weight, durable and compact cold water pressure washer that offers ultimate mobility for on-site applications and is designed to be stored, transported and operated in the vertical and horizontal position. It's features include a reliable 3-piston axial-pump with a brass cylinder head, an automatic pressure relief system for protecting the pump and storage options for accessories.



Features

- Vertical and horizontal operation for maximum flexibility and stability
- Rubber strap for secure storage of high-pressure hose
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
Pro HD 400 ED	1.520-990.0	1.7	1300	Direct	120V / 1ph ~ / 60 Hz	14	Kärcher Axial	45	36 x 14 x 13	\$1,095.00

ACCESSORIES


Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun	\$134.00
4.112-006.0	33" Spray lance	\$103.00
6.110-034.0	33' EASY!Lock hose	\$119.00
2.113-062.0	Power nozzle, 030	\$19.10
<input type="checkbox"/> 4.113-003.0	Rotating washing brush natural fiber bristles	\$134.00
<input type="checkbox"/> 4.111-022.0	Nozzle connector	\$60.00
<input type="checkbox"/> 4.111-037.0	Coupling	\$15.90
<input type="checkbox"/> 2.115-000.0	Quick-release coupling	\$77.50
<input type="checkbox"/> 2.115-001.0	Nipple	\$37.70
<input type="checkbox"/> 4.114-018.0	Performance Dirtblaster	\$70.00
<input type="checkbox"/> 4.112-000.0	41" Spray lance, 1050 mm	\$114.00
<input type="checkbox"/> 2.111-016.0	Surface cleaner FR TR Classic	\$207.00
<input type="checkbox"/> 2.111-017.0	Surface cleaner FR Classic DIY	\$212.00
<input type="checkbox"/> 4.111-032.0	Adapter M 22 Swivel	\$15.90
<input type="checkbox"/> 4.112-011.0	Screw connector part	\$17.00
<input type="checkbox"/> 6.110-034.0	Extension hose 33'	\$119.00

HD COMPACT CLASS



Designed to move.

The HD 1.8/13 C compact cold water pressure washer offers maximum portability, maneuverability and smart features. It can be stored, transported and operated in the vertical and horizontal position, and at 55.6 lbs, this professionally built unit can easily be moved by one person in and out of vehicles and around a cleaning site. It also includes storage options for accessories.



Features

- Vertical and horizontal operation for maximum flexibility and stability
- Additional carrying handle for easy loading, unloading and moving
- Removable and easy to clean water inlet filter that protects the pump from debris
- Rubber strap for secure storage of high-pressure hose.
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 1.8/13 C	1.520-916.0	1.8	1300	Direct	120V / 1ph ~ / 60 Hz	14	Kärcher Axial	55.6	37 x 15 x 14	\$1,420.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0	EASY!Force trigger gun	\$134.00
4.112-006.0	33" Spray lance	\$103.00
6.110-034.0	33' EASY!Lock hose	\$119.00
4.117-027.0	Triple jet nozzle, 032	\$94.50
<input type="checkbox"/> 2.112-000.0	Inno Foam kit	\$888.00
<input type="checkbox"/> 2.112-010.0	Easy Foam set	\$517.00
<input type="checkbox"/> 4.112-035.0	Flexible spray lance	\$251.00
<input type="checkbox"/> 6.110-049.0	Pipe cleaning hose 65', 1740 psi	\$212.00
<input type="checkbox"/> 6.110-050.0	Pipe cleaning hose 98', 1740 psi	\$201.00
<input type="checkbox"/> 6.110-008.0	Pipe cleaning hose 65', 3625 psi	\$346.00
<input type="checkbox"/> 4.113.004.0	Rotating washing brush nylon bristles	\$99.50
<input type="checkbox"/> 4.113-003.0	Rotating washing brush natural fiber bristles	\$134.00
<input type="checkbox"/> 2.111-011.0	Surface cleaner FR 30	\$420.00
<input type="checkbox"/> 2.111-016.0	Surface cleaner FR TR Classic	\$207.00
<input type="checkbox"/> 2.111-010.0	Surface cleaner FRV TR 30	\$987.00
<input type="checkbox"/> 4.115-006.0	Wet blasting attachment	\$263.00
<input type="checkbox"/> 4.111-022.0	Nozzle connector	\$60.00
<input type="checkbox"/> 4.111-037.0	Coupling	\$15.90
<input type="checkbox"/> 2.115-000.0	Quick-release coupling	\$77.50
<input type="checkbox"/> 2.115-001.0	Nipple	\$37.70


Included Optional Compatible with EASY!Lock

HD COMPACT CLASS



The compact class - fast and thorough.

These reliable, compact units offer the benefits of low weight, compact dimensions, easy handling and high cleaning performance. Ideal for workshops, courtyards, etc.



Features

- Telescopic push handle retracts for convenient, space-saving transport, such as in service vehicles or compact cars
- Automatic pressure cut-off when work is interrupted – saves on energy and water consumption
- EASY!Force gun with cruise control like technology – uses its own recoil force to hold the trigger down – so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.3/15 C Ed	1.150-909.0	2.3	1500	Direct	120V / 1ph	20	Kärcher Axial	77	28 x 15 x 39	\$1,750.00
HD 3.0/20 C Ea	1.150-908.0	3	2000	Direct	240V / 1ph	20	Kärcher Axial	77	28 x 15 x 39	\$1,810.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0 ■	EASY!Force trigger gun	\$134.00
4.112-006.0 ■	33" spray lance	\$103.00
6.110-034.0 ■	33' EASY!Lock hose	\$119.00
4.117-033.0 ■	Triple jet nozzle, 040 (for machine 1.150-909.0)	\$94.50
4.117-035.0 ■	Triple jet nozzle, 043 (for machine 1.150-908.0)	\$75.00
<input type="checkbox"/> 2.112-000.0 ■	Inno Foam kit	\$888.00
<input type="checkbox"/> 2.112-010.0 ■	Easy Foam set	\$517.00
<input type="checkbox"/> 4.112-035.0 ■	Flexible spray lance	\$251.00
<input type="checkbox"/> 6.110-049.0 ■	Pipe cleaning hose 65', 1740 psi	\$212.00
<input type="checkbox"/> 6.110-050.0 ■	Pipe cleaning hose 98', 1740 psi	\$201.00
<input type="checkbox"/> 6.110-008.0 ■	Pipe cleaning hose 65', 3625 psi	\$346.00
<input type="checkbox"/> 4.113-004.0 ■	Rotating washing brush nylon bristles, for EASY!Lock	\$99.50
<input type="checkbox"/> 4.113-003.0 ■	Rotating washing brush natural fiber bristles, for EASY!Lock	\$134.00
<input type="checkbox"/> 2.111-011.0 ■	Surface cleaner FR 30	\$420.00
<input type="checkbox"/> 2.111-016.0 ■	FRV TR 30 hard surface cleaner	\$207.00
<input type="checkbox"/> 2.111-010.0 ■	Surface cleaner FRV TR 30	\$987.00
<input type="checkbox"/> 4.115-006.0 ■	Wet blasting attachment	\$263.00
<input type="checkbox"/> 2.111-009.0 ■	Nozzle kit	\$98.00
<input type="checkbox"/> 4.402-022.0 ■	Nozzle connector	\$38.20
<input type="checkbox"/> 4.111-037.0 ■	Coupling	\$15.90
<input type="checkbox"/> 2.115-000.0 ■	Quick-release coupling	\$77.50
<input type="checkbox"/> 2.115-001.0 ■	Nipple	\$37.70

Included Optional Compatible with EASY!Lock

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HD MID CLASS



Loaded with features.

This medium class machine is extremely mobile and user-friendly with low-speed four-pole single phase motor for continuous use.



Features

Unique CHEM switch system allows operator to switch between two on-board detergent tanks without interruption; includes precise two-way metering valve to accurately vary detergent volume
 Robust, three-piston axial pump feature detergent-resistant brass cylinder head and stainless valves; pump is protected by pressure switch and overflow valve
 Features ground-fault circuit interrupter (GFCI) for operator safety

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) inches	List Price
HD 3.0/20-4M Ea	1.524-905.0	1.3-3.0	435-2000	Direct	4.7	220-240V / 1ph	20	Kärcher Axial	105	44 x 18 x 20	\$2,630.00

ACCESSORIES

Order No.	Description	List Price
4.118-005.0 ■	EASY!Force trigger gun	\$134.00
4.112-000.0 ■	33" spray lance	\$114.00
6.110-035.0 ■	33' EASY!Lock hose	\$207.00
2.113-009.0 ■	Power nozzle TR 25047	\$19.10
4.118-007.0 ■	Rotary controller	\$91.00
<input type="checkbox"/> 2.112-000.0 ■	Inno Foam kit	\$888.00
<input type="checkbox"/> 2.112-010.0 ■	Easy foam set	\$517.00
<input type="checkbox"/> 2.111-013.0 ■	FR 30 ME surface cleaner	\$604.00
<input type="checkbox"/> 2.111-023.0 ■	FR TR 50 ME hard surface cleaner	\$1,535.00
<input type="checkbox"/> 2.111-011.0 ■	Surface cleaner FR 30	\$420.00
<input type="checkbox"/> 2.111-010.0 ■	FRV TR 30 hard surface cleaner	\$987.00
<input type="checkbox"/> 4.115-000.0 ■	Wet blasting attachment	\$429.00
<input type="checkbox"/> 4.115-006.0 ■	Wet blasting attachment	\$263.00
<input type="checkbox"/> 2.111-009.0 ■	Nozzle kit	\$98.00
<input type="checkbox"/> 2.113-003.0 ■	Power nozzle 40° spray angle	\$19.60


Included Optional Compatible with EASY!Lock

HD SUPER CLASS



For tough jobs in non-stop use.

Where vast amounts of dirt accumulate every day, reliable Kärcher super class models provide indispensable services. Ideal for use in the construction, agricultural and forestry sectors as well as industrial and municipal facilities.



Features

Robust, three-piston axial pumps features detergent-resistant brass cylinder head and stainless valves; pumps is protected by pressure switch and over flow valve
 Low-speed, 4-pole, air-cooled motor runs quieter and cooler than conventional motors thus prolonging its service life
 EASY!Force gun with cruise control like technology – uses its own recoil force to hold the trigger down – so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 3.5/30-4S Ea	1.286-908.0	1.8-3.5	435-3000	Direct	9	220/240V / 1ph	28	Kärcher Axial	178	47 x 21 x 23	\$4,025.00
HD 4.5/32-4S Eb	1.286-909.0	2.2-4.5	435-3200	Direct	10	230V / 3ph	25	Kärcher Axial	178	47 x 21 x 23	\$4,145.00
HD 4.5/32-4S Ec	1.286-910.0	2.2-4.5	435-3200	Direct	10	460V / 3ph	14	Kärcher Axial	160	47 x 21 x 23	\$4,145.00

ACCESSORIES


Order No.	Description	List Price
4.118-005.0 ■	EASY!Force trigger gun	\$134.00
4.112-000.0 ■	41" spray lance	\$114.00
6.110-030.0 ■	50' EASY!Lock hose with ANTI!Twist connection	\$227.00
2.113-022.0 ■	Power nozzle, 045 (for machine 1.286-908.0)	\$19.60
2.113-025.0 ■	Power nozzle, 055 (for machine 1.286-909.0)	\$19.60
□ 4.118-008.0 ■	Servo control	\$91.00
□ 2.112-000.0 ■	Inno Foam kit	\$888.00
□ 2.112-015.0 ■	Gutter cleaning lance	\$351.00
□ 4.112-035.0 ■	Flexible spray lance	\$251.00
□ 6.110-049.0 ■	Pipe cleaning hose 65', 1740 psi	\$212.00
□ 6.110-050.0 ■	Pipe cleaning hose 98', 1740 psi	\$201.00
□ 6.110-008.0 ■	Pipe cleaning hose 65', 3625 psi	\$346.00
□ 2.111-023.0 ■	FR TR 50 ME hard surface cleaner	\$1,535.00
□ 2.111-012.0 ■	FRV TR 30 ME	\$1,240.00
□ 2.111-011.0 ■	Surface cleaner FR 30	\$420.00
□ 2.111-010.0 ■	FRV TR 30 hard surface cleaner	\$987.00
□ 4.115-000.0 ■	Wet blasting attachment	\$429.00
□ 2.113-020.0 ■	25° power nozzle for applying cleaning agent	\$19.10
□ 4.114-019.0 ■	Dirtblaster Nozzle 035	\$91.00
□ 4.637-033.0 ■	Detergent injector for high pressure	\$243.00
□ 4.111-037.0 ■	Coupling	\$15.90

HD SPECIAL CLASS



For strict hygiene requirements.

Cold water high-pressure cleaner was designed specifically for all-purpose industrial use in the sanitary/food industry. This top-of-the-range machine from the compact class allows you to regulate pressure and water flow seamlessly.



Features

- Food-safe, non-marking high-pressure hose.
- Wear-resistant and non-marking gray wheels
- Accepts inlet water at temperatures up to 180°F
- Easy access to the variable pressure and water flow regulation and the "Inno Foam Set" high-pressure foam system can be used.
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.3/14 C Ed Food	1.150-912.0	2.3	1400	Direct	3.2	120V / 1ph	20	Kärcher Axial	78	39 x 15 x 28	\$2,405.00

ACCESSORIES

Order No.	Description	List Price
4.118-015.0 ■	EASY!Force trigger gun for food applications	\$150.00
4.112-006.0 ■	33" spray lance	\$103.00
6.110-063.0 ■	50' EASY!Lock food grade hose with AVS hose reel connection	\$222.00
4.117-033.0 ■	Triple jet nozzle, 040	\$94.50
2.112-009.0 ■	Inno Foam (food grade)	\$888.00

HD HAND HELD



Durable and dependable.

These industrial hand held units are significantly more rugged than typical consumer substitutes and are built with durable steel frames. Hand-held models come with a dependable axial pump, high pressure hose, a stainless steel lance and detergent injector with brass soap nozzle.



Features

- Durable steel frame
- Axial pump
- Portable, easy to transport

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.0/10 Ed	1.575-400.0	2.0	1000	Direct	1.5	120V / 1ph	15	Comet Axial	85	24 x 19 x 22	\$1,115.00
HD 1.8/14 Ed	1.575-401.0	1.8	1400	Direct	2	120V / 1ph	20	Comet Axial	95	24 x 19 x 22	\$1,205.00

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HD WALL MOUNTED



Convenient and quiet.

Kärcher's wall-mount unit has a durable steel frame, uses a quiet 1725 RPM motor, and is perfect for in-shop uses. A remote on/off switch with a 10' electrical cord allows the machine to be mounted high on a wall away from backspray.



Shown with optional wall mount bracket part no. 8.920-952.0

Features

- Accepts hot water up to 180 degrees
- Remote on/off switch
- Kärcher Triplex crankcase pump

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.0/14 Ed +	1.107-088.0	1.8	1400	Direct	2	120V / 1ph	20	Kärcher KE	123	20 x 19 x 17	\$1,925.00

ACCESSORIES

Order No.	Description	List Price
<input type="checkbox"/> 8.920-952.0	Wall mount bracket	\$269.00

HD SERIES ELECTRIC



Designed for versatility.

Kärcher's HD carts are corrosion-resistant aluminum pressure washers that easily convert from a cart to a skid for maximum cleaning versatility and durability. These reliable electric powered pressure washers have a low profile handle and compact footprint, making them easy to maneuver, and they offer a bypass loop for additional pump protection. 7-year pump warranty and flat-free tires.



Features

- Durable, corrosion resistant aluminum frame
- Modular design - weld free frame easily converts from cart to skid
- Flat free tires
- VRT3 Unloader with bypass loop - pump protection
- Commercial-duty Leuco crankcase pump

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Pump RPM	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.0/1000 Ed	9.801-814.0	2.0	1000	Direct	1.5	120V / 1ph	15	Kärcher KF	1725	161	41 x 22 x 25	\$1,650.00
HD 1.9/1300 Ed	9.801-794.0	1.9	1300	Direct	2	120V / 1ph	20	Kärcher KF	1725	175	41 x 22 x 25	\$1,785.00
HD 3/1000 Ed	9.801-795.0	3.0	1000	Direct	2	120V / 1ph	20	Kärcher KF	1725	180	41 x 22 x 25	\$1,860.00
HD 3.5/2000 Ea	9.801-796.0	3.5	2000	Direct	5	230V / 1ph	22	Kärcher KF	3450	181	41 x 22 x 25	\$2,660.00

ACCESSORIES

Order No.	Description	List Price
8.750-247.0	Gun, M407	\$28.40
8.925-129.0	Hose, 3/8" X 50', R1, 4000 PSI, SW X SO	\$99.00
8.783-040.0	Lance, 44", zinc-plated, handle and coupler	\$25.00
9.802-216.0	Chemical injector	\$38.70
8.712-398.0	Nozzle, QCEM-6540 Brass (Chem)	\$6.65
8.712-337.0	Nozzle, red, 035	\$6.70
8.712-338.0	Nozzle, yellow, 035	\$6.15
8.712-339.0	Nozzle, green, 035	\$6.15
8.712-340.0	Nozzle, white, 035	\$6.15
<input type="checkbox"/> 8.712-429.0	Rotary nozzle	\$217.00
<input type="checkbox"/> 8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose	\$217.00
<input type="checkbox"/> 8.753-572.0	A+ Surface Cleaner SC21	\$987.00
<input type="checkbox"/> 8.753-573.0	A+ Surface Cleaner SC24	\$1,105.00
<input type="checkbox"/> 9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI	\$99.00
<input type="checkbox"/> 8.710-620.0	Legacy Superlite stainless steel, 72" - 56.0 oz	\$119.00
<input type="checkbox"/> 9.807-754.0	Skid mount feet	\$34.10
<input type="checkbox"/> 9.807-750.0	37.5" long handle	\$28.90
<input type="checkbox"/> 9.807-753.0	Lance holder	\$31.10
<input type="checkbox"/> 9.807-752.0	Hose storage hook	\$40.60
<input type="checkbox"/> 9.807-751.0	Handle with hose reel (mild steel anthracite handle)	\$341.00

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HD ROLL CAGE



Specialty applications.

These belt-drive, electric roll cage models feature cleaning power of 5000 PSI and are available with either 230/3 phase or 460/3 phase motors. These units are specialty machines perfect for use in the marine market cleaning the bottom of boats or in the concrete industry, mixers, forms and handling equipment. Both models are ETL safety certified.



Features

- Rugged steel chassis & roll cage
- Kärcher Belt-drive crankcase pump
- Cleaning power of 5000 PSI
- Flat-free tires
- 20 HP motor
- 50' high-pressure hose

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 5.0/50 Eb Cage	1.107-084.0	5.0	5000	Belt	20	230V / 3ph	48	Kärcher KX	524	42 x 26 x 30	\$8,210.00
HD 5.0/50 Ec Cage	1.107-087.0	5.0	5000	Belt	20	460V / 3ph	26	Kärcher KX	524	42 x 26 x 30	\$8,210.00

ACCESSORIES

Order No.	Description	List Price
<input type="checkbox"/> 9.801-029.0	100' hose reel kit, 5000 PSI (hose not Included)	\$553.00

HD CABINET - BELT DRIVE



Industrial throughout.

Our cold-water cabinet units accept pre-heated water up to 180°F. Protected in durable steel cabinets, they demonstrate industrial strength throughout, including belt-drive Kärcher crankcase pumps, industrial motors, and magnetic starters for operator safety.



Features

- Hour Meter is standard on all models
- Optional wheel kit with detergent rack and hose reel available
- Optional floor stand with caster wheels available
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.8/10 ST Ed B	1.575-300.0	2.8	1000	Belt	2	120V / 1ph	20	Kärcher KM	210	31 x 21 x 16	\$2,935.00
HD 4.2/20 ST Ea B	1.575-301.0	4.2	2000	Belt	6	230V / 1ph	29	Kärcher KM	285	31 x 21 x 16	\$3,715.00
HD 4.2/20 ST Eb B	1.575-302.0	4.2	2000	Belt	6	230V / 3ph	22	Kärcher KM	255	31 x 21 x 16	\$3,715.00
HD 4.2/20 ST Ec B	1.575-303.0	4.2	2000	Belt	6	460V / 3ph	11	Kärcher KM	260	31 x 21 x 16	\$3,715.00
HD 4.2/20 ST Eh B	1.575-305.0	4.2	2000	Belt	6	208V / 3ph	16	Kärcher KM	265	31 x 21 x 16	\$3,715.00
HD 3.5/30 ST Ea B	1.575-306.0	3.5	3000	Belt	7.5	230V / 1ph	36	Kärcher KM	330	31 x 21 x 16	\$4,130.00
HD 3.5/30 ST Eb B	1.575-307.0	3.5	3000	Belt	7.5	230V / 3ph	19	Kärcher KM	275	31 x 21 x 16	\$4,130.00
HD 3.5/30 ST Ec B	1.575-308.0	3.5	3000	Belt	7.5	460V / 3ph	11	Kärcher KM	270	31 x 21 x 16	\$4,130.00
HD 3.5/30 ST Eg B	1.575-309.0	3.5	3000	Belt	7.5	208V / 1ph	38	Kärcher KM	332	31 x 21 x 16	\$4,130.00
HD 3.5/30 ST Eh B	1.575-310.0	3.5	3000	Belt	7.5	208V / 3ph	23	Kärcher KM	271	31 x 21 x 16	\$4,130.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50
9.801-013.0	Hour Meter (factory included)	\$74.50

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
9.801-002.0	Conversion to Stainless Steel Cabinet	\$336.00
8.903-045.0	Kit Time Delay Shutdown, 120V, 1ph	\$362.00
8.929-374.0	Kit Time Delay Shutdown, 208/230V, 1ph	\$362.00
8.903-041.0	Kit Time Delay Shutdown, 3ph	\$362.00
8.929-376.0	Kit Auto Start/Stop, 120V, 1ph	\$362.00
8.929-377.0	Kit Auto Start/Stop, 208/230V, 1ph	\$362.00
8.903-047.0	Kit Auto Start/Stop, 3ph	\$362.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
9.801-031.0	Wheel Kit with Detergent Rack	\$455.00
9.801-033.0	Wall Mount Kit	\$170.00
8.903-043.0	Stainless Steel Wall Mount Kit	\$300.00
8.903-040.0	Floor Stand, 24" short	\$474.00
9.801-034.0	Floor Stand, 36" Tall	\$506.00
8.903-617.0	Stainless Steel Floor Stand, 36" Tall	\$759.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.941-546.0	Stainless Steel Floor Stand, without Hose Hanger	\$868.00
9.801-035.0	Caster Wheels for Floor Stand	\$458.00
9.801-036.0*	Hose Reel Kit, Floor Stand Only, 100 ft, No Hose	\$491.00
8.750-682.0*	100' x 3/8" fixed base hose reel	\$310.00
8.919-437.0*	Wall Mount	\$41.30
8.903-039.0*	Kit, Hose Reel w/Bracket for Stand, Wall Mount Kits	\$475.00

Included Optional Please Note: NOT compatible with EASY!Lock
 Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

JARVIS SERIES



Configured for surface cleaning.

An all-in-one surface cleaner pressure washer for quick, streak-free cleaning of business entrances, parking lots, tennis courts – any areas with deep rooted dirt that sweeping alone does not get. This cold water unit is designed with its pump and engine attached to the surface cleaner. It's reliable with flat free tires, a Honda GX engine, and it offers a convenient folding handle for easy transport and storage.



POWERED by **HONDA**



Features

- 21" corrosion-resistant stainless steel surface cleaner housing and a professional grade swivel design for extended, effortless use
- Reliable Honda GX engine with three-year warranty
- Flat free tires
- Folding handle for easy storage and transport
- Simple on / off operation
- EASY!Force gun with cruise control like technology - uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
SCW 2.4/25 G	1.107-380.0	2.4	2500	Direct	200	Honda GX 200	KP3035G	159	44.04" x 27.6" x 34.2"	\$2,685.00

ACCESSORIES

Order No.	Description	List Price
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.	\$83.50
8.711-370.0	Nozzle used on wand	\$7.95
8.707-537.0	Nozzle used on spray arm of surface cleaner (2 needed)	\$7.80
8.925-467.0	Hose	\$34.10
9.802-214.0	Wand	\$35.60

HD CLASSIC



Cleaning versatility and durability.

Corrosion-resistant and light-weight, Kärcher's direct drive, HD Classic aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Kärcher powered pressure washers offer a 3-year engine warranty, bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.



Features

- Reliable Kärcher engine with 3-year warranty
- Direct drive models
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated
- Aluminum frame - modular design - converts easily from cart to skid

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) inches	List Price
HD 3.0/27 G Classic	1.107-398.0	3.0	2700	Direct	212	Kärcher	Crankcase	112	45 x 28 x 29	\$1,075.61
HD 4.0/40 G Classic	1.107-399.0	4.0	4000	Direct	420	Kärcher	Crankcase	130	45 x 28 x 29	\$1,620.00
HD 4.0/40 Ge Classic*	1.107-400.0	4.0	4000	Direct	420	Kärcher	Crankcase	158	45 x 28 x 29	\$1,800.00

*Electric start available on select models.

ACCESSORIES

Order No.	Description	List Price
8.750-247.0	Trigger Gun, model M407	\$28.40
8.925-129.0	Hose, 50' x 3/8", 1w, 4,000 PSI SWXSO	\$99.00
8.783-039.0	Lance 30" Zinc plated, handle & coupler (for HD 3.0/27 G Classic)	\$24.20
8.783-040.0	Lance 44" Zinc plated, handle & coupler (for HD 4.0/40 G Classic and HD 4.0/40 Ge Classic)	\$25.00
9.802-216.0	Injector, Chem, NON ADJ, 0.083	\$38.70
<input type="checkbox"/> 8.712-429.0	Nozzle	\$217.00
<input type="checkbox"/> 8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose	\$217.00
<input type="checkbox"/> 8.753-572.0	A+ Surface Cleaner SC21	\$987.00
<input type="checkbox"/> 8.753-573.0	A+ Surface Cleaner SC24	\$1,105.00
<input type="checkbox"/> 9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI	\$99.00
<input type="checkbox"/> 8.710-620.0	Legacy Superlite stainless steel wand, 72" - 56.0 oz	\$119.00
<input type="checkbox"/> 9.807-754.0	Skid mount feet	\$34.10
<input type="checkbox"/> 9.807-750.0	37.5" long handle	\$28.90
<input type="checkbox"/> 9.807-753.0	Lance holder	\$31.10
<input type="checkbox"/> 9.807-752.0	Hose storage hook	\$40.60
<input type="checkbox"/> 9.807-751.0	Handle with hose reel (mild steel anthracite handle)	\$341.00

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HD SERIES GAS




Easily converts from cart to skid.

Corrosion-resistant and light-weight, Kärcher's HD aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Honda powered pressure washers offer a bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.



POWERED by HONDA



Features

- Reliable Honda GX engine
- Belt or direct drive models
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated
- Aluminum frame - modular design - converts easily from cart to skid

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 3.0/27 G	9.807-719.0	3.0	2700	Direct	196	Honda GX200	Crankcase	112	45 x 28 x 29	\$1,265.00
HD 3.5/35 G	9.807-720.0	3.5	3500	Direct	270	Honda GX270	Crankcase	130	45 x 28 x 29	\$1,585.00
HD 4.0/40 G	9.807-721.0	4.0	4000	Direct	389	Honda GX390	Crankcase	149	45 x 28 x 29	\$1,905.00
HD 4.0/40 Ge*	9.807-722.0	4.0	4000	Direct	389	Honda GX390	Crankcase	158	45 x 28 x 29	\$2,120.00
HD 3.0/27 GB	9.807-723.0	3.0	2700	Belt	196	Honda GX200	Crankcase	123	45 x 28 x 29	\$1,650.00
HD 3.5/35 GB	9.807-724.0	3.5	3500	Belt	270	Honda GX270	Crankcase	156	45 x 28 x 29	\$2,075.00
HD 4.0/40 GB	9.807-725.0	4.0	4000	Belt	389	Honda GX390	Crankcase	160	45 x 28 x 29	\$2,480.00
HD 4.0/40 GeB*	9.807-726.0	4.0	4000	Belt	389	Honda GX390	Crankcase	196	45 x 28 x 29	\$3,010.00

*Electric start available on select models.

ACCESSORIES

Order No.	Description	List Price
8.750-247.0	Trigger Gun, model M407	\$28.48
8.925-129.0	Hose, 50' x 3/8", 1w, 4,000 PSI SWXSO	\$99.00
8.783-039.0	Lance 30" Zinc plated, handle & coupler (for HD 3.0/27 G, HD 3.0/27 GB)	\$24.20
8.783-040.0	Lance 44" Zinc plated, handle & coupler (for HD 3.4/35 G, HD 4.0/41 G, HD 4.0/41 Ge, HD 3.3/35 GB, HD 4.0/40 GB, HD 4.0/40 GeB)	\$25.00
9.802-216.0	Injector, Chem, NON ADJ, 0.083	\$38.70
<input type="checkbox"/> 8.712-429.0	Nozzle	\$217.00
<input type="checkbox"/> 8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose	\$217.00
<input type="checkbox"/> 8.753-572.0	A+ Surface Cleaner SC21	\$987.00
<input type="checkbox"/> 8.753-573.0	A+ Surface Cleaner SC24	\$1,105.00
<input type="checkbox"/> 9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI	\$99.00
<input type="checkbox"/> 8.710-620.0	Legacy Superlite stainless steel wand, 72" - 56.0 oz	\$119.00
<input type="checkbox"/> 9.807-754.0	Skid mount feet	\$34.10
<input type="checkbox"/> 9.807-750.0	37.5" long handle	\$28.90
<input type="checkbox"/> 9.807-753.0	Lance holder	\$31.10
<input type="checkbox"/> 9.807-752.0	Hose storage hook	\$40.60
<input type="checkbox"/> 9.807-751.0	Handle with hose reel (mild steel anthracite handle)	\$341.00

Included Optional

HD SERIES GAS SKID



*Pressure washer sold separate.

Cleaning on the go.

The perfect accompaniment to Kärcher's HD Series Gas pressure washers - these mild steel skids offer two configurations:

1. Skid with a 50 gallon water tank and one 100' hose reel or
2. Skid with two 100' hose reels.

The HD Series Gas skids fit within a standard UTV / ATV bed and work with three different direct drive aluminum pressure washers to offer ultimate portability and usability for various applications.



Features

- 50 gallon water tank (HD Pallet Skid with Tank only)
- Forklift holes
- Includes skid feet
- 1 to 2, 100' hose reels
- Fits within standard UTV/ATV bed
- Assembly required

TECHNICAL DATA

Model	Part No.	Frame Material	Description	Compatible Pressure Washer (sold separately)	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD Pallet Skid with Tank	9.807-833.0	Mild Steel	50 gal water tank and 1 hose reel	HD 3.0/27 G 9.807-719.0	185	40 x 48 x 35	\$1,310.00
				HD 3.4/35 G 9.807-720.0			
				HD 4.0/40 G 9.807-721.0			
HD Pallet Skid with 2 Hose Reels	9.807-838.0	Mild Steel	2 hose reels	HD 3.0/27 G 9.807-719.0	172	47 x 40 x 35	\$1,140.00
				HD 3.4/35 G 9.807-720.0			
				HD 4.0/40 G 9.807-721.0			

OPTIONS (FACTORY INSTALLED)

Order No.	Description	List Price
8.923-105.0	Rubber feet kit	\$14.50
8.923-107.0	Inlet filter kit	\$38.70
8.923-106.0	Lifting eye bolts kit	\$90.00
8.923-108.0	Three-way valve kit	\$54.00

Included Optional

HD CART



Compact and dependable.

The HD Carts are tough gasoline-powered direct-drive cold water machines that deliver cleaning power of up to 4000 PSI. Built on compact sturdy steel frames, each unit features a dependable industrial-grade Honda engine, Kärcher crankcase pump, hose/gun rack, detergent injection, and tubed pneumatic tires.



Features

- Steel frame with powder coat finish
- Commercial grade Honda GX engine
- Cleaning power up to 4000 PSI
- Industrial direct-drive Kärcher crankcase pump

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.3/24 P	1.575-100.0	2.3	2400	Direct	163	Honda GX160	Kärcher KP	130	35 x 21 x 24	\$1,820.00
HD 2.5/27 P	1.575-101.0	2.5	2700	Direct	196	Honda GX200	Kärcher KP	135	35 x 21 x 24	\$2,070.00
HD 3.0/30 P	1.575-102.0	3.0	3000	Direct	270	Honda GX270	Kärcher KP	175	35 x 21 x 24	\$2,280.00
HD 3.8/35 P	1.575-104.0	3.8	3500	Direct	389	Honda GX390	Kärcher KS	185	35 x 21 x 24	\$2,680.00
HD 3.5/40 P	1.107-223.0	3.5	4000	Direct	389	Honda GX390	Kärcher KS	188	35 x 21 x 24	\$2,680.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
9.801-026.0	100' EZEE Hose Reel kit (hose not Included)	\$289.00

Included Optional

HD PB CART



Reliable and professional.

Our cold-water series provides a broad selection of rugged belt-drive units, all with reliable Honda GX engines, which deliver cleaning volume of up to 3.7 GPM. Each model is ETL certified to UL safety standards and comes with a rugged steel chassis, cast iron belt pulley system, flat-free tires, and industrial-grade Kärcher crankcase pump.



Features

- Powder coated steel chassis
- Reliable Honda GX engine
- Onboard hose and lance storage
- Water volume up to 3.7 GPM
- Industrial belt-drive Kärcher pump
- Flat-free tires
- Quick connect nozzles

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Fuel	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 3.0/30 PB	1.575-152.0	3.0	3000	Belt	270	Honda GX270	Gas	Kärcher KB	225	45 x 26 x 24	\$3,125.00
HD 3.7/35 PB	1.575-154.0	3.7	3500	Belt	389	Honda GX390	Gas	Kärcher KM	250	45 x 26 x 24	\$3,460.00
HD 3.0/40 PB	1.575-155.0	3.0	4000	Belt	389	Honda GX390	Gas	Kärcher KM	250	45 x 26 x 24	\$3,625.00

HD PB / PEB / D CAGE



Extra rugged and powerful.

Our roll cage models are the most powerful units in our cold water line, with cleaning power of up to 5000 PSI. Protected by either a rugged powder coated roll cage built of 1-1/4" steel or a corrosion-resistant stainless steel cage, these units feature powerful Vanguard, Honda or Kohler engines, tri-plunger oil bath Kärcher pumps, flat-free tires, and an extra rugged belt-drive assembly with notched V belts and cast iron pulleys.



Diesel model HD 3.4/30 D Cage with optional hose reel

Features

- Belt-drive
- Rugged steel chassis & roll cage for PB and PEB models
- Corrosion-resistant stainless steel frame for D Cage model only
- Honda, Vanguard or new Kohler engine - model HD 3.4/30 D Cage (Shown to the left)
- Electric start on dual-axle models*
- Industrial belt-drive Kärcher pump with 7-year warranty
- Flat-free tires on all models

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Fuel	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 3.7/35 PB Cage	1.575-205.0	3.7	3500	Belt	389	Honda GX390	Gas	Kärcher KM	350	42 x 26 x 30	\$3,725.00
HD 4.0/40 PB Cage	1.575-207.0	4.0	4000	Belt	479	Vanguard 16	Gas	Kärcher KT	470	42 x 26 x 30	\$5,915.00
HD 4.0/50 PeB Cage*	1.575-200.0	4.0	5000	Belt	688	Honda GX630	Gas	Kärcher KX	495	42 x 26 x 30	\$6,900.00
HD 4.5/50 PeB Cage*	1.575-201.0	4.5	5000	Belt	688	Honda GX690	Gas	Kärcher KX	500	42 x 26 x 30	\$7,940.00
HD 3.4/30 D Cage	1.107-373.0	3.4	3000	Belt	442	Kohler KD440	Diesel	LM3540R,3	195	50 x 40 x 50	\$8,840.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
<input type="checkbox"/> 9.801-028.0	100' EZEE Hose Reel kit, single axle (hose not Included)	\$336.00
<input type="checkbox"/> 9.801-029.0	100' Hose Reel kit, 5000 psi, double axle (hose not Included)	\$553.00
<input type="checkbox"/> 8.750-682.0	100' capacity Hose Reel fixed base (for HD 3.4/30 D Cage model only)	\$310.00
<input type="checkbox"/> 8.929-070.0	Skid feet (for HD 3.4/30 D Cage model only)	\$51.50

Included Optional

DENALI SERIES




High flow washing.

Our Denali High Flow Series features up to an 8.0 GPM flow rate and 3500 PSI to blast through the toughest jobs on farms and construction sites, perfect for waste and debris removal. Our rugged and economical cold water pressure washer features a high-quality triplex pump and is equipped with a Honda engine for quiet, reliable performance, and a corrosion resistant, stainless steel frame. Three gas models allow you to find the right machine for your needs and the flat-free tires allow for easy maneuverability. We have a kit to convert your Denali to a skid for stationary use or for mounting on a vehicle. All models equipped with a 50' hose, a chemical injector and 12V battery.



*Optional



*Optional

Features

- Belt-drive
- Reliable Honda GX engine
- Flat-free tires and steel cage
- Modular design - change to stationary unit with optional skid kit*
- Optional 100' hose reel available*
- Machine will fit up to a 100' hose reel

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	CC	Engine	Fuel	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 5/30 G	1.107-370.0	5.0	3000	Belt	688	Honda GX630	Gas	6036R	430	50" x 40" x 58"	\$6,775.00
HD 6/30 G	1.107-371.0	6.0	3000	Belt	688	Honda GX630	Gas	6036R	430	50" x 40" x 58"	\$6,880.00
HD 8/35 G	1.107-372.0	8.0	3500	Belt	688	Honda GX690	Gas	8043R	441	50" x 40" x 58"	\$7,330.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
8.750-247.0	Trigger Gun, model M407	\$28.40
8.925-132.0	Hose, 3/8" X 50' 2W 6000 PSI SW/SO/CPL (5/30 & 6/30)	\$119.00
8.925-134.0	Hose, 1/2" X 50' 2W 5000PSI SW/SO/CPL (8/30)	\$145.00
9.802-216.0	Injector Chem, non-adjustable, 3-5 GPM (5/30)	\$38.70
8.757-724.0	Injector Chem, non-adjustable, 5-9 GPM (6/30 & 8/30)	\$22.20
<input type="checkbox"/> 8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose	\$217.00
<input type="checkbox"/> 8.750-682.0	100' Capacity Hose Reel, Fixed Base	\$310.00
<input type="checkbox"/> 8.929-070.0	Skid Kit	\$51.50

Included Optional


Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

HD HAND HELD



Rugged and dependable.

This industrial hand held unit is significantly more rugged than typical consumer substitutes and is built with durable steel frames. Hand-held model comes with a dependable axial pump, high pressure hose, a stainless steel lance and detergent injector with brass soap nozzle.



Features

- Durable steel frame
- Axial pump
- Portable
- Detergent injector

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	CC	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
HD 2.3/24 P	1.575-350.0	2.3	2400	Direct	5.5	160	Honda GX160	KP2535G	163	16 x 24 x 22	\$1,535.00

MOBILE HOT WATER GENERATOR



Hot water heater.

For attaching to a cold water pressure washer

Our Kärcher Series water heater provides supplemental heat to cold water machines, giving users the benefits of hot water cleaning when it's needed. An electric-powered diesel heated unit, the Heater 5.0/30 Ed effectively heats water at a rate of up to 5 gallons per minute.



Features

- Effective heating of up to 5 GPM
- Heavy-duty, steel cabinet protected by an epoxy powder coat finish
- Portable

TECHNICAL DATA

Model	Part No.	GPM	PSI	Electrical	Amps	Heated By	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
Heater 5.0/30 Ed	1.575-650.0	to 5	up to 3000	120V / 1ph	5	Diesel	330	35 x 47 x 50	\$3,615.00

STATIONARY HOT WATER GENERATOR SERIES



Model 9452



Model 9462

Heating modules.

The 9400 Series heating modules give customers the flexibility to “convert” a cold water pressure washer into a hot water unit. By attaching the heating module to a cold water pressure washer the pressurized water is now heated to produce all the benefits of hot water cleaning. The four models use fuel oil, diesel or natural gas to heat the water using Kärcher’s high-efficiency, vertical heating coil.



Features

Fuel burner types available: diesel, kerosene, home heating oil, natural gas, LP gas (optional)
 All models are equipped with a flow switch to control the burner
 Heavy-duty, steel cabinet

TECHNICAL DATA

Model	Part No.	GPM	PSI	Volt / PH	CC	BTU / Hour	AMP	Fuel	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
9450	1.103-905.0	10	3200	115/1	389	700,000	8	Oil-Fired	525	32.5 x 25 x 50.5	\$6,785.00
9452	1.103-906.0	10	3200	115/1	479	540,000	1	Natural - Gas- Fired	500	32.5 x 25 x 50.5	\$6,540.00
9460	1.103-907.0	10	3200	115/1	688	920,000	8	Oil-Fired	920	40.5 x 32 x 65	\$10,710.00
9462	1.103-908.0	10	3200	115/1	688	920,000	1	Natural - Gas- Fired	935	40.5 x 32 x 65	\$10,110.00

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
<input type="checkbox"/> 8.903-076.0	Natural-Gas to LP Conversion for Model 9452 (Factory Installed)	\$155.0
<input type="checkbox"/> 8.903-075.0	Natural-Gas to LP Conversion for Model 9462 (Factory Installed)	\$155.00
<input type="checkbox"/> 9.801-040.0	10" Natural Gas-Fired Draft Diverter for Model 9452	\$160.00
<input type="checkbox"/> 8.717-730.0	12" Natural Gas-Fired Draft Diverter for Model 9462	\$248.00
<input type="checkbox"/> 8.749-806.0	10" Power Dampener	\$341.00
<input type="checkbox"/> 8.753-171.0	12" Power Dampener	\$367.00
<input type="checkbox"/> 8.749-807.0	Power Dampener Wiring Harness	\$96.00

Included Optional

MISSISSIPPI RECOVERY



Siphon muddy waters away.

Stop wash water from flowing down a drain or away from your area by collecting the wastewater from pressure washing. As EPA laws become more prevalent and strive to conserve water quality, contract cleaners and construction sites will need to recover their wash water and runoff. Eliminate the problem with the Mississippi Recovery series that is capable of recovering and transferring up to 30 GPM of water and transferring to a holding tank. Its small footprint allows the Mississippi to be mounted on a trailer. Be fully in control of water flow with the optional water dikes and drain covers to stop water from flowing down a drain or away from your site. Comes standard with 50' feet of vacuum hose and a scupper head.



Features

- 3 stage vacuum motor delivers 100 CFM 100" sealed lift vacuum
- Simple curbside controls for easy use
- Rated for water up to 120°F and compatible with surface cleaners and hot water machines
- Bolt-on mounting system configured on the base to mount to a trailer for portability from site to site or optional caster wheel kit
- Drain port and filter basket together to keep sludge from clogging

TECHNICAL DATA

Model	Part No.	Electrical	Tank	Vac Motor	AMP	Recovery	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	List Price
Mississippi Recovery	1.103-516.0	120V	27 Gallon	3 Stage 100 CFM 100" sealed lift	15	30 GPM	127	24 x 27 x 59	\$2,040.00

ACCESSORIES

Order No.	Description	List Price
8.618-451.0	50' of High Temp 2" Vacuum Hose	\$184.00
8.928-850.0	Scupper Head	\$82.50

OPTIONS (FIELD INSTALLED)

Order No.	Description	List Price
<input type="checkbox"/> 8.751-299.0	Mosmatic Surface Cleaner with Vac Port	\$3,495.00
<input type="checkbox"/> 8.928-887.0	Caster Wheel Kit	\$103.00
<input type="checkbox"/> 8.925-858.0	Vacuum Discharge Hose Kit	\$176.00

DRAIN COVERS AND WATER DIKES

Order No.	Description	List Price
<input type="checkbox"/> 8.751-135.0	Drain Cover, 36" x 36", 30oz PVC	\$351.00
<input type="checkbox"/> 8.751-136.0	Drain Cover, 48" x 48", 30oz PVC	\$418.00
<input type="checkbox"/> 8.751-137.0	Drain Cover, 48" x 48", Urethane	\$429.00
<input type="checkbox"/> 8.751-138.0	Water Dike, 10', 22oz PVC	\$207.00
<input type="checkbox"/> 8.751-139.0	Water Dike, 10', 40oz Urethane	\$315.00
<input type="checkbox"/> 8.751-140.0	Water Dike, 20', 22oz PVC	\$289.00
<input type="checkbox"/> 8.751-141.0	Water Dike, 20', 40oz Urethane	\$434.00

Included Optional

POWERING A CLEANER FUTURE

A monumental shift is taking place in the cleaning industry, and its being driven by the demand for verifiable sustainability, environmental compatibility, and labor cost savings. At the forefront of this change, is Kärcher. We're investing in digital tools - Kärcher Solutions, Fleet Management and a virtual training system that will allow you to achieve professional knowledge for maximum productivity, all at your fingertips.





IOS

ANDROID



**DOWNLOAD TO YOUR MOBILE DEVICE:
THE RIGHT CLEANING SOLUTION
ALL AT YOUR FINGERTIPS.**



**MANAGE YOUR FLEET WITH
UPDATED MACHINE DATA AND
MAXIMIZE PERFORMANCE,
ALLOCATE RESOURCES AND
IMPROVE EFFICIENCY.**

We're producing equipment with energy saving lithium-ion batteries which provide longer life, better warranty, more consistent voltage, the ability to opportunity charge, while offering better productivity than lead acid batteries. Let us help you power a cleaner future - for you, your community, the environment and your customers.




LITHIUM-ION CELLS

4.8
BILLION

8
BILLION

**MANUFACTURED
IN 2013**

**FORECASTED
BY 2025**



**ON AVERAGE, LITHIUM-ION
BATTERY LIFE IS 6-10 TIMES
LONGER THAN ITS AGM
COUNTERPART.**

KM 70/20 C



Superior performance with manual power.

Speedy sweeping and painless maintenance rolled into one convenient package. These sweepers provides superior sweeping performance in a compact manual push sweeper. It is built to be rugged and durable for long life.



Features

- Cleans paths, sidewalks and warehouses quickly and conveniently
- Main cylindrical brush is driven by both wheels so that it sweeps equally well in either right or left turns
- Rugged metal pinion drive for long life
- Durable design
- Height of cylindrical brush can be easily adjusted in five positions by a knob on the handle

KM 70/20 C

Technical Specifications

Cleaning path / width - main broom	in	19
Cleaning path / width with 1 sb	in	28
Cleaning path / width with 2 sb	in	36
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq ft/hr	30,000
Weight	lbs	50.7
Dimensions (LxWxH)	in	51.2 x 30.14 x 40.7

EQUIPMENT

Part No.	Description	List Price
1.517-106.0	KM 70/20 C , twenty eight inch walk-behind sweeper	\$675.00
1.517-107.0	KM 70/20 C 2SB , thirty six inch walk-behind sweeper, dual brushes	\$750.00

ACCESSORIES

Order No.	Description	List Price
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$105.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$173.00
■ 4.040-772.0	Dust Filter	\$64.00
□ 2.640-908.0	Litter picker—for picking up waste	\$116.00

Included □ Optional

KM 70/30 C BP ADV



Efficient sweeping on hard or soft floors.

Fast and efficient for sweeping indoors or outdoors—on hard floor or carpet for those that need to get the job done right the first time. Rely on this sweeper to make quick work of any sweeping needs with its highly productive electronic driven broom. It also features active dust control for optimum air quality. User-friendly features such as an easy adjust broom height and an adjustable handle height make this a popular machine with those who use it.



Features

Delivers fast, efficient sweeping for hard and soft floor surfaces
28 inch cleaning path

For a wide range of applications indoors and outdoors, with a particularly quiet battery drive system at 69 dBA

Features Active Dust Control with a separate fan and flat pleated filter for dustless sweeping indoors

Simple adjustment of the main cylindrical broom and side broom

KM 70/30 C BP ADV

Technical Specifications

Cleaning path / width - main broom	in	19
Cleaning path / width with 1 sb	in	28
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq ft/hr	30,800
Operating noise level	dBA	69
Sweeping method	direct / overthrow	direct
Weight	lbs	105.8
Dimensions (LxWxH)	in	48.8 x 28 x 45.2

EQUIPMENT

Part No.	Description	List Price
1.517-218.0	KM 70/30 C BP ADV, twenty eight inch walk-behind sweeper	\$3,125.0

ACCESSORIES

Order No.	Description	List Price
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$105.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$173.00
■ 6.904-367.0	Flat dust filter	\$54.50
□ 2.640-908.0	Litter picker—for picking up waste	\$116.00
□ 5.731-625.0	Filter element - plastic filter, water resistant, washable, saves maintenance costs	\$31.50
□ 6.907-041.0	Standard cylindrical broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces	\$263.00

Included □ Optional

KM 75/40 W BP



Self-propelled for increased productivity.

Big enough to get the job done, but maneuverable to clean congested areas, count on the KM 75/40 W Bp for your sweeping needs. This machine provides the versatility to clean anywhere – carpet or hard floors, indoors or out. We built it to perform day in and day out in the toughest commercial applications.



Features

- Self-propelled, 30 inch cleaning path for increased productivity
- Easy to understand controls increase operator effectiveness
- Over throw sweeping system with an easily removed hopper to make emptying quick and efficient
- Air is vacuumed through a high-efficiency automotive style filter
- Manual filter shaker for easy cleaning and consistent results
- Wet-sweep bypass for cleaning wet surfaces

KM 75/40 W BP

Technical Specifications

Cleaning path / width - main broom	in	22
Cleaning path / width with 1 sb	in	30
Side broom diameter	in	16.5
Debris container capacity	gal	10.5
Practical productivity	sq ft/hr	36,328
Operating noise level	dBA	64
Sweeping method	direct / overthrow	direct
Weight	lbs	172
Dimensions (LxWxH)	in	56 x 30 x 46.5

EQUIPMENT

Part No.	Description	List Price
9.840-739.0	KM 75/40 W Bp, thirty inch walk-behind sweeper	\$6,765.00

ACCESSORIES

Order No.	Description	List Price
■ 8.631-173.0	Battery, 12V AGM 70 Ah	\$693.00
■ 8.629-377.0	Automatic shelf charger, 24V, 24A, 115V, standard on AGM models	\$877.00
■ 6.905-626.0	Side Broom, Soft Bristle	\$131.00
■ 6.906-884.0	Main Broom	\$294.00
■ 5.731-635.0	Flat pleated filter–plastic filter, water resistant, washable, reduces maintenance costs	\$137.00
□ 6.905-625.0	Side broom, hard for heavy-duty cleaning	\$131.00
□ 6.906-885.0	Main Broom, Hard Bristle	\$378.00
□ 6.906-950.0	Anti-Static Rolling Brush	\$368.00
□ 2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static cylindrical brush and triple caster)	\$1,260.00
□ 6.906-886.0	Main cylindrical broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors	\$620.00

Included □ Optional

PUZZI™ 8/1 C



Handy and compact for easy spot cleaning.

The handy, compact and powerful Puzzi™ 8/1 C spray extraction cleaner is ideal for small areas and interim cleaning with excellent cleaning results.



Features

- Foot switch makes it easy to turn on and off - no bending required
- Transparent dome lid for easy-to verify operation
- Swivel casters for easy maneuvering
- Lightweight - at less than 20 lbs., it can be carried up and down stairs without strain
- 8' high-pressure solution and vacuum hose
- Removable dirty water tank

PUZZI™ 8/1 C

Technical Specifications

Solution / recovery capacity	gal	2 / 1.8
Operating noise level	dBa	71
Power cord length	ft	33
Vacuum	hp, stage	1.5 hp
Waterlift	in	87
Pump pressure	psi	14.5
Flow rate	gpm	0.25
Weight	lbs	19.8
Dimensions (LxWxH)	in	20.8 x 13 x 17.3

EQUIPMENT

Part No.	Description	List Price
1.100-228.0	Puzzi™ 8/1 C , 98 inch spray hose with integrated water feed and hand tool	\$851.00

ACCESSORIES

Order No.	Description	List Price
■ 6.391-410.0	8-foot hose, complete with couplings	\$68.50
■ 4.130-116.0	4-inch upholstery hand tool	\$131.00
□ 4.130-127.0	Floor wand, 2-part with aluminum tube	\$205.00
□ 4.130-394.0	Floor wand, quick-action coupling, aluminum tube and metal nozzle	\$299.00
□ 4.762-220.0	Hard surface kit (attaches to 4.130-127.0 & 4.130-394.0 wands)	\$44.60
□ 2.638-778.0	Window cleaning kit with 6.5Ft hose, (requires 2.389-293.0 coupler)	\$299.00
□ 4.130-083.0	Venetian blind kit (requires 6.389-293.0 coupler)	\$793.00
□ 4.130-444.0	Stair cleaning tool, 9-inch	\$284.00
□ 6.391-411.0	13-foot high pressure solution & vacuum hose	\$315.00
□ 4.130-117.0	Stone & hard surface nozzle	\$730.00
□ 4.762-219.0	Hard surface adapter for standard hand tool	\$67.50

Included □ Optional


Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

NT 25/1 AP



Mobile, all-purpose vacuuming.

The NT 25/1 AP delivers powerful wet/dry cleaning in one compact package. This mobile all-purpose vacuum is easy and comfortable to transport to any job site. Designed for function, our vacuum features a light weight construction. Enjoy knowing that you can pick up anything wet or dry with this handy, practical machine.



Features

- Comfortable and easy to handle and on-board accessory storage
- Five caster wheel design provides superior movement and stability
- Complete accessory holder and cord hook
- Convenient additional storage area on the turbine head
- Mobile and lightweight, perfect for transport to multiple locations
- Easy, safe and quickly exchangeable clip hose connections
- Ergonomically designed hose for operator comfort

NT 25/1 AP

Technical Specifications

Vacuum width, floor tool	in	11
Vacuum hose length	ft	8
Power cord length	ft	25
Waste container capacity	gal	6.6
Operating noise level	dB(A)	70
Air flow rate	cfm	123
Waterlift	in of water	88
Motor	watts	1,170
Weight	lbs	24
Dimensions (LxWxH)	in	20 x 14.5 x 19

EQUIPMENT

Part No.	Description	List Price
1.184-868.0	NT 25/1 AP, 6.6 gallon wet / dry vacuum	\$425.00

ACCESSORIES

Order No.	Description	List Price
■ 4.440-626.0	Suction hose C DN35	\$45.10
■ 6.906-240.0	Crevice nozzle DN35	\$4.60
■ 6.903-284.0	Floor tool DN35	\$87.00
■ 6.900-514.0	Suction tube DN35	\$25.70
■ 6.907-478.0	Set of filter bags - fleece 25L	\$19.60


Included Optional

NT 30/1 TACT TE



Stronger and sturdier than ever.

This powerful vacuum cleaner picks up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. It is ideal for long periods of uninterrupted use and constant high suction power. It is fully compliant with OSHA silica dust regulations.



Features

- Blasts of air clean the filter resulting in lower maintenance costs and a longer filter life ultimately saving you money
- On-board storage for all accessories, includes two hooks for the suction hose and power cord
- No filters to install or remove
- Bayonet and clip connections guarantee easy and secure connection of all accessory parts to the vacuum

NT 30/1 TACT TE

Technical Specifications

Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	8.2
Operating noise level	dB(A)	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	30
Dimensions (LxWxH)	in	22 x 14.5 x 22.2

EQUIPMENT

Part No.	Description	List Price
1.148-216.0	NT 30/1 TACT TE , 8-gallon wet/dry vacuum with Tact	\$860.00

ACCESSORIES

Order No.	Description	List Price
■ 2.889-192.0	Stainless steel vacuum tube set	\$62.00
■ 2.889-135.0	Vacuum hose 13 ft	\$54.50
■ 2.889-134.0	Vacuum hose 8 ft	\$35.70
■ 2.889-170.0	Ergonomic bend	\$17.90
■ 2.889-152.0	Wet and dry floor nozzle	\$46.20
■ 2.889-159.0	Crevice nozzle	\$14.20
■ 2.889-151.0	Power tool adaptor	\$27.80
■ 2.889-154.0	Fleece filter bags - 30 liter	\$35.20
■ 6.907-629.0	HEPA filter	\$126.00

See page 58 for optional accessory order numbers.

Included Optional

NT 40/1 TACT TE



Rugged dependability to get the job done.

The NT 40/1 Tact Te has the power to get the job done. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. It is ideal for long periods of uninterrupted use and constant high suction power. It is fully compliant with OSHA silica dust regulations.



Features

Large wheels and front swivel casters for easy maneuverability
 Drain hose allows user to empty unit directly into a drain
 Metal wand, floor tool, crevice tool and washable nylon filter are included with each NT wet / dry vacuum.
 Crush resistant hose stows conveniently on top for storage
 On board storage for all accessories, includes two hooks for the suction hose and power cord.

NT 40/1 TACT TE

Technical Specifications

Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	10.3
Operating noise level	dB(A)	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	32
Dimensions (LxWxH)	in	22 x 14.5 x 25.7

EQUIPMENT

Part No.	Description	List Price
1.148-316.0	NT 40/1 Tact Te, 10-gallon wet/dry vacuum with Tact	\$930.00

ACCESSORIES

Order No.	Description	List Price
■ 2.889-192.0	Stainless steel vacuum tube set	\$62.00
■ 2.889-135.0	Vacuum hose 13 ft (Te versions)	\$54.50
■ 2.889-170.0	Ergonomic bend	\$17.90
■ 2.889-152.0	Wet and dry floor nozzle	\$46.20
■ 2.889-159.0	Crevice nozzle	\$14.20
■ 2.889-151.0	Power tool adaptor (Te versions)	\$27.80
■ 2.889-155.0	Fleece filter bags	\$44.10
■ 6.907-629.0	HEPA filter	\$126.00
■ 2.643-868.0	Push handle	\$102.00

See page 58 for optional accessory order numbers.

Included Optional

NT 50/1 TACT TE



Fully compliant and easy to use.

The NT 50/1 Tact Te includes an improved Tact automatic filter cleaning system - improved cleaning performance and reduced noise level. It is fully compliant with OSHA silica dust regulations.



Features

- Bayonet and clip connections guarantee easy and secure connection of all accessory parts to the vacuum
- Wider inner diameter of vacuum hoses (1-3/8 inches) is now standard
- Even stronger and sturdier components and overall design
- Crush resistant hose stows conveniently on top for storage

NT 50/1 TACT TE

Technical Specifications

Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	13.5
Operating noise level	dBa	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	40
Dimensions (LxWxH)	in	22 x 14.5 x 41.1

EQUIPMENT

Part No.	Description	List Price
1.148-416.0	NT 50/1 Tact Te, 13.5-gallon wet/dry vacuum with Tact	\$1,095.00

ACCESSORIES

Order No.	Description	List Price
■ 2.889-192.0	Stainless steel vacuum tube set	\$62.00
■ 2.889-135.0	Vacuum hose 13 ft (Te versions)	\$54.50
■ 2.889-170.0	Ergonomic bend	\$17.90
■ 2.889-152.0	Wet and dry floor nozzle	\$46.20
■ 2.889-159.0	Crevice nozzle	\$14.20
■ 2.889-151.0	Power tool adaptor (Te versions)	\$27.80
■ 2.889-155.0	Fleece filter bags	\$44.10
■ 6.907-629.0	HEPA filter	\$126.00

See page 58 for optional accessory order numbers.

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

NT 30/1, 40/1, 50/1 ACCESSORIES



ACCESSORIES

Order No.	Description	List Price
2.889-137.0	Vacuum hose 1-3/8 inch diameter (DN 35) 13 ft electrically conductive	\$126.00
2.889-136.0	Vacuum hose 1-3/8 inch diameter (DN 35) 8 ft electrically conductive	\$97.00
2.889-164.0	Vacuum hose 1-3/8 inch diameter (DN 35) 8 ft heat-resistant	\$441.00
2.889-172.0	Ergonomic bend 1-3/8 inch diameter (Dn 35) with soft grip electrically conductive	\$53.00
2.889-148.0	Ergonomic bend 1-3/8 inch diameter (DN 35) with soft grip and vacuum power regulation	\$17.90
6.907-455.0	Flat pleated filter PTFE	\$126.00
2.679-000.0	Drilling dust nozzle 1-3/8 inch diameter (DN 35)	\$39.90
2.643-868.0	Push handle for NT 40/1 Tact Te L	\$102.00
2.889-138.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft	\$65.00
2.889-139.0	Vacuum hose 1-5/8 inch diameter (DN 40), 8 ft	\$54.00
2.889-141.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft electrically conductive	\$131.00
2.889-140.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft oil-resistant	\$147.00
2.889-171.0	Ergonomic bend 1-5/8 inch diameter (DN 40), with soft grip	\$24.10
2.889-172.0	Ergonomic bend 1-5/8 inch diameter (DN 40), with soft grip electrically conductive	\$53.00
2.889-194.0	Set of vacuum tubes 1-5/8 inch diameter (DN 40), 2 x 1.8 ft, stainless steel	\$65.00
6.907-629.0	HEPA filter for NT 30/1, NT 40/1 and NT 50/1	\$126.00
5.453-042.0	(Photo 1 above) Power tool adapter, fits these size shrouds: 1.06" - 1.10" OD, 1.25" - 1.32" OD, 1.37" - 1.44" OD, 1.47" - 1.50" OD	\$32.00
5.453-016.0	(Photo 2 above) Power tool adapter, fits these size shrouds: 1.06" - 1.07" OD, 1.27" - 1.30" OD, 1.40" - 1.41" OD	\$16.80
5.407-108.0	(Photo 3 above) Power tool adapter: connects to 40mm hose connection, screws into 35mm hose or 5.453-016.0 tool adapter	\$11.00
2.637-217.0	(Photo 4 above) Power tool "Y" adapter	\$59.00
5.453-085.0	(Photo 5 above) Power tool adapter sleeve 40 x 50 mm	\$36.80
5.407-113.0	(Photo 6 above) Reducer, DN 40 to DN 35 hose connection	\$13.90
5.031-703.0	Tension ring (order with 5.407-113.0)	\$2.90

NT 48/1



A tough and versatile clean.

This machine is a tough and versatile wet/dry vacuum. Built to handle difficult wet or dry dirt, this vac is the machine that will stand up to tough everyday use. The optional front mounted squeegee provides even more productive water pickup. The large filter provides impressive suction power and long work intervals improving your productivity.

Features

- Mobile, all-purpose wet / dry vacuum for small to medium jobs and multiple locations
- Integrated handle ensures easy and comfortable transport
- Optional front mounted squeegee for more productive pickup

NT 48/1

Technical Specifications

Vacuum width, floor tool	in	12
Vacuum hose length	ft	8
Power cord length	ft	25
Waste container capacity	gal	12
Operating noise level	dBA	72
Air flow rate	cfm	142
Waterlift	in of water	80
Motor	watts	1,380
Weight	lbs	22
Dimensions (LxWxH)	in	19 x 15.3 x 30.3

EQUIPMENT

Part No.	Description	List Price
1.428-623.0	NT 48/1, 13-gallon wet/dry vacuum	\$490.00

ACCESSORIES

Order No.	Description	List Price
■ 6.414-789.0	Cylindrical Dust Filter	\$34.60
■ 6.904-285.0	Paper filter bag (5-pack, 1 bag Included with machine)	\$58.00
■ 6.906-512.0	All-Purpose Nozzle	\$48.30
■ 6.900-385.0	8.3-inch all purpose crevice nozzle	\$10.50
■ 4.440-626.0	8 feet x 1.375 inch hose with comfortable hand grip	\$45.10
■ 6.900-514.0	Metal suction tube, 1.4 inch X 1.6 feet	\$25.70
■ 6.906-240.0	Crevice nozzle, 1.4-inch	\$4.60
6.904-211.0	Wet Filter Bag	\$184.00
6.906-384.0	14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Cylindricals, Brush Strips and Oil Resistant Squeegees	\$278.00
6.907-409.0	Floor tool package:10.2-inch plastic all-purpose nozzle, basalt grey	\$102.00
6.907-408.0	Floor tool package: 14.2-inch plastic all-purpose head with cylindricals, brush strips and standard squeegee, basalt grey	\$31.50
6.906-383.0	17.7" Aluminum All-Purpose Head with Height-Adjustable cylindricals, Brush Stripes and oil-resistant Squeegees	\$378.00
2.860-113.0	Upholstery hand tool	\$168.00
2.860-114.0	10-inch turbo nozzle with reducer 35/32	\$242.00
6.903-033.0	11.4" Crevice Tool	\$11.00
6.905-998.0	4.7" plastic upholstery nozzle complete, 35 mm ID	\$16.30
6.903-034.0	Radiator Brush for use with 6.900-385.0	\$27.30
6.903-035.0	Plastic, Pipe Diameter 3.9"	\$152.00
6.903-862.0	Suction Brush, Natural Hair, Pivotal, 35 mm ID	\$28.90
2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID	\$60.00
2.863-147.0	All-Purpose Brush, Soft Bristles 35 mm ID	\$81.00
8.622-960.0	Replacement 15-inch squeegee blade	\$53.50

Included Optional

NT 68/1



Utility with ease.

Easily tackle medium to large jobs with this wet/dry vac. Designed with a robust 1.8 hp vac motor to handle any task you throw at it. If even more productivity is desired, the optional front mounted squeegee makes quick work of water recovery. Thoughtful features such as no-tipping dumping and on-board storage make this the operator's choice for wet/dry vacs.

Features

- Optional front-mounted squeegee offers more productive water pick-up
- 18 gallon capacity offers easy mobility for medium to large jobs
- Complete with on-board tool storage compartment with safety sign storage bracket
- Self-adjusting squeegee assembly

NT 68/1

Technical Specifications

Vacuum width, floor tool	in	24.5
Power cord length	ft	50
Waste container capacity	gal	18
Operating noise level	dBA	71
Air flow rate	cfm	142
Waterlift	in of water	80
Motor	watts	1,200
Weight	lbs	64
Dimensions (LxWxH)	in	35.5 x 24.5 x 37.5

EQUIPMENT

Part No.	Description	List Price
1.103-494.0	NT 68/1, eighteen gallon wet/dry vacuum with 24" front squeegee, with tools	\$1,150.00

ACCESSORIES

Order No.	Description	List Price
6.414-789.0	Cylindrical Dust Filter	\$34.60
6.904-285.0	Paper filter bag (5-pack, 1 bag Included with machine)	\$58.00
6.900-385.0	8.3-inch all purpose crevice nozzle	\$10.50
6.906-240.0	Crevice nozzle, 1.4-inch	\$4.60
6.906-384.0	14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Cylindricals, Brush Strips and Oil Resistant Squeegees	\$278.00
6.907-409.0	Floor tool package:10.2-inch plastic all-purpose nozzle, basalt grey	\$102.00
6.903-018.0	14.6" Aluminum All-Purpose Head with Height-Adjustable Cylindricals, Brush Stripes and squeegee blades	\$310.00
6.907-408.0	Floor tool package: 14.2-inch plastic all-purpose head with cylindricals, brush strips and standard squeegee, basalt grey	\$31.50
6.906-383.0	17.7" Aluminum all-purpose head with height-adjustable cylindricals, brush stripes and oil-resistant Squeegees	\$378.00
2.860-113.0	Upholstery hand tool	\$168.00
2.860-114.0	10-inch turbo nozzle with reducer 35/32	\$242.00
6.903-033.0	11.4" Crevice Tool	\$11.00
6.900-922.0	14.6" Crevice Nozzle, Metal	\$142.00
6.902-154.0	Wand	\$83.00
8.635-292.0	Front mount squeegee assembly	\$252.00
6.906-512.0	Squeegee head	\$48.30

Included Optional

BR 35/12 C BP



The race is always won in the corners.

Thanks to our innovative steerable scrub deck, the BR 35/12 C BP can clean up to the wall at a 90° angle. It can also clean in reverse, or in any direction. The height-adjustable, telescoping steering column allows optimal ergonomics for any operator. The folding steering column also makes it easy to secure for transport.



Features

- Steerable scrub deck allows for scrubbing in any direction
- Brush height is adjustable for multiple floor types
- Eco:efficiency mode increases operating time by 50%, and reduces noise by 40%

BR 35/12 C BP

Technical Specifications

Cleaning path / width	in	14
Brush type	cylindrical / disc / pad	Cylindrical
Brush quantity	units	1
Brush diameter	in	3.8
Suction bar (squeegee) width	in	18
Drive	pad-assist / traction	Brush-assist
Solution / recovery capacity	gal	3 / 3
Theoretical / practical productivity	sq. ft / hr	11,000 / 6,600
Operating noise level - std Eco! mode	dBA	66 / 62
Battery charger	shelf / on-board	On-board
Battery runtime	min	66 / 90
Battery charging time	hrs	1-3
Battery lifetime - est charging cycle	x thousands	3
Brush contact pressure	lbs	29
Brush speed	rpm	700-1,050
Vac motor rating	watts	280
Vac motor suction	cfm	42
Waterlift	in of water	32
Weight with batteries	lbs	77
Dimensions (LxWxH)	in	39 x 18 x 51

EQUIPMENT

Part No.	Description	List Price
1.783-454.0	BR 35/12 C BP, fourteen inch scrubber with cylindrical brushes	\$5,290.00

ACCESSORIES

Order No.	Description	List Price
■ 4.037-031.0	Cylindrical Brush, red, medium	\$104.00
■ 4.037-035.0	Squeegee blade set, standard, oil-resistant, polyurethane	\$49.40
■ 6.654-294.0	Lithium-ion battery, 21 Ah	\$2,720.00
4.037-036.0	Cylindrical Brush, white, soft	\$137.00
4.037-037.0	Cylindrical Brush, orange, high/low	\$163.00
4.037-038.0	Cylindrical Brush, green, hard	\$263.00
4.037-039.0	Cylindrical Brush, black, very hard	\$336.00
4.762-009.0	Cylindrical Pad cylindrical shaft	\$305.00
6.369-053.0	Cylindrical Pads on sleeve, yellow, soft	\$105.00
6.369-047.0	Cylindrical Pads on sleeve, red, medium	\$105.00
6.369-052.0	Cylindrical Pads on sleeve, green, hard	\$105.00
4.037-040.0	Cylindrical microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$137.00

Included Optional

BD 38/12 C BP



Steer your way to cleaner floors.

Think of the BD 38/12 as a 15 inch disc version of the popular BR 35/12. The design allows for the easiest driving of a walk-behind disc scrubber on the market. The squeegee follows behind the disc to ensure 100% solution pickup even through the corners.



Features

- Extremely agile for efficient cleaning of small and furnished areas
- Easy to use – scrub right up to the wall
- Quick charging lithium-ion battery
- Very compact, light and easy to transport and roll over steps.
- Reduced operating noise level for noise sensitive areas

BR 35/12 C BP

Technical Specifications

Cleaning path / width	in	15
Brush type	cylindrical / disc / pad	Disc
Brush quantity	units	1
Brush diameter	in	15
Suction bar (squeegee) width	in	16
Drive	pad-assist / traction	Brush-assist
Solution / recovery capacity	gal	3.2 / 3.2
Theoretical / practical productivity	sq. ft / hr	11,210 / 6,725
Operating noise level - std / Eco! mode	dBA	65 / 62
Battery charger	shelf / on-board	On-board
Battery runtime - std / Eco! mode	min	60 / 120
Battery charging time	hrs	2-3
Battery lifetime - est charging cycles	x thousands	3
Brush contact pressure	lbs	35-46
Brush speed	rpm	180 / 150
Vac motor rating	watts	280
Vac motor suction	cfm	42
Waterlift	in of water	32
Weight with batteries	lbs	79
Dimensions (LxWxH)	in	37 x 30 x 51

EQUIPMENT


Part No.	Description	List Price
1.783-431.0	BD 38/12 C, compact scrubber with fifteen inch disc brush	\$4,490.00

ACCESSORIES

Order No.	Description	List Price
■ 6.907-151.0	Disc brush, red	\$194.00
■ 6.654-294.0	Lithium-ion battery, 21 Ah	\$2,720.00
■ 4.037-059.0	Squeegee blades, made from transparent and oil-resistant polyurethane, includes front and rear blade	\$49.40
6.907-150.0	Pad driver plate	\$257.00
6.369-003.0	Red disc pads, set of 5	\$68.50
6.369-002.0	Green disc pads, medium soft, green, set of 5	\$68.50
6.369-001.0	Black disc pads, hard, set of 5	\$68.50
6.905-060.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile, set of 5	\$168.00

Included □ Optional

BD 50/50 C BP



Professional cleaning, now made easier.

This economically-designed scrubber provides you all the cleaning power to take on large jobs—perfect for retail environments, schools and health care facilities.

Features

Three cleaning modes for any operator to get the job done right
The slim design allows you to see in front of the scrubber easier
Home Base kit allows for carrying essentials on the machines, for less visits to the supply closet

BD 50/50 C BP

Technical Specifications

Cleaning path / width	in	20
Brush type	cylindrical / disc / pad	Pad
Brush quantity	units	1
Brush diameter	in	20
Suction bar (squeegee) width	in	33
Drive	pad-assist / traction	Pad-assist
Solution / recovery capacity	gal	13.2 / 13.2
Theoretical / practical productivity	sq. ft / hr	21,530 / 13,995
Operating noise level	dB(A)	66
Battery charger	shelf / on-board	Shelf
Brush contact pressure	lbs	59-62
Brush speed	rpm	180
Vac motor rating	watts	500
Vac motor suction	cfm	51
Waterlift	in of water	48
Weight with batteries	lbs	306
Dimensions (LxWxH)	in	47 x 21 x 39

EQUIPMENT

Part No.	Description	List Price
1.127-029.0	BD 50/50 C Classic BP, pad driver, 24V/105 Ah wet batteries and shelf charger	\$3,150.00
1.127-030.0	BD 50/50 C Classic BP, pad driver, 24V/100 Ah AGM batteries and shelf charger	\$3,675.00

ACCESSORIES

Order No.	Description	List Price
■ 4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)	\$93.50
■ 4.777-411.0	Curved squeegee, 33.5 inches, with caster, polyurethane	\$782.00
4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing	\$257.00
4.905-029.0	Brush, hard black - For stubborn dirt and basic cleaning. For hard wearing surfaces.	\$394.00
4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)	\$284.00
6.369-079.0	Red disc pad, 20-inch, medium soft red for cleaning all types of floors, 5-pack	\$110.00
6.369-078.0	Green disc pad, 20-inch, aggressive for cleaning heavily soiled floors and for deep cleaning, 5-pack	\$105.00
6.369-077.0	Black pad, 20-inch, hard, for cleaning heavily soiled floors and for deep cleaning, 5 pack	\$110.00
6.369-468.0	Beige disc pad, 20-inch, light grit, for polishing and refreshing of hard and elastic smooth floor coverings, 5 pack	\$105.00
6.371-146.0	Beige disc pad, 20 inch, soft, natural hair, for polishing	\$404.00
4.777-401.0	Squeegee, 33.5 inch, straight, made of oil-resistant transparent polyurethane, for smooth floors	\$898.00
5.035-488.0	Home Base kit (adapter and cable hook)	\$5.10
6.980-077.0	Double Hook (requires 5.035-488.0)	\$9.25
4.035-406.0	Home Base kit carrying case	\$110.00
6.980-078.0	Mopclip (requires 5.035-488.0)	\$7.90
6.980-080.0	Bottle Hook (requires 5.035-488.0)	\$13.10
4.070-075.0	Universal hook	\$38.30
8.641-483.0	Charger for wet batteries	\$509.00
8.629-377.0	Charger for AGM batteries	\$877.00

Included □ Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

B 40 W BP



Quiet, compact and customizable.

We built this machine to be easy to operate, safe and easy to maintain. Our Kärcher Intelligent Key (KIK) and our advanced EASY operation are some of the many reasons why the B 40 W family offers a full spectrum of safety and protection for operators, machines and your floors.



Features

100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption
 Chose disc and cylindrical decks from 17 to 22 inches
 Decks can be changed quickly and without tools

	B 40 W DISC		B 40 W CYLINDRICAL	
Technical Specifications				
Cleaning path / width	in	17-20		18-22
Brush type	disc / cylindrical / pad	disc		cylindrical
Brush quantity	units	1		2
Brush diameter	in	17-20		3.75
Suction bar (squeegee) width	in	33.5		33.5
Drive	pad-assist / traction	traction		traction
Solution / recovery capacity	gal	10.6 / 10.6		10.6 / 10.6
Theoretical productivity	sq. ft / hr	17,200 -21,530		18,210 - 23,680
Operating noise leve - std / Eco! mode	dBa	69-60		69-60
Battery charger	shelf / on-board	on-board		on-board
Brush contact pressure	lbs	135-160		80-86
Brush speed	rpm	180		1,200
Drive / vac motor rating	watts	130 / 500		130 / 500
Vac motor suction	cfm	47		47
Waterlift	in of water	48		48
Weight with batteries	lbs	307-384		307-384
Dimensions (LxWxH)	in	49 x 20.5 x 45		49 x 20.5 x 45

EQUIPMENT		
Part No.	Description	List Price
9.841-122.0	B 40 W BP, traction drive, scrub deck sold separately, 24V/105 Ah batteries	\$6,905.00
9.841-123.0	B 40 W BP, traction drive, scrub deck sold separately, 24V/138 Ah AGM batteries	\$7,650.00
9.841-372.0	B 40 W BP, traction drive, R 55 cylindrical scrub deck, 24V/105 Ah wet batteries	\$8,605.00
9.841-373.0	B 40 W BP, traction drive, D 51 disc scrub deck, 24V/105 Ah batteries	\$8,185.00
9.841-374.0	B 40 W BP, traction drive, R 55 cylindrical scrub deck, 24V/138 Ah AGM batteries	\$9,350.00
9.841-375.0	B 40 W BP, traction drive, D 51 disc scrub deck, 24V/138 Ah AGM batteries	\$8,930.00

Included Optional

B 40 W BP ACCESSORIES

ACCESSORIES		
Order No.	Description	List Price
■ 4.777-411.0	Curved squeegee assembly, 33.5 inches, with caster, polyurethane	\$782.00
■ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.10
■ 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.25
■ 5.035-344.0	Operator key, yellow	\$47.80
■ 5.035-348.0	Foreman key, gray	\$61.00
4.035-369.0	Lid with tank rinsing system	\$520.00
4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$179.00
9.083-003.0	Hose coupling	\$6.70
6.273-207.0	Squeegee blade set, oil resistant (standard w/ 4.777-411.0)	\$62.50
6.273-229.0	Squeegee blade set, anti stripe oil resistant	\$77.00
6.273-290.0	Squeegee blade set, for textured floors	\$163.00
6.273-213.0	Squeegee blade set, EPDM	\$152.00
4.777-401.0	Squeegee assembly with straight polyurethane reversible blades	\$898.00
4.777-416.0	Squeegee assembly with curved EPDM blades	\$767.00
4.035-374.0	Home Base kit (includes mop support, mop clip and bottlehook)	\$116.00
4.035-406.0	Home Base kit carrying case	\$110.00
6.980-078.0	Mopclip (requires 5.035-488.0)	\$7.90
5.035-655.0	Plate mop bracket	\$33.60
5.035-656.0	Retaining bracket mop bracket	\$28.90
6.980-080.0	Bottle hook (requires 5.035-488.0)	\$13.10
4.035-408.0	Operator key, yellow, set of 5	\$231.00

See pages 73-76 for cleaning heads and brushes section for available scrub decks

SERVICES		
Order No.	Description	List Price
7.000-270.0	Fleet one year premium subscription	Call for pricing

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

B 60 W BP



Efficient and quiet. Everything you need.

The B 60 W Bp is the walk-behind scrubber built for efficiency from the ground up. Accomplish more with the same size staff with the impressive productivity of this machine. Choose between cylindrical, disc or oscillating mechanics and various widths to suit your needs with our interchangeable scrub decks. Choose a setting for your operators with our innovative KIK key system.



Features

100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption. Choose disc, cylindrical, or oscillating decks from 22-26 inches. Decks can be changed quickly and without tools.

		B 60 W + R 55	B 60 W + D 55	B 60 W + R 65	B 60 W + D 65	B 60 W + S 65
Technical Specifications						
Cleaning path / width	in	22	22	26	26	26
Brush type	cylindrical / disc / pad	cylindrical	disc	cylindrical	disc	oscillating
Brush quantity	units	2	1	2	2	1
Suction bar (squeegee) width	in	33.5	33.5	37	37	33.5
Drive	pad-assist / traction	traction	traction	traction	traction	traction
Solution / recovery capacity	gal	16 / 16	16 / 16	16 / 16	16 / 16	16 / 16
Theoretical / practical productivity	sq. ft / hr	23,680 / 15,390	23,680 / 15,390	27,980 / 18,180	27,980 / 18,180	23,680 / 15,390
Operating noise level	dBa	66-61	66-61	66-61	66-61	66-61
Battery charger	shelf / on-board	on-board	on-board	on-board	on-board	on-board
Brush contact pressure	lbs	193	92	193	95	78
Brush speed	rpm	600-1300	180	600-1300	180	2000
Drive / vac motor rating	watts	300 / 580	300 / 580	300 / 580	300 / 580	300 / 580
Vac motor suction	cfm	47	47	47	47	47
Waterlift	in of water	67	67	67	67	67
Weight with batteries	lbs	400	360	425	400	430
Dimensions (LxWxH)	in	59 x 26 x 45	58 x 26 x 45	60 x 29 x 45	60 x 29 x 45	57 x 28 x 45

EQUIPMENT		
Part No.	Description	List Price
9.841-171.0	B 60 W BP, scrub deck sold separately, 24V/245 Ah wet batteries, on-board charger	\$8,860.00
9.841-181.0	B 60 W BP, scrub deck sold separately, 24V/230 Ah AGM batteries, on-board charger	\$9,865.00
9.841-386.0	B 60 W BP, D 65 disc scrub deck, 24V/245 Ah wet batteries	\$11,180.00
9.841-387.0	B 60 W BP, D 65 disc scrub deck, 24V/230 Ah AGM batteries	\$12,190.00
9.841-172.0	B 60 W BP, R 65 cylindrical scrub deck, 24V/245 Ah batteries, on-board charger	\$11,000.00
9.841-173.0	B 60 W BP, R 65 cylindrical scrub deck, 24V/230 Ah AGM batteries, on-board charger	\$12,010.00
9.841-174.0	B 60 W BP, S 65 oscillating scrub deck, 24V/245 Ah batteries, on-board charger	\$12,210.00
9.841-175.0	B 60 W BP, S 65 oscillating scrub deck, 24V/230 Ah AGM batteries, on-board charger	\$13,210.00

Included Optional

B 60 W BP ACCESSORIES

ACCESSORIES		
Order No.	Description	List Price
■ 4.777-412.0	Squeegee assembly, 37-inch, curved polyurethane oil-resistant blades, standard on machines with R 75 & D 75 scrub decks	\$819.00
■ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.10
■ 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.25
4.035-386.0	Lid with tank rinsing system	\$646.00
4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$179.00
9.083-003.0	Hose coupling	\$6.70
6.273-214.0	Squeegee blade set, blue EPDM	\$152.00
6.273-208.0	Squeegee blade set, oil resistant (standard w/ 4.777-412.0)	\$231.00
6.273-205.0	Squeegee blade set, anti stripe oil resistant	\$205.00
6.273-291.0	Squeegee blade set, for textured floors	\$347.00
4.035-472.0	New connection element for cylindrical brush heads, B 60 W	\$121.00
4.035-473.0	Accessory kit to use on B 60 head	\$121.00
4.035-408.0	KIK Key	\$231.00

See pages 73-76 for cleaning heads and brushes section for available scrub decks

SERVICES		
Order No.	Description	List Price
7.000-270.0	Fleet one year premium subscription	Call for pricing

B 80 W BP



This large scrubber easily goes anywhere.

The B 80 W BP scrubbers cover a lot of area quickly, but are still easily maneuverable. They feature a robust, interchangeable, maintenance-friendly scrub deck. Choose from cylindrical or disc in 22", 26", or 30" widths. Kärcher Fleet comes pre-installed on this machine to provide you with complete visibility of your machine.



Features

- Decks automatically raise and lower as necessary
- Interchangeable decks changed quickly and without tools.
- Easily select your cleaning mode with the easy-to-read symbols on the large 4-color display

		B 80 W + R 65	B 80 W + R 75	B 80 W + D 65	B 80 W + D 75
Technical Specifications					
Cleaning path / width	in	26	30	26	30
Brush type	cylindrical / disc / pad	cylindrical	cylindrical	disc	disc
Brush quantity	units	2	2	2	2
Suction bar (squeegee) width	in	37	37	37	37
Drive	pad-assist / traction	traction	traction	traction	traction
Solution / recovery capacity	gal	21 / 21	21 / 21	21 / 21	21 / 21
Theoretical / practical productivity	sq. ft / hr	27,980 / 18,180	32,290 / 21,00	27,980 / 18,180	32,290 / 21,000
Operating noise level	dBa	69-66	69-66	69-66	69-66
Battery charger	shelf / on-board	on-board	on-board	on-board	on-board
Brush contact pressure	lbs	213	213	117	136
Brush speed	rpm	400-1,550	400-1,550	180	180
Drive / vac motor rating	watts	350 / 580	350 / 580	350 / 580	350 / 580
Vac motor suction	cfm	53	53	53	53
Waterlift	in of water	67	67	67	67
Weight with batteries (excluding battery / with battery)	lbs	282 / 617	284 / 617	289 / 617	293 / 617
Dimensions (LxWxH)	in	61 x 29 x 45	61 x 32 x 45	62 x 29 x 45	64 x 32 x 45

EQUIPMENT		
Part No.	Description	List Price
9.841-197.0	B 80 W Bp, scrub deck sold separately, 24V/225 Ah wet batteries, on-board charger, with curved squeegee	\$12,610.00
9.841-202.0	B 80 W Bp, scrub deck sold separately, 24V/260 Ah wet batteries, on-board charger, with curved squeegee	\$12,660.00
-	B 80 W Bp, R 75 and D 75 decks are ordered separately, please see pages 73-76 for more information and pricing	
9.841-196.0	B 80 W Bp, D 65 disc scrub deck, batteries and charger sold separately, with curved squeegee	\$12,450.00
9.841-195.0	B 80 W Bp, R 65 cylindrical scrub deck, batteries and charger sold separately, with curved squeegee	\$12,640.00
9.841-199.0	B 80 W Bp, Scrub deck sold separately, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$13,850.00
9.841-388.0	B 80 W Bp, D 65 disc scrub deck, 24V/225 Ah wet batteries	\$14,930.00
9.841-204.0	B 80 W Bp, D 65 disc scrub deck, 24V/260 Ah wet batteries, with curved squeegee	\$14,980.00
9.841-198.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/225 Ah wet batteries, on-board charger, with curved squeegee	\$14,740.00
9.841-200.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$15,980.00
9.841-201.0	B 80 W Bp, D 65 disc scrub deck, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$16,170.00
9.841-203.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/260 Ah wet batteries, on-board charger, with curved squeegee	\$14,810.00

Included □ Optional

B 80 W BP ACCESSORIES

ACCESSORIES		
Order No.	Description	List Price
■ 4.777-412.0	Squeegee assembly, 37-inch, curved polyurethane oil-resistant blades, standard on machines with R 75 & D 75 scrub decks	\$819.00
■ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.10
■ 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.25
8.600-251.0	Cable asm, bat. Jumper x 15" (required w/ no battery units)	\$56.50
4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$179.00
9.083-003.0	Hose coupling	\$6.70
6.273-205.0	Squeegee blade set, anti stripe oil resistant	\$205.00
6.273-291.0	Squeegee blade set, for textured floors	\$347.00
4.035-408.0	KIK key	\$231.00

See pages 73-76 for cleaning heads and brushes section for available scrub decks

SERVICES		
Order No.	Description	List Price
7.000-270.0	Fleet one year premium subscription	Call for pricing

BD 80/100 W BP CLASSIC



Quality and durability in a cost effective package.

This economically-designed scrubber provides you all the cleaning power to take on large jobs.

Features

- Storage compartment in the back for shelf charger and accessories
- Perfect recovery in 180 degree turns
- An automatic brake is integrated into the transaxle and a cost effective, large aluminum brush deck is included

BD 80/100 W BP CLASSIC

Technical Specifications

Cleaning path / width	in	32
Brush type	cylindrical / disc / pad	Pad
Brush quantity	units	2
Brush diameter	in	16
Suction bar (squeegee) width	in	43
Drive	pad-assist / traction	Traction
Solution / recovery capacity	gal	26.4 / 26.4
Theoretical / practical productivity	sq. ft / hr	35,025 / 22,770
Operating noise level	dBA	63
Battery charger	shelf / on-board	Shelf
Brush contact pressure	lbs	88-200
Brush speed	rpm	180
Vac motor rating	watts	600
Vac motor suction	cfm	53
Waterlift	in of water	67
Weight with batteries	lbs	705
Dimensions (LxWxH)	in	59 x 33 x 42

EQUIPMENT

Part No.	Description	List Price
9.841-456.0	BD 80/100 W Bp Classic, 295 Ah wet batteries, shelf charger	\$9,025.00
9.841-457.0	BD 80/100 W Bp Classic, 285 Ah AGM batteries, shelf charger	\$9,610.00

ACCESSORIES

Order No.	Description	List Price
■ 4.762-591.0	Pad drive board	\$215.00
■ 6.371-332.0	Pad, red, medium-soft	\$79.00
■ 8.629-184.0	Battery, Discover 6V/285 Ah AGM	\$1,150.00
■ 8.622-837.0	Battery, Trojan 6V/271 Ah wet	\$630.00
■ 8.643-373.0	Shelf charger for wet batteries	\$525.00
■ 8.643-374.0	Shelf charger for AGM batteries	\$525.00
■ 4.777-102.0	Squeegee, 1100 mm	\$1,045.00
■ 4.037-138.0	Suction blades, 1230 mm, blue	\$235.00
6.371-331.0	Pad, white, soft	\$79.00
6.371-333.0	Pad, green, medium-hard	\$79.00
6.371-334.0	Pad, black, hard	\$79.00
2.639-258.0	Surface preparation pad, brown, hard	\$158.00
6.371-022.0	Melamine pad, white/grey	\$131.00
4.905-000.0	Disc brush, red, medium	\$131.00
4.905-032.0	Disc brush, black, hard	\$394.00
4.905-031.0	Disc brush, natural, soft	\$189.00
4.905-030.0	Disc brush, white, very soft	\$158.00
4.037-140.0	Suction blades 1230 mm, transparent	\$295.00
9.753-088.0	Squeegee transport plate	\$18.90
2.644-140.0	Warning beacon add-on kit	\$788.00

Included Optional

B 150 R BP



Race into efficiency with the B 150.

The B 150 R can cover up to 64,580 ft²/hr making this one impressively productive scrubber. Although it can cover large areas quickly, we made sure that it has great visibility for safety. Our KIK operating system and the color coded controls make operation simple and intuitive. KIK allows managers to control what functions and settings their employees can use and adjust.



Features

- Clean ramps with grades up to 18%
- Features a unique all-wheel brake system for safety
- Utilize the large color LCD screen to adjust everything to your needs including contact pressure, water volume, brush speed, etc.
- Auto tank-rinsing and auto-fill come standard to allow the operator to do other tasks while rinse and fill are taking place

		B 150 R + R 75	B 150 R + D 75	B 150 R + R 90	B 150 R + D 90
Technical Specifications					
Cleaning path / width	in	30	30	35	35
Brush type	cylindrical / disc / pad	cylindrical	disc	cylindrical	disc
Brush quantity	units	2	2	2	2
Brush diameter	in	3.5	7.5	3.5	17.7
Suction bar (squeegee) width	in	37	37	42	42
Drive	pad-assist / traction	traction	traction	traction	traction
Solution / recovery capacity	gal	40 / 40	40 / 40	40 / 40	40 / 40
Theoretical / practical productivity	sq. ft / hr	48,438 / 31,485	48,438 / 31,485	58,125 / 37,780	58,125 / 37,780
Operating noise level - std / Eco! mode	dBa	67-64	67-64	67-64	67-64
Battery charger	shelf / on-board	shelf	shelf	shelf	shelf
Brush contact pressure	lbs	245	224	275	238
Brush speed	rpm	1,200	140	1,200	140
Drive / vac motor rating	watts	600 / 750	600 / 750	600 / 750	600 / 750
Vac motor suction	cfm	55	55	55	55
Waterlift	in of water	72	72	72	72
Weight without batteries	lbs	959-1,146	959-1,146	959-1,146	959-1,146
Dimensions (LxWxH)	in	65 x 31 x 56	65 x 31 x 56	65 x 31 x 56	65 x 31 x 56
Minimum turning radius	ft	2.9	2.9	2.9	2.9
Climbing ability - maximum slope	% grade	10	10	10	10
Max working speed working	mph	3.7	3.7	3.7	3.7

Included □ Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

B 150 R BP ACCESSORIES


EQUIPMENT		
Part No.	Description	List Price
9.841-286.0	B 150 R Bp, scrub deck sold separately, 36V/360 Ah batteries	\$18,510.00
9.841-287.0	B 150 R Bp 2SB, scrub deck sold separately, 36V/360 Ah batteries, dual side brushes	\$20,500.00
9.841-288.0	B 150 R Bp ADV, scrub deck sold separately, 36V/360 Ah batteries	\$25,840.00
9.841-289.0	B 150 R Bp 2SB ADV, scrub deck sold separately, 36V/360 Ah batteries, dual side brushes	\$27,840.00
9.841-290.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/360 Ah batteries	\$21,050.00
9.841-291.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries	\$23,750.00
9.841-294.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.	\$23,050.00
9.841-295.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.	\$25,740.00
9.841-292.0	B 150 R Bp, R 90 cylindrical scrub deck, 36V/360 Ah batteries.	\$21,970.00
9.841-293.0	B 150 R Bp, R 90 cylindrical scrub deck, 36V/312 Ah AGM batteries.	\$24,660.00
9.841-296.0	B 150 R Bp 2SB, R 90 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.	\$23,950.00
9.841-297.0	B 150 R Bp 2SB, R 90 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.	\$26,650.00
9.841-367.0	B 150 R Bp, Scrub deck sold separately, 36V/312 Ah AGM batteries	\$21,200.00
9.841-368.0	B 150 R Bp 2SB, scrub deck sold separately, 36V/312 Ah AGM batteries, dual side brushes	\$23,180.00
9.841-365.0	B 150 R Bp ADV, scrub deck sold separately, 36V/312 Ah AGM batteries	\$27,320.00
9.841-366.0	B 150 R Bp 2SB ADV, scrub deck sold separately, 36V/312 Ah AGM batteries, dual side brushes	\$29,330.00

ACCESSORIES		
Order No.	Description	List Price
■ 4.777-412.0	Squeegee assembly, 37-inch, curved polyurethane oil-resistant blades, standard on machines with R 75 & D 75 scrub decks	\$819.00
■ 4.777-413.0	Squeegee assembly, 42-inch, curved polyurethane oil-resistant blades, standard on machines with R 90 & D 90 scrub decks	\$1,035.00
■ 8.622-842.0	6V/360 Ah wet batteries	\$730.00
■ 8.629-184.0	Battery, 6V/312 Ah AGM battery	\$1,150.00
■ 8.628-408.0	Battery charger, 36V, 36A, 115V. For use with 8.622-842.0	\$1,160.00
■ 8.600-015.0	AGM battery charger, 36V, 21A, 115V	\$1,275.00
2.642-058.0	Spray Suction Kit - for Cleaning Areas Not Easily Accessed by Machine (field installation required)	\$1,060.00
6.435-733.0	Non-marking rear wheel, for use on sensitive floors that mark easily (field installation required)	\$488.00
4.444-015.0	Suction hose accessories, for taking in water from corners (e.g. deep freezers)	\$194.00
4.035-516.0	360° Warning Beacon (field installation required)	\$819.00
4.777-402.0	37-inch straight squeegee assembly, for machines with R 75 scrub deck	\$856.00
4.777-403.0	42-inch straight squeegee assembly, for machines with R 90 scrub deck	\$908.00
6.273-215.0	Blue squeegee blade (2 required)	\$221.00
6.273-209.0	Brown, oil-resistant squeegee blade	\$86.00
6.273-206.0	Brown, streak-free, oil-resistant squeegee blade	\$85.00
2.641-811.0	Cleaning agent dosing system DS 3 - Can be directly connected to the main water supply; the fresh water tank is filled with the mixture of water and cleaning agent. Also in connection with the ABS filling system.	\$1,485.00
6.435-810.0	Front tires, traction - with V profile and tire compound with especially good traction properties. Oil-proof.	\$982.00
6.951-073.0	Replacement side broom, for use with R-type scrub decks (1-pack)	\$163.00


See pages 73-76 for cleaning heads and brushes section for available scrub decks

SERVICES		
Order No.	Description	List Price
7.000-270.0	Fleet one year premium subscription	Call for pricing


B 40, 60, 80 W BP AND B 150 R BP CLEANING HEADS AND BRUSHES



D-Series
Disc Heads



R-Series
Cylindrical Heads



S-Series
Vibration Heads

We offer three different scrub decks to suit your unique needs. The three types R (cylindrical), D (disc) or S (vibration) each have their specific advantages. Disc decks are ideal for everyday scrubbing. Cylindrical heads are ideal for stubborn dirt or uneven surfaces. The S heads are very efficient at stripping of floors. No matter your need, Kärcher has you covered.

D 43 17-INCH DISC SCRUB DECK						
Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-023.0	D 43 head, 17-inch scrub deck for all battery-powered B 40 units	\$1,450.00	■			
4.762-533.0	Pad driver	\$226.00	■			
6.905-526.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$504.00	■			
4.905-023.0	Disc brush, natural fibers	\$257.00	■			
6.369-470.0	Disc pad, red (general purpose/standard)	\$85.50	■			
4.905-022.0	Red disc brush, 17-inch	\$247.00	■			
4.905-024.0	Disc brush, white 17-inch	\$315.00	■			
4.905-025.0	Disc brush, black 17-inch	\$504.00	■			
6.369-472.0	Disc pad green (aggressive)	\$85.50	■			
6.369-473.0	Disc pad black (very aggressive)	\$85.50	■			
6.369-469.0	Disc pad white (soft)	\$85.50	■			
6.371-081.0	Disc pad beige (light aggregate)	\$85.50	■			
6.371-149.0	Disc pad, natural	\$163.00	■			

D 51 20-INCH DISC SCRUB DECK						
Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-026.0	D 51 head, 20" / 510mm Scrub Deck for all Battery-Powered B 40 units	\$1,255.00	■			
8.642-710.0	One time conversion kit, D 51 orbital head (for serial # 10358 and higher)*	\$2,620.00	■			
8.638-801.0	Assembly, Deck, D 51 orbital (replacement deck assembly)	\$2,410.00	■			
4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)	\$284.00	■			
4.905-028.0	Disc brush, very soft, for cleaning sensitive floors and polishing, white	\$221.00	■			
4.905-029.0	Disc brush, hard, for stubborn dirt and deep cleaning. Only for hard-wearing surfaces, black	\$394.00	■			
4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing	\$257.00	■			
4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)	\$93.50	■			
6.371-271.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$530.00	■			
6.369-079.0	Red disc pad, 20-inch, medium soft red for cleaning all types of floors, 5-pack	\$110.00	■			
6.369-078.0	Green disc pad, 20-inch, aggressive for cleaning heavily soiled floors and for deep cleaning, 5-pack	\$105.00	■			
6.369-077.0	Black pad, 20-inch, hard, for cleaning heavily soiled floors and for deep cleaning, 5 pack	\$110.00	■			
6.369-468.0	Beige disc pad, 20-inch, light grit, for polishing and refreshing of hard and elastic smooth floor coverings, 5 pack	\$105.00	■			
6.371-146.0	Beige disc pad, 20 inch, soft, natural hair, for polishing	\$404.00	■			

*For serial # 10357 and lower, part number 6.613-512.3 msut also be ordered

D 55 22-INCH DISC SCRUB DECK						
Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-001.0	D 55 brush head, disc head, 22-inch	\$1,795.00		■		
4.905-015.0	Disc brush, white - soft	\$200.00		■		
4.905-016.0	Disc brush, natural bristles	\$189.00		■		
4.905-014.0	Disc brush, red, standard with D 55 head	\$158.00		■		
4.905-017.0	Disc brush, black - very aggressive	\$362.00		■		
4.762-445.0	Pad driver	\$179.00		■		
6.371-153.0	Disc pad, red (soft)	\$80.00		■		
6.371-154.0	Disc pad, green (medium)	\$80.00		■		
6.371-155.0	Disc pad, black (hard)	\$80.00		■		

Included Optional

B 40, 60, 80 W BP AND B 150 R BP CLEANING HEADS AND BRUSHES

D 65 | 26-INCH DISC SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-003.0	D 65 brush head, disc head, 26-inch	\$2,275.00		■	■	
4.905-011.0	Disc brush, white - soft	\$205.00		■	■	
4.905-012.0	Disc brush, natural bristles	\$205.00		■	■	
4.905-010.0	Disc brush, red, standard with D 65 head	\$189.00		■	■	
4.905-013.0	Disc brush, black - very aggressive	\$336.00		■	■	
4.762-446.0	Pad driver	\$200.00		■	■	
6.369-003.0	Red disc pads, set of 5	\$68.50		■	■	
6.369-002.0	Green disc pads, medium soft, green, set of 5	\$68.50		■	■	
6.369-001.0	Black disc pads, hard, set of 5	\$68.50		■	■	
6.369-959.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$205.00		■	■	

D 75 | 30-INCH DISC SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-005.0	D 75 brush head, disc head, 30-inch	\$3,185.00			■	■
4.905-019.0	Disc brush, white - soft	\$200.00			■	■
4.905-020.0	Disc brush, natural bristles	\$257.00			■	■
4.905-018.0	Disc brush, red, standard with D 75 head	\$242.00			■	■
4.905-021.0	Disc brush, black - very aggressive	\$452.00			■	■
4.762-447.0	Pad driver	\$257.00			■	■
6.369-791.0	Disc pad, red (soft)	\$74.00			■	■
6.369-790.0	Disc pad, green (medium)	\$74.00			■	■
6.369-789.0	Disc pad, black (hard)	\$74.00			■	■
6.371-078.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$221.00			■	■

D 90 | 36-INCH DISC SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-008.0	D 90 brush head, disc, 36-inch	\$4,325.00				■
4.905-003.0	Disc brush, red, standard with D 90 head	\$257.00				■
4.905-004.0	Disc brush, natural bristles	\$268.00				■
4.905-005.0	Disc brush, white - soft	\$326.00				■
4.905-006.0	Disc brush, black - very aggressive	\$525.00				■
4.762-493.0	Pad driver	\$242.00				■
6.369-022.0	Disc pad, black - hard	\$91.00				■
6.369-023.0	Disc pad, green - medium	\$91.00				■
6.369-024.0	Disc pad, red - soft	\$91.00				■

R 45 | 18-INCH CYLINDRICAL SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-020.0	R 45 head, 18-inch scrub deck for non-traction drive machines (for C Units)	\$1,395.00	■			
2.763-019.0	R 45 head, 18-inch scrub deck for traction drive machines (for W Units)	\$1,495.00	■			
4.762-392.0	Cylindrical red brush, medium stiff bristles for all-around cleaning on smooth and textured floors	\$126.00	■			
4.762-405.0	Cylindrical white brush, soft bristles for gentle cleaning on all-surface floors	\$189.00	■			
4.762-406.0	Cylindrical orange brush, high-low bristles for cleaning all grouted surface floors	\$205.00	■			
4.762-407.0	Cylindrical green brush, stiff bristles for aggressive cleaning on irregular surface floors	\$368.00	■			
4.762-408.0	Cylindrical black brush, extremely stiff bristles for stubborn dirt on rugged floors	\$373.00	■			
4.762-413.0	Cylindrical pad shaft (required for all brushes below)	\$431.00	■			
4.114-009.0	Cylindrical microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$247.00	■			
6.367-105.0	Cylindrical pad, yellow (soft)	\$236.00	■			
6.367-107.0	Cylindrical pads, red, general purpose	\$236.00	■			
6.367-108.0	Cylindrical pad, white, (very soft) for high-gloss floors	\$231.00	■			
6.367-106.0	Cylindrical pad, green (hard & aggressive)	\$236.00	■			

Included Optional

B 40, 60, 80 W BP AND B 150 R BP CLEANING HEADS AND BRUSHES

R 55 | 22-INCH CYLINDRICAL SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-013.0	R 55 head, 22-inch scrub deck for non-traction drive machines (for B 40 C units)	\$1,650.00	■			
2.763-011.0	R 55 head, 22-inch scrub deck for traction drive machines (for B 40 W, B 60 & B 90 units)	\$1,675.00	■	■		
4.035-184.0	Cylindrical red brush, 22-inch, medium stiff bristles for all-around cleaning on smooth and textured floors	\$98.00	■			
4.762-409.0	Cylindrical white brush, 22-inch, soft	\$247.00	■			
4.762-410.0	Cylindrical orange brush, 22-inch, high/low bristles for uneven floors	\$263.00	■			
4.762-411.0	Cylindrical green brush, 22-inch, hard bristles	\$436.00	■			
4.762-412.0	Cylindrical brush black 22-inch	\$499.00	■			
4.762-415.0	Cylindrical pad shaft, 22-inch, 2 required	\$352.00	■			
8.635-692.0	Cylindrical, stripping 22-inch	\$121.00	■			
4.114-010.0	Cylindrical microfiber pad, 22-inch, for daily cleaning of delicate surfaces including LVT and stone tile	\$284.00	■			
6.369-732.0	Yellow pad, 22-inch	\$173.00	■			
6.369-734.0	Red pad, 22-inch, medium grit for all-around cleaning on smooth and textured floors	\$131.00	■			
6.369-735.0	White pad, includes sleeve, 22-inch	\$173.00	■			
6.369-733.0	Green pad, 22-inch	\$137.00	■			
2.763-002.0	R 55 head, cylindrical, 22-inch	\$1,910.00		■		
6.906-977.0	Cylindrical brush, white, soft	\$247.00		■		
4.035-193.0	Cylindrical brush, red, standard with R 55 head	\$82.50		■		
6.906-978.0	Cylindrical brush, orange, hi-lo grout brush	\$226.00		■		
6.906-979.0	Cylindrical brush, green, hard	\$410.00		■		
6.906-980.0	Cylindrical brush, black, very aggressive	\$473.00		■		
8.635-692.0	Cylindrical, stripping 22-inch	\$121.00		■		
4.762-432.0	Cylindrical brush, red (2 required)	\$446.00		■		
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$84.50		■		
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$84.50		■		
6.369-455.0	Green cylindrical pad, hard, set of 20	\$83.00		■		
6.369-456.0	Red cylindrical pad, medium, set of 20	\$83.00		■		

R 65 | 26-INCH CYLINDRICAL SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-004.0	R 65 brush head, cylindrical, 26-inch	\$2,095.00		■	■	
6.906-981.0	Cylindrical white brush, soft	\$294.00		■	■	
4.035-187.0	Cylindrical red brush	\$84.00		■	■	
6.906-982.0	Cylindrical orange brush, high-low for grout	\$268.00		■	■	
6.906-983.0	Cylindrical green brush, hard	\$467.00		■	■	
6.906-984.0	Cylindrical black brush, very aggressive	\$515.00		■	■	
4.762-433.0	Cylindrical Pad Shaft	\$488.00		■	■	
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$84.50		■	■	
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$84.50		■	■	
6.369-455.0	Green cylindrical pad, hard, set of 20	\$83.00		■	■	
6.369-456.0	Red cylindrical pad, medium, set of 20	\$83.00		■	■	

R 75 | 30-INCH CYLINDRICAL SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-006.0	R 75 brush head, cylindrical, 30-inch	\$2,925.00			■	■
6.906-985.0	Cylindrical brush, white, soft	\$368.00			■	■
6.907-415.0	cylindrical brush, red, standard with R 75 head	\$179.00			■	■
6.906-986.0	Cylindrical brush, orange, hi-lo grout brush	\$331.00			■	■
6.906-987.0	Cylindrical brush, green, hard	\$588.00			■	■
6.906-988.0	Cylindrical brush, black, very aggressive	\$604.00			■	■
4.762-434.0	Cylindrical pad shaft	\$494.00			■	■
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$84.50			■	■
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$84.50			■	■
6.369-455.0	Green cylindrical pad, hard, set of 20	\$83.00			■	■
6.369-456.0	Red cylindrical pad, medium, set of 20	\$83.00			■	■

Included Optional

B 40, 60, 80 W BP AND B 150 R BP CLEANING HEADS AND BRUSHES

R 90 | 36-INCH CYLINDRICAL SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-007.0	R 90 brush head, cylindrical, 36-inch	\$3,960.00				■
6.906-989.0	Cylindrical white brush, soft, 36-inch	\$509.00				■
6.907-377.0	Cylindrical red brush, 36-inch	\$362.00				■
6.906-990.0	Cylindrical orange brush, high-low for grout, 36-inch	\$452.00				■
6.906-991.0	Cylindrical green brush, hard, 36-inch	\$688.00				■
6.906-992.0	Cylindrical black brush, very aggressive, 36-inch	\$730.00				■
4.762-189.0	Cylindrical pad shaft	\$536.00				■
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$84.50				■
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$84.50				■
6.369-455.0	Green cylindrical pad, hard, set of 20	\$83.00				■
6.369-456.0	Red cylindrical pad, medium, set of 20	\$83.00				■

S 65 | 26-INCH VIBRATION SCRUB DECK

Order No.	Description	List Price	B 40	B 60	B 80	B 150
2.763-030.0	S 65 brush head, oscillating scrub deck, 26-inch	\$3,275.00		■	■	
4.036-063.0	S 65 orbital head connection kit, required for connecting S 65 orbital, B 60 and B 80 units (required)	\$378.00		■	■	
4.036-061.0	S 65 orbital head connection kit, required for connecting S 65 orbital, B 90 units (required)	\$494.00				
8.635-789.0	Pad, S 65 surface prep, package of 5	\$194.00		■	■	
8.635-788.0	Pad, S 65, red, package of 5	\$147.00		■	■	
8.635-836.0	Pad, S 65, white, package of 5	\$147.00		■	■	

Included Optional

SG 4/4



**KILLS 99.999%* BACTERIA
WITHOUT CHEMICALS**

**CERTIFIED
DISINFECTION**

Hygienically clean without chemicals.

Time is money—particularly in commercial cleaning. The SG 4/4 steamer has an ingenious two-tank filling system allowing for continuous use. Steam cleaning can impressively remove up to 99.999% of bacteria without chemical. It is also ideal for cleaning kitchens and grout.



Features

- Our unique two-tank system allows for continuous use
- Very little time is needed to heat up the unit
- Control the level of steam
- Switch to pressurized hot water to remove stubborn dirt
- Only water is used by the SG 4/4 to save you money and to improve the health of users and guests

SG 4/4

Technical Specifications

Voltage	V	110
Steam temp / pressure	°F / psi	248 / 58
Tank capacity	gal	1.06
Cable length	in	24.5
Weight without accessories	lbs	17.6
Dimensions (LxWxH)	in	19 x 12.6 x 10.8

EQUIPMENT

Part No.	Description	List Price
1.092-805.0	SG 4/4, commercial steam cleaner	\$1,485.00
9.841-414.0	SG 4/4, commercial steam cleaner with transport cart	\$2,120.00

ACCESSORIES

Order No.	Description	List Price
■ 4.322-020.0	Steam Hose	\$194.00
■ 4.127-024.0	Extension Tube	\$41.00
■ 2.884-280.0	Hand Tool	\$67.00
■ 6.906-185.0	Floor Nozzle	\$82.50
■ 2.863-263.0	Power Nozzle Set	\$10.50
■ 2.884-281.0	Point Jet Nozzle	\$16.30
■ 4.013-030.0	Funnel	\$53.00
■ 2.863-264.0	Round Brushes Set	\$11.30
2.863-025.0	Window Nozzle special accessories	\$14.20
6.273-140.0	Wiper Blade (window)	\$27.80
2.863-062.0	Wallpaper Stripper	\$110.00
2.863-171.0	Steam+Clean Microfiber Cloth Set for Bathrooms (Includes 4 different clothes)	\$116.00
2.863-172.0	Steam+Clean Microfiber Cloth Set for Kitchens (Includes 4 different clothes)	\$116.00
2.863-173.0	Steam+Clean Microfiber Velour Floor Cloth Set (Includes 2 cloths)	\$76.00
2.863-174.0	Steam+Clean Microfiber Velour Cloth Covers for the Hand Tool (Includes 2 cloths)	\$76.00
6.962-097.0	Filling Funnel	\$11.00
2.885-465.0	Floor Tool Replacement	\$62.50
6.962-239.0	Two Wheel Transport Cart	\$467.00

Included □ Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

SGV 6/5



Hygiene, non-stop.

The easy-to-use SGV 6/5 steam vacuum cleaner offers hygienic cleanliness. A single machine that is a steam cleaner and wet vacuum cleaner in one. With EASY Operation switch, secure accessory integration and hand tool for controlling the steam/vacuum function.



Features

- One easy-to-use switch controls all operation
- Self-explanatory symbols means less training required
- Our unique design allows you to refill the water while in use
- The included hand tool features an adjustment knob that allows you to adjust the water/steam regulation and turn the vacuum on and off

SGV 6/5

Technical Specifications

Voltage	V	110-120
Steam temp / pressure	°F / psi	327 / 87
Tank capacity	gal	1.3
Cable length	in	24.5
Weight without accessories	lbs	86
Dimensions (LxWxH)	in	25 x 19 x 38

EQUIPMENT

Part No.	Description	List Price
1.092-003.0	SGV 6/5, commercial steam cleaner and wet vacuum	\$4,830.00

ACCESSORIES

Order No.	Description	List Price
■ 2.863-011.0	Round brush set, 3 Brushes	\$17.90
■ 2.889-005.0	Floor Nozzle, 12 inches	\$39.40
■ 2.889-006.0	Brush strips for floor nozzle 2.889-005.0	\$11.00
■ 2.889-007.0	Rubber Strip, 12 inches for floor nozzle 2.889-005.0	\$10.50
■ 2.889-008.0	Hand Nozzle	\$22.60
■ 2.889-009.0	Brush Strip, 6 inches for hand nozzle 2.889-008.0	\$9.10
■ 2.889-010.0	Rubber Strip, 6 inches for hand nozzle 2.889-008.0	\$10.30
■ 2.889-011.0	Adapter	\$16.80
■ 2.889-028.0	Crevice Nozzle	\$11.00
■ 2.889-052.0	Adapter for attaching round brushes	\$7.10
■ 4.440-009.0	Steam suction hose	\$893.00
■ 2.889-004.0	Extension tube set	\$126.00
2.889-053.0	Triangular floor nozzle	\$51.50
2.863-007.0	Round brush stainless steel (very hard bristles) set, 3 Nozzles	\$8.40
2.863-008.0	Round Brass Brush (hard bristles) Set, 3 Nozzles	\$8.40
2.863-009.0	Pekalon round brush (medium-hard bristles) set	\$9.25

Included Optional

SG BP GUM REMOVER



Turn up the heat on gum removal.

The Kärcher SG1 Bp is a portable gum remover. Powered by a single lithium ion battery, this gum remover is quiet and offers up to 4 hours of uninterrupted operation. Gum is removed in 4-6 seconds, and it is safe to use on stone, concrete and even carpet. Great for maintaining shopping malls, schools, train stations, airports, hotels, hospitals, restaurants and supermarkets.



Features

- Low pressure fuel canisters are designed to ensure delivery of proper fuel volume and safe operation
- No cords ensures safety and convenience
- No harsh residue—safe on all surfaces

SG1 C BP

Technical Specifications

Run time	hrs	4
Weight	lbs	11
Dimensions (LxWxH)	in	4.5 x 13 x 20.5

EQUIPMENT

Part No.	Description	List Price
1.013-104.0	SG1 C Bp, backpack gum remover	\$3,450.00

ACCESSORIES

Order No.	Description	List Price
8.639-871.0	Service pack: 2 LPG cartridges, 4 bottles of solution and 2 black stainless steel brushes, 1 green brush. Expect 8-9 hours run time.	\$177.00
8.642-880.0	Brush hard black 2 pack replacement stainless steel brushes	\$45.10
8.640-136.0	Polypropylene brushes: 2 pack polypropylene brushes (green), for carpet and material	\$22.60
8.638-579.0	12-Pack of gas bottles	\$373.00
8.638-580.0	24 liters of gum remover solution	\$536.00
8.639-828.0	Charger	\$520.00
8.641-465.0	Battery	\$1,175.00

Included Optional

AB 84 CUL



Reduce carpet drying times by up to 50%.

Powerful enough for any job yet economical enough to not break the bank; rely on the AB 84 CUL as your air blower of choice. If you have wet floors or carpet, dry your facility up to 50 percent faster so you can resume to business-as-usual sooner. This economical unit features three speeds, as well as three different vertical standing positions so you can direct air anywhere you need to. The powerful 3,000 cfm air movement promotes rapid drying in no time.



Features

- Upright handle and transport wheels for safety and convenience
- Three speeds of air movement for every type of job
- Maximum air movement of 3,000 cfm for rapid drying of carpeted and hard floors
- Sturdy four point motor mount to withstand heavy use and rough handling
- Built-in carpet clip for flood restoration jobs

AB 84 CUL

Technical Specifications

Air flow rate - level 1, 2, 3	cfm	3000 / 2500 / 2000
Fan speed - level 1, 2, 3	rpm	1600 / 1350 / 1050
Power cord length	ft	25
Motor rating	hp	0.5
Voltage	V	115
Weight	lbs	39
Dimensions (LxWxH)	in	22.8 x 16 x 21.5

EQUIPMENT

Part No.	Description	List Price
1.004-053.0	AB 84 CUL, three-speed commercial air blower with upright handle	\$370.00

BV/VAC PAC™ HEPA SERIES



Breathe easy with HEPA filtration.

The BV/VAC PAC™ HEPA series are portable back mounted vacuums great for increasing productivity, efficiency, while saving you money. Breathe easier with HEPA-level filtration standard on these vacuums. They also have an ergonomic harness system, allowing the operator to move around quickly and easily for maximum productivity.



Features

HEPA filtration is now standard, providing optimum air quality by filtering with 99.9% effectiveness to 0.3 microns
Vacuum hose is a top-mounted swivel design for left-hand and right-hand operation

	BV 7/1 VAC PAC 6 HEPA	BV 11/1 VAC PAC 10 HEPA
Technical Specifications		
Vacuum width, floor tool	in 13	13
Vacuum hose length	in 60	60
Power cord length	ft 50	50
Waste container capacity	qt 6	10
Operating noise level	dBa 67	67
Air flow rate	cfm 112	112
Waterlift	in of water 104	104
Motor	watts 1,200	1,200
Weight	lbs 10	11
Dimensions (LxWxH)	in 8.5 x 8.8 x 19.8	8.5 x 8.8 x 23.7

EQUIPMENT

Part No.	Description	List Price
1.014-013.0	BV 7/1 VAC PAC 6 HEPA backpack vacuum, 6 qt. (includes hose and tool kit)	\$685.00
1.014-014.0	BV 11/1 VAC PAC 10 HEPA backpack vacuum, 10 qt. (includes hose and tool kit)	\$725.00

ACCESSORIES

Order No.	Description	List Price
■ 8.628-666.0	Wand, 2 PC Aluminum Double Curve	\$83.00
■ 8.619-894.0	Hose Assembly	\$52.00
■ 8.639-285.0	HEPA pleated filter	\$11.60
■ 8.619-884.0	Cloth bag for VAC PAC™ HEPA 10 / BV 11/1	\$51.50
■ 8.619-885.0	10-quart paper bags, 10-pack for BV 11/1	\$41.00
■ 8.619-891.0	Paper bags for VAC PAC™ HEPA 6 / BV 7/1	\$36.80
■ 8.619-890.0	Cloth bags for VAC PAC™ HEPA 6 / BV 7/1	\$43.80
■ 8.619-887.0	Filter Dome	\$2.95
■ 8.604-141.0	VAC PAC™ tool kit (#02293 crevice tool, #02083 dusting brush, #02084 upholstery tool, #02085 upholstery tool brush, #02086 extension tube)	\$110.00
8.628-451.0	Crevice Tool	\$35.20
8.600-008.0	5" Upholstery Tool	\$37.30
8.628-360.0	Upholstery Brush	\$18.40
8.600-007.0	3-inch dusting tool with adapter	\$28.40
8.628-445.0	Tool, Carpet	\$63.00
8.628-444.0	Tool, bristle shod dry pick-up	\$69.50
8.619-876.0	VAC PAC™ Crevice Tool	\$24.90
8.639-285.0	HEPA pleated filter for VAC PAC™ HEPA 6 & 10 and BV 11/1	\$11.60
8.631-254.0	Harness assembly for VAC PAC™ HEPA 6 & 10 and BV 11/1	\$110.00
8.642-914.0	15" sidewinder carpet tool with 1.5" neck	\$29.90
8.642-915.0	15" sidewinder hard floor brush with 1.5" neck	\$48.30
8.642-916.0	18" sidewinder carpet tool with 1.5" neck	\$32.00
8.642-917.0	18" sidewinder hard floor brush with 1.5" neck	\$56.50

Included Optional

Effective January 1, 2020. Prices, specifications and product descriptions subject to change without notice.

CV 300



The sanitary choice that lasts.

Many of our competitors sell low-cost upright vacuums, the only problem is that they fall apart quickly and then you are left with another broken vac to toss in the dump. If you are tired of throwing away your money then consider our CV 300 upright vacuum. The CV 300 provides power, reliability, and clean air quality all for a price that will not break the bank. This model features a traditional non-steerable joint between the base and the body for ergonomics and all-day usability.



Features

- CR1 approved for cleaner, healthier carpets
- Built to last for years. The reliable, affordable upright vac
- Innovative, articulating head for superior maneuverability
- Powerful dual motor upright vacuum
- High quality three step filtration for optimum air quality

CV 300

Technical Specifications

Cleaning path	in	12
Productivity (practical)	ft ² / hr	3,104
Power cord length	ft	40
Operating noise level	dBA	69.5
Air flow rate	cfm	102
Voltage	110V / 220V	110V
Motor	hp	0.24
Debris bag size	qt	3.7
Dimensions (LxWxH)	in	11 x 12 x 48
Weight	lbs	17

EQUIPMENT

Part No.	Description	List Price
1.012-059.0	CV 300, 120V/60 Hz	\$383.00

ACCESSORIES

Order No.	Description	List Price
■ 8.632-214.0	Filter, exhaust	\$51.50
■ 8.628-477.0	Filter, motor protection	\$19.40
■ 8.630-933.0	Vacuum fan exhaust filter	\$51.50
8.600-495.0	12-Inch replacement double row brush	\$36.80
8.628-479.0	3-Ply filter dust bags, 10-pack	\$25.70
8.633-398.0	Filter bag, package of 10	\$25.70
8.634-975.0	Tool, 20" extension tool	\$21.00
8.632-244.0	Tool, clips for tools, dark gray	\$15.20
8.632-245.0	Tool, crevice tool, dark gray	\$31.50
8.614-100.0	Dusting brush, dark gray	\$34.60
8.614-629.0	Upholstery nozzle, dark gray	\$33.10
8.604-147.0	Vacuum tools kit (crevice nozzle, upholstery nozzle, and mounting clip)	\$51.50

Included Optional

EB 30/1



The quick clean-up tool.

This ultra-quiet and compact sweeper is perfect for quick clean-ups in busy and crowded areas. The rechargeable battery pack ensures safety by eliminating trip hazards. It's built to handle small cleaning jobs in professional working environments.



Features

- Cordless electric sweeper designed for commercial applications
- Optional high-speed battery charger available for complete charging in 50 minutes
- Flexible and professional interim clean-up
- Powerful, rechargeable battery provides for up to 45 minutes of operation on hard surface, and up to 30 minutes on carpet
- Extremely quiet operation - for use in noise sensitive areas
- Innovative universal joint with parking position

EB 30/1

Technical Specifications

Cleaning path	in	12
Container capacity	in ³	67
Operating noise level	dBA	56
Battery runtime	min	30-45
Standard battery charge time	hr	5
Weight	lbs	6
Dimensions (LxWxH)	in	10 x 12 x 43

EQUIPMENT

Part No.	Description	List Price
1.545-121.0	EB 30/1, 12 inch, lithium-ion battery-operated sweeper	\$215.00

ACCESSORIES

Order No.	Description	List Price
■ 6.654-328.0	Lithium-ion battery for EB 30/1	\$83.00
■ 6.654-197.0	Battery charger	\$184.00
■ 4.762-400.0	Cylindrical brush	\$27.80
4.762-401.0	Cylindrical stiff red brush, for hard-wearing surfaces	\$33.60

Included Optional

BDS 51/175 C



Strong, solid and robust operation.

The BDS 51/175 C floor machine is a high quality, durable unit that offer powers and versatility for scrubbing and stripping. It features an adjustable handle to accommodate various user heights and five inch non-marking wheels to allow easy transportation. This machine is available in single-speed or dual-speed.



Features

- Robust motor for everyday reliability
- Separate start and run capacitors for durability
- Cord strain relief to keep cord from breaking or tearing
- Strong and solid handle housing for trouble free operation

BDS 51/175 C

Technical Specifications

Pad size	in	20
Pad speed	rpm	175
Theoretical / practical productivity	sq. ft / hr	2,222
Operating noise level	dBA	63
Voltage	V	115
Motor	hp	1.5
Wheel diameter	in	5 x 1.25
Power cord length	ft	50
Weight	lbs	118
Dimensions (LxWxH)	in	24.5 x 21 x 47

EQUIPMENT

Part No.	Description	List Price
1.009-095.0	BDS 51/175 C 115V	\$1,270.00

ACCESSORIES

Order No.	Description	List Price
■ 8.628-430.0	Pad driver, 20-inch with clutch plate	\$184.00
8.600-062.0	Solution tank 4 gallon	\$341.00
8.600-507.0	Center lock	\$29.40
8.628-369.0	20-inch aggressive grit brush with clutch plate	\$368.00
8.628-378.0	20-inch mild grit brush with clutch plate	\$368.00
8.628-379.0	20-inch nylon polish brush with clutch plate	\$179.00
8.628-377.0	20-inch nylon scrub brush with clutch plate	\$179.00
8.628-370.0	20-inch polypropylene brush with clutch plate	\$121.00
8.625-259.0	20-inch sanding disc	\$504.00

Included Optional

KÄRCHER DETERGENTS

Kärcher's detergents are highly concentrated and made with non-butyl blend of ingredients formulated to provide non-caustic, low-foaming detergent for a broad range of uses on many surfaces. They are engineered specifically to be metered through hot- or cold-water pressure washers with a high dilution ratio, making the cost-in-use very economical. Plus, our detergents are biodegradable.



1 Faster Results

Tested in the lab and in the field, to achieve results that are 3x faster than the original formula. With fast acting and efficient formulas, you'll use less product - saving you both time and money.

2 More Effective

Utilizing cutting-edge technology and enhanced raw materials, Kärcher detergents deliver superior cleaning results in even the toughest environments. Designed for a higher tolerance for hard water—less detergent is needed to break down the dissolved calcium and magnesium salts, leading to a marked reduction in insoluble mineral deposits commonly associated with hard water.

3 Environmentally Friendly

With an eye on preserving our natural resources, we are proud to offer a complete lineup of environmentally friendly detergents, many of which are phosphate-free. Rigorous testing has proven these new formulas to be effective while providing a sustainable solution for preventing the negative impacts often associated with runoff and providing you with peace of mind.

DETERGENTS

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
General Purpose Cleaners: Formulated for general purpose cleaning. Designed for daily cleaning of facility surfaces, tools and floors.												
General Purpose Cleaner	1	9.803-789.0	\$71.00	5 gal	10.2	purple	slight	1:128	low	5		General Purpose Cleaner is a blend of ingredients formulated to provide a low-foaming detergent for safe removal of dirt and grime off a broad range of surfaces. It is formulated to pass through a pressure washer without damaging the high-pressure pump.
	2	9.803-791.0	\$640.00	55 gal	10.2	purple	slight	1:128	low	5		This formula is ideal for power washing around a home or shop, including exterior walls, decks, driveways, and roofs. It is also effective in cleaning machinery, equipment, cars, RVs, and trucks. It is safe for cleaning indoors or outdoors.
Automotive: Products designed specifically for soil conditions found on cars, vans and specifically vehicles with fine paint finishes. Effective and safe, phosphate free.												
Auto Wash	3	8.698-143.0	\$55.50	5 gal	10.2	purple	slight	1:128	low	5		Auto Wash is a blend of ingredients formulated to provide a low-foaming detergent for safe removal of dirt and grime found on most vehicles. It is formulated to reduce water spots caused by hard water leaving a higher shine than most products. Auto Wash can pass through a pressure washer without damaging the high-pressure pump and is safe to use on aluminum, stainless steel, glass, plastic, paint and fine automotive finishes.
	4	8.698-144.0	\$517.00	55 gal	10.2	purple	slight	1:128	low	5		
Vehicle: Detergent and care for both Automotive and Fleet use. Safe for both, non phosphate and superior results.												
Vehicle Wash and Wax Detergent	5	9.803-726.0	\$81.00	5 gal	12.9	blue-green	floral	1:150	high	5		Vehicle Wash and Wax Detergent saves you time and money when you clean and protect in one step. Good for autos and trucks and safe on any finish. Superior performance in hard water leaving a shine with a spot free rinse.
	6	9.803-758.0	\$764.00	55 gal	12.9	blue-green	floral	1:150	high	5		
Vehicle Wax	7	8.698-147.0	\$232.00	5 gal	5.3	straw	musk	1:2000	non-foaming	1		Vehicle Wax. Added at the final rinse, Vehicle Wax is a long-lasting liquid wax that creates a durable finish that improves a vehicle's appearance and helps keeps dirt from adhering to the surface. It gives added protection against salt, air pollution and acid rain and can be used safely on virtually every surface, including aluminum, stainless steel, glass, plastic, paint and fine automotive paint finishes.
Vehicle Pre-Soak	8	8.698-221.0	\$108.00	5 gal	12.8	blue	citrus	1:60	high	4		Vehicle Pre-Soak is used to remove stubborn soils like bugs, tar, oil and grease deposits on vehicles. It's applied before washing in order to penetrate and breakup soils and washed away when the rest of the vehicle washing is done. The more time you allow to soak, the less scrubbing is required. Vehicle Pre-Soak is safe to use on fine auto finishes and strong enough to work on transportation fleet vehicles.
	9	8.698-222.0	\$1,045.00	55 gal	12.8	blue	citrus	1:60	high	4		

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Vehicle Tire and Rim Cleaner	10	8.698-225.0	\$101.00	12x1 - qt	12.9	clear	detergent	RTU	high	3		Vehicle Tire and Rim Cleaner is a fast and easy way to deep clean the black rubber, road film and brake dust soils from your tires and rims. Simply spray, wait and rinse. This product should be used to clean tire and wheels before adding tire dressing. Make tire dressings look better and last longer. Safe to use on all tires. Safe for steel and aluminum wheels, including coated wheels.
Fleet: These products are designed specifically for use on semi trucks, trailers, construction and farm equipment, most commercial transpiration vehicles. Not designed to be used on automobiles.												
Fleet Wash Detergent	11	9.803-724.0	\$71.50	5 gal	12.9	green	fresh	1:150	high	5		Fleet Wash Detergent is a mild detergent designed for exterior cleaning of trucks, buses, equipment and implements. This special emulsifying formula contains high-powered cleaning agents that are effective on grease, road film and smoke trails. It is excellent as a pre-spray for cleaning engines, whitewall tires and vinyl and metal tops. Fleet Wash Detergent is phosphate-free and outperforms most competitive phosphate products. It is safe to use through a pressure washer. Fleet Wash Detergent can be used on polished aluminum, stainless steel, glass, plastic, and painted surfaces.
	12	9.803-754.0	\$671.0	55 gal	12.9	green	fresh	1:150	high	5		
Heavy Equipment Detergent	13	8.698-150.0	\$91.50	5 gal	12.9	green	fresh	1:150	high	5		Heavy Equipment Detergent is an effective, safe detergent that can be used on any surface. It is excellent as a pre-spray for softening and breaking up dried on or baked on soils like mud, bugs, greasy film, diesel fuel, lubricants. Excellent foaming capability. It is safe to use through a pressure washer and can be used on polished aluminum, stainless steel, glass, plastic, paint. Heavy Equipment Detergent is phosphate-free and outperforms most competitive phosphate products.
	14	8.698-151.0	\$863.00	55 gal	12.9	green	fresh	1:150	high	5		
Fleet Wash Solvent Detergent	15	9.803-740.0	\$207.00	5 gal	9.5	light yellow	citrus	1:50	medium	1		Fleet Wash Solvent Detergent adds the cleaning properties of solvents to boost cleaning capability in order to remove heavy, petroleum-based soils. Citrus-based solvent helps break down these tough soils for fast, efficient removal, saving time and energy. It has the ability to penetrate and break down baked-on hydrocarbon-based soils, like exhaust trails and carbonized grease, yet is safe on most surfaces.
Fleet Aluminum Brightener	17	9.803-746.0	\$71.50	5 gal	<1	colorless to light straw	sharp	1:5 1:20	low	2		Fleet Aluminum Brightener is an extra-strength, acid-based, aluminum cleaner and brightener designed for non-polished aluminum tanks and trailers, aluminum wheels and for preparing aluminum for painting. Do NOT use on glass, polished aluminum or anodized aluminum. Fleet Aluminum Brightener is effective in removing grease, oils, baked-on carbon and diesel smoke. This formula is non foaming.
	18	9.803-747.0	\$697.00	55 gal	<1	colorless to light straw	sharp	1:5 1:20	low	2		

DETERGENTS

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Fleet Trailer Cleaner	19	9.803-748.0	\$88.50	5 gal	1.1	straw	citrus	RTU	medium	4		Fleet Trailer Cleaner is a concentrated, non-etching, acid-based detergent formulated to quickly penetrate and remove grease, grime, dirt, road film and welding smut from polished aluminum and stainless steel surfaces. It shines aluminum and stainless by removing the oxidation that makes those surfaces dull looking.
	20	9.803-749.0	\$842.00	55 gal	1.1	straw	citrus	RTU	medium	4		
Fleet Degreaser	21	9.803-734.0	\$82.00	5 gal	13.5	red / orange	none	1:128	medium	5		Fleet Degreaser is a highly concentrated degreaser designed for petroleum based soils like heavy deposits of oil, grease and dirt as well as axle or fifth-wheel grease, hydraulic oils and diesel smoke stains. Fleet Degreaser is formulated to pass through a pressure washer without damaging the high-pressure pump and is, therefore, safe to use through a pressure washer. It is also safe to use on aluminum, stainless steel, glass, plastic, painted surfaces. Fleet Degreaser is phosphate-free and outperforms competitive phosphate formula products.
	22	9.803-739.0	\$775.00	55 gal	13.5	red / orange	none	1:128	medium	5		
Fleet Interior Tank Cleaner	23	9.803-736.0	\$87.00	5 gal	13.7	straw	slight	1:30	medium	4		Fleet Interior Tank Cleaner is a highly concentrated and effective cleaner for the interior of tanks and vessels. Interior tank cleaning may or may not be accessible for manual brushing/scraping. This powerful formula can cut through many layers of soil with high pressure washing and soaking, eliminating the need to enter the tank. It is extremely effective in removing the most difficult-to-clean oil, grease and hydrocarbon-based deposits. It cuts grease, grime, oil, burnt carbon. Do not use on aluminum, magnesium, galvanized metal or fine painted surfaces. It is safe to use through a pressure washer and does not damage the high-pressure pump. This formula is phosphate-free and outperforms most competitive phosphate products. NSF Approved.
	24	9.803-779.0	\$857.00	55 gal	13.7	straw	slight	1:30	medium	4		
Fleet Machine and Heavy Equipment Degreaser	25	8.916-134.0	\$56.50	5 gal	13.3	brown	none	1:50	high	5		Fleet Machine and Heavy Equipment Degreaser is an extra-strong cleaner that is ideal for cleaning heavy equipment, over-the-road vehicles and off road machinery. It is especially effective cleaning exhaust stains, road grime and heavy deposits of dirt and oil. Fleet Machine and Heavy Equipment Degreaser is phosphate-free and outperforms competitive phosphate products. This powerful formula is not recommended for use on fine auto finishes, aluminum, magnesium and galvanized metal.
	26	8.916-140.0	\$527.00	55 gal	13.3	brown	none	1:50	high	5		

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Concrete Remover	27	8.698-139.0	\$124.00	5 gal	2.2	yellow	sharp	1:1	low	3		Concrete Remover effectively removes concrete splatters and deposits from construction vehicles, equipment, tools and commercial surfaces. Not intended for use on fine automotive finishes. Always pre-test undiluted product in an inconspicuous area, to determine safety and suitability for the intended use.
	28	8.698-140.0	\$1,210.00	55 gal	2.2	yellow	sharp	1:1	low	3		
Salt and Ice Melt Remover	29	8.698-141.0	\$139.00	5 gal	13.4	dark red	slight detergent	1:100	high	5		Salt and Ice Melt Remover is a combination detergent that removes heavy soil as well as all types of damaging road salt residue. Salt and Ice Melt Remover's unique chelating action breaks down the crystalline structure of ice melt salt and prevents it from crystallizing back on the surface so it can be easily rinsed away with the rest of the dirt. Effective on fine automotive finishes as well as construction equipment, trucks and fleet vehicles.
	30	8.698-142.0	\$1,360.00	55 gal	13.4	dark red	slight detergent	1:100	high	5		
Quick Break Detergents: Products formulated for effective cleaning which separate quickly after washing in order to be accepted into on-site treatment systems.												
Quick Release Detergent	31	9.803-720.0	\$89.00	5 gal	12.8	none	slight detergent	1:100	low	4		Quick Release Detergent is concentrated heavy duty vehicle wash formulated to quickly and effectively remove dirt, grime, grease and road film from vehicles. It is ideal for vehicle wash facilities where it can be used on tractor-trailers, heavy equipment, RVs, trucks, and autos. Quick Release Detergent is formulated to pass through a pressure washer without damaging the high-pressure pump and has an oil-water quick-release surfactant making it ideally suited for use with water treatment systems.
	32	9.803-750.0	\$470.00	55 gal	12.8	none	slight detergent	1:100	low	4		
Degreasers: Degreasers are designed to be used on medium to heavy soils that require more aggressive formulation for built up greases and oils.												
Chlorinated Degreaser	33	9.803-712.0	\$54.00	5 gal	12.3	none	slight chlorine	1:60	high	4		Chlorinated Degreaser removes fats, oils and greases typically found in food service and food processing establishments. It's chlorinated formula breaks down stubborn protein soils that contribute to bio-film formation. This formula is safe on stainless steel, aluminum and painted surfaces. NSF approved.
	34	9.803-716.0	\$496.00	55 gal	12.3	none	slight chlorine	1:60	high	4		
Heavy Duty Brown Degreaser	35	8.698-148.0	\$59.00	5 gal	13.3	dark brown	none	1:50	high	5		Heavy Duty Brown Detergent is for cleaning machinery and equipment to remove heavy daily debris of oil, light grease, sand, mud and road film. This detergent is safe to use on most heavy equipment however, due to its strength to handle heavy soils, it should not be used on aluminum, magnesium or fine paint finishes.
	36	8.698-149.0	\$537.00	55 gal	13.3	dark brown	none	1:50	high	5		

DETERGENTS

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Hood and Duct Degreaser	37	8.698-199.0	\$97.50	5 gal	13.7	straw	slight	1:30	medium	4		Hood and Duct cleaner is specifically designed to remove the dangerous build-up of grease in exhaust hoods of food cooking establishments. Through a hot water pressure washer, fast effective removal restores hood and ducts to a clean, safe result. Even carbonized grease. This cleaner can be used to pressure wash food service grills, fryers, broilers and ovens. Routine cleaning is required in most cities and states and by the insurance industry. Hood and Duct Degreaser is NSF approved. NSF approved.
	38	8.698-200.0	\$956.00	55 gal	13.7	straw	slight	1:30	medium	4		
Industrial: These are our most aggressive products designed to be used in industrial settings like production factories, mining, heavy construction and machine shops.												
Heavy Duty Degreaser	39	8.698-154.0	\$80.50	5 gal	13.3	red / orange	none	1:128	medium	5		Heavy Duty Degreaser is an industrial strength degreaser for cleaning heavy oils and greases, carbon, lubricants and hydraulic fluids found in industrial and manufacturing environments. Heavy Duty Degreaser is formulated to pass through a pressure washer without damaging the high-pressure pump or heating coil. It is also safe to use on aluminum, stainless steel, glass, plastic and concrete. Heavy Duty Degrease is phosphate-free and outperforms competitive phosphate formula products.
	40	8.698-155.0	\$764.00	55 gal	13.3	red / orange	none	1:128	medium	5		
Industrial Grease and Carbon Remover	41	9.803-732.0	\$77.00	5 gal	13.7	blue	none	1:100	high	5		Industrial Grease and Carbon Remover is heavy-duty degreaser that quickly penetrates and cleans grime, spent oil and grease in a variety of applications, including vehicles, equipment, RVs, drilling rigs, trucks and other structures. This highly-concentrated blend is formulated to wet, penetrate and suspend soil, oils and grease and yet is safe to use indoors or outdoors on virtually every surface, including aluminum, stainless steel, glass, plastic, and painted surfaces.
	42	9.803-772.0	\$723.00	55 gal	13.7	blue	none	1:100	high	5		
Industrial Oil and Grease Remover	43	8.698-156.0	\$108.00	5 gal	12.3	yellow	citrus	1:150	high	5		Industrial Oil and Grease remover is designed to work on petroleum based oils and greases typically found in factories like cutting oils, lubricants and metal coatings. This product is designed to quickly break up the oils and suspend them in order to rinse easy and prevent them from re-depositing. The result is an oil/grease free surface. Industrial Oil and Grease Remover is engineered to pass through a pressure washer without damaging the high-pressure pump. It is safe to use on aluminum, stainless steel, concrete, glass, plastic and painted surfaces.
	44	8.698-157.0	\$1,045.00	55 gal	12.3	yellow	citrus	1:150	high	5		
Metal Paint and Prep Phosphatizer	45	8.698-197.0	\$97.00	5 gal	3.1	none	detergent solvent	1:512	low	5		Metal Paint and Prep Phosphatizer is a complete and economical phosphatizing agent for the phosphatizing of iron and steel parts prior to painting. Effective in spray, dip and wipe-on applications. Metal Paint and Prep Phosphatizer works well in hard or soft water and rinses completely.
	46	8.698-198.0	\$945.00	55 gal	3.1	none	detergent solvent	1:512	low	5		

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Building and Maintenance: Products specifically developed for use in building and tool maintenance. Safe to use on materials like brick, siding, stucco, concrete, tile.												
Building Interior/ Exterior Cleaner	47	8.698-135.0	\$63.50	5 gal	10.2	purple	slight	1:130	low	5		Building Interior/Exterior Cleaner is safe to use on aluminum, stainless steel, glass, plastic, paint, stone and masonry surfaces. Building Interior/Exterior Cleaner is ideal for power washing around a home or shop, including exterior walls, decks, driveways, and roof. This formula is phosphate-free and outperforms most competitive phosphate products.
	48	8.698-136.0	\$542.00	55 gal	10.2	purple	slight	1:130	low	5		
Concrete Cleaner	49	9.803-744.0	\$98.00	5 gal	12.3	yellow	citrus	1:150	high	5		Concrete Cleaner is formulated to clean stone and concrete surfaces. It is effective in removing oil, grease, baked-on carbon, tar and asphalt from unfinished concrete floors, walls and grout. Concrete Cleaner is engineered to pass through a pressure washer without damaging the high-pressure pump. It is safe to use on aluminum, stainless steel, glass, plastic and painted surfaces. This formula is phosphate-free and outperforms most competitive phosphate products.
	50	9.803-784.0	\$930.00	55 gal	12.3	yellow	citrus	1:150	high	5		
Brick & Masonry Graffiti Remover	51	8.698-039.0	\$356.00	4x1 gal	12.8	yellow	slight solvent	1:16	low	1		Brick, Masonry & Concrete Cleaner re-liquefies and dissolves spray paint and marker tracks within seconds. No extended soak time is needed and it can be re-applied to wet surfaces as needed, without waiting for the surface to dry.
	52	8.698-040.0	\$351.00	12x1 qt	12.8	yellow	slight solvent	1:16	low	1		
Coil Descaler	53	9.803-742.0	\$145.00	12x2 lb	1.0	white	slight solvent	1:16	high	5		Coil descaler quickly and safely removes hard water scale build up that robs the performance of your pressure washer. Removing the build-up improves the water flow, heat transfer while reducing strain on the pump.
Pump and Coil Protectant	54	8.698-058.0	\$108.00	12x1 qt	7.3	amber	none	RTU	none	5		Pump and Coil Protectant is a multi-component product made from heat-resistant organic and inorganic salts. Its stabilizing action on the minerals which cause hardness in water, is based on its ability to impede the growth of mineral deposits. This product is proprietary to machines that have a built in dispenser for this product. Keeps your machine running efficiently with optimum performance and reliability.
	55	9.556-111.0	\$77.50	4x1 gal	7.3	amber	none	RTU	none	5		
	56	9.556-011.0	\$67.50	5 gal	7.3	amber	none	RTU	none	5		
Pump and Coil Protectant Concentrate	57	9.556-010.0	\$170.00	5 gal	7.6	light brown	none	5 gal makes 55 gals	none	5		
Floor Cleaners: Formulated for general purpose and heavy-duty floor cleaning. For use with floor care equipment (such as scrubbers) only.												
Neutral Floor Cleaner	58	8.698-102.0	\$86.00	4x1 gal	7.9	light yellow	solvent	1:128	low	4		Neutral Floor cleaner is formulated for everyday floor cleaning of resilient tile, hard finished floors, polished stone and polished concrete floors. No-rinse formula is designed to remove soil and leave a streak-free finish. Developed for scrubber machines, this formula is non-foaming, phosphate-free and contains ingredients that protect the machine from scale and contaminants.
	59	8.698-103.0	\$104.00	5 gal	7.9	light yellow	solvent	1:128	low	4		
	60	8.698-104.0	\$1,060.00	55 gal	7.9	light yellow	solvent	1:128	low	4		

DETERGENTS

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
Shop Floor Cleaner	61	8.698-105.0	\$101.00	5 gal	13.3	light red, clear	solvent	1:128	low	5		Shop Floor Cleaner is formulated for heavy-duty cleaning of soils typically found in machine shop environments. Lifts and removes petroleum-based grease and oily soils from all types of finished and unfinished concrete, including painted and epoxy-coated floors. No-rinse formula is designed to remove soil and leave a streak-free finish. Developed for scrubber machines, this formula is non-foaming, phosphate-free and contains ingredients that protect the machine from scale and contaminants.
	62	8.698-106.0	\$900.00	55 gal	13.3	light red, clear	solvent	1:128	low	5		
Warehouse Floor Cleaner	63	8.698-107.0	\$98.50	5 gal	12.9	blue	solvent	1:128	medium	5		Warehouse Floor Cleaner is formulated for everyday warehouse concrete floor cleaning. Use on finished or unfinished concrete. Safe for polished concrete floors. No-rinse formula is designed to remove dense concrete dust and leave a streak-free finish. Developed for scrubber machines, this formula is non-foaming, phosphate-free and contains ingredients that protect the machine from scale and contaminants.
	64	8.698-108.0	\$972.00	55 gal	12.9	blue	solvent	1:128	medium	5		
	65	8.698-109.0	\$4,375.00	275 gal	12.9	blue	solvent	1:128	medium	5		

Soft Floor Cleaners: Formulated for general purpose and heavy-duty soft floor cleaning. For use with floor care equipment only.

Red Carpet

Red Carpet Super Pre-Spray	66	8.695-207.0	\$203.00	4 x gal case	10.2	blue green	citrus	1:16	medium	5		Pre-spray
Red Carpet Super Conditioning Rinse	67	8.695-209.0	\$125.00	4 x 1 gal case	2.2	green	citrus	1:128	low	5		Conditioning rinse
Red Carpet Extraction Cleaner	68	8.695-210.0	\$114.00	4 x 1 gal case	11.5	bright blue	citrus	1:128	low	5		Extraction cleaner
Red Carpet Wool & Natural Fiber Cleaner	69	8.695-211.0	\$109.00	4 x 1 gal case	8.0	slate blue	citrus	1:128	low	5		Wool and natural fiber cleaner
Red Carpet Liquid Defoamer	70	8.695-213.0	\$146.00	4 x 1 gal case	7.0	white	none	1:128	n/a	1		Defoamer
Red Carpet Enzyme Deodorizer	71	8.695-218.0	\$203.00	4 x 1 gal case	8.5	amber	citrus	1:4	low	2		Enzyme Deodorizer
Red Carpet Odor Neutralizer	72	8.695-219.0	\$130.00	4 x 1 gal case	7.6	clear	floral	1:128	medium	3		Odor neutralizer
Red Carpet Pro Spotter	73	8.695-222.0	\$177.00	12 x1 qt case	7.1	clear	none	1:1	medium	5		Spotter
2-Gallon Pump Sprayer with Wand	74	8.628-441.0	\$93.50	-	-	-	-	-	-	-		Sprayer with wand

		Order no.	List Price	Size	pH	Color	Scent	Dilution	Foam	Hardness 1-5	Phosphate Free	Description
iCapsol™ Encapsulating Chemical												
iCapsol™ encapsulating chemical	75	8.695-226.0	\$161.00	4 x 1 gal case	7.2	amber	none	1:16	medium	3		Low moisture carpet cleaner
iCapsol™ encapsulating chemical	76	8.695-469.0	\$114.00	12 x 1 pt case	7.2	amber	none	1:16	medium	3		Low moisture carpet cleaner
iCapsol™ encapsulator / protector	77	8.695-227.0	\$172.00	4 x 1 gal case	7.0	amber	none	1:16	medium	3		Low moisture carpet cleaner
iCapsol™ encapsulator / protector	78	8.695-470.0	\$120.00	12 x 1 pt case	7.0	amber	none	1:16	medium	3		Low moisture carpet cleaner
Miscellaneous												
Vital Oxide, US Only	79	8.639-560.0	\$96.00	6/32 oz	8.0	clear	none	RTU 1:5 1:9	medium	2		Vital Oxide is a hospital grade disinfectant sanitizer with 9 key attributes. Disinfection, Sanitizing, Odor Elimination, Carpet Sanitization, Allergen Removal, Kills Mold and Mildew, Kills biofilm, Parvo, Distemper, Tuberculous. Sanitizer dilution is NSF approved as a no rinse sanitizer for non porous food contact surfaces. (US Only)
	80	8.698-112.0	\$1,465.00	55 gal	8.0	clear	none	RTU 1:5 1:9	medium	2		
	81	8.639-558.0	\$198.00	4X1 gal pack	8.0	clear	none	RTU 1:5 1:9	medium	2		
RM 99 Solar Cleaner	82	8.698-094.0	\$114.00	5 gal	8.8	none	none	1:100 1:200	low	4		RM 99 Solar Cleaner is specific for cleaning solar and photovoltaic systems, and it's perfectly adapted to their unique surfaces. Its highly efficient, gentle on materials, biodegradable and removes even stubborn and greasy stains. It prevents the formation of limescale and maximizes the effectiveness of the system at minimum cost.
Gum Remover Detergents	83	8.641-480.0	\$194.00	20 x 90 ml	6.0	amber	none	RTU	medium	2		SG3 Bp chemical bottle
Compass™ Clean	84	8.695-241.0	\$120.00	4 x 1 gal case	13.6	orange	none	RTU	medium	3		Food service cleaner / degreaser
Compass™ Shine	85	8.695-242.0	\$140.00	4 x 1 gal case	1.0	dark green	winter green	RTU	medium	5		Concentrated bathroom cleaner / deodorizer
Compass™ Rinse	86	8.695-243.0	\$156.00	12 x 1 qt case	3.9	clear	none	1:2560	low	5		Spot free drying agent

KÄRCHER SPECIALS

2020 Special Order Price List.

Kärcher Professional supplements its standard line of hot- and cold-water pressure washers with an extensive offering of special models configured to meet a customer's unique needs.

All specials fall under two categories:

(1) Specials where no quotation is required; and (2) Special Orders that require a quotation.

Specials: No Quotation Required

Most special applications can be satisfied by choosing from one of the Special models shown in this price list. All items may be ordered through any customer service representative and do not require a specials quote. Note that lead times for these items are listed in this price list and are subject to change with extended lead times. These models allow you to add specially configured options to current standard Kärcher models. Pricing for these units is determined simply by taking the regular equipment price and adding the cost of the option. Some of the items in this price list are former standard models that were made "obsolete" due to lack of demand. The list price for these models may reflect the added costs associated with building a non-standard unit.

Special Orders: Quotation Required

Machine modifications that do not appear in this price list may also be requested. These Special Order machines fall into the category of true hybrid equipment. They are designed and built to meet exactly a customer's unique specifications.

Hybrid specials must go through a complete quote process. The quote will include administrative as well as labor and material costs, such as component costs, engineering time and materials, assembly labor and order processing costs.

Please note that the mission of the Kärcher Professional Special Order department is to generate timely quotes and manufacture the highest quality in customized equipment.

Please avoid using this department for the following:

- Changes to match bid specs on a competitor unit. (Invariably the cost of going through specials will negate the ability to compete on a bid against a competitor's standard model.)

- Remove features or components to lower your cost on the unit.

- Design wholly new equipment that is not currently in the Kärcher line, unless the quantity is sufficient to recover Kärcher's engineering costs.

How to request a quote from the Specials department.

1. Go to Infonet at <https://kaercher-infonet.com/us>.
2. From the menu on the top of the home page, select "Sales"
3. From the menu select "Special Request Form".
4. Fill out the form completely and give as many details as possible.
5. Click on the "Submit Request" button at the bottom of this page.
6. "We will respond to your quote request within 24 hours with a quote. In cases where the quote requires information outside of our control we will respond with an updated response time within 24 hours."



HDS Gas / Diesel Horizontal Skid

TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HDS 4.0/40 Pe Cage	HDS4040PE	4.0 @ 4000 479CC Vanguard w/Gen	10	\$12,448.00
HDS 4.5/50 Pe Cage	HDS4550PE	4.5 @ 5000 Honda GX660 Gas w/Gen	10	\$15,929.00
HDS 5.0/50 De Cage	HDS5050DE	5.0 @ 5000 Kubota D1105-E3B Diesel w/Gen	10	\$27,065.00



HDS Electric / Diesel Horizontal Skid

TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HDS 4.8/30 Ea Cage	HDS4830EA	4.8 @ 3000 10HP 230V / 1ph (45 amps)	15	\$12,737.00
HDS 4.8/30 Eb Cage	HDS4830EB	4.8 @ 3000 10HP 230V / 3ph (30 amps)	15	\$10,539.00
HDS 4.8/30 Ec Cage	HDS4830EC	4.8 @ 3000 10HP 460V / 3ph (16 amps)	15	\$10,539.00
HDS 4.8/30 Eg Cage	HDS4830EG	4.8 @ 3000 10HP 208V / 1ph	15	\$12,964.00
HDS 4.8/30 Eh Cage	HDS4830EH	4.8 @ 3000 10HP 208V / 3ph	15	\$10,908.00
HDS 4.8/30 Ef Cage	HDS4830EF	4.8 @ 3000 10HP 575V / 3ph	15	\$10,908.00



HDS All Electric

TECHNICAL DATA

Model - Options*	Description	Lead Time	List Price
K102	Heater Cabinet upgrade, non-brushed stainless steel	15	\$1,395.00
K103	Float tank with inlet chemical	10	\$480.00
K104	Remote switch	10	\$372.00

*Options are not sold separately and must be purchased when order is placed.



HD Electric Cabinet with KT Pump

TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HD 4.2/20 ST Ea B	1.575-301.0KT	4.2 @ 2000 6.2HP 230V / 1ph	15	\$4,535.00
HD 4.2/20 ST Eb B	1.575-302.0KT	4.2 @ 2000 6.2HP 230V / 3ph	15	\$4,298.00
HD 4.2/20 ST Ec B	1.575-303.0KT	4.2 @ 2000 6.2HP 430V / 3ph	15	\$4,298.00
HD 4.2/20 ST Eh B	1.575-305.0KT	4.2 @ 2000 6.2HP 208V / 3ph	15	\$4,298.00
HD 4.2/20 ST Eg B	1.575-304.0KT	4.2 @ 2000 6.2HP 208V / 1ph	15	\$4,298.00
HD 3.5/30 ST Eb B	1.575-307.0KT	3.5 @ 3000 7.5HP 230V / 3ph	15	\$4,659.00
HD 3.5/30 ST Ec B	1.575-308.0KT	3.5 @ 3000 7.5HP 460V / 3ph	15	\$4,803.00
HD 3.5/30 ST Eg B	1.575-309.0KT	3.5 @ 3000 7.5HP 208V / 1ph	15	\$6,456.00
HD 3.5/30 ST Eh B	1.575-310.0KT	3.5 @ 3000 7.5HP 208V / 3ph	15	\$4,814.00
HD 3.5/30 ST Ef B	1.575-311.0KT	3.5 @ 3000 7.5HP 575V / 3ph	15	\$5,351.00
HD 4.8/30 ST Ec B	1.575-314.0KT	4.8 @ 3000 10HP 460V / 3ph	15	\$5,351.00
HD 4.8/30 ST Eg B	1.575-315.0KT	4.8 @ 3000 10HP 208V / 1ph	15	\$7,448.00
HD 4.8/30 ST Eh B	1.575-316.0KT	4.8 @ 3000 10HP 208V / 3ph	15	\$5,743.00
HD 4.8/30 ST Ef B	1.575-317.0KT	4.8 @ 3000 10HP 575V / 3ph	15	\$5,527.00

OPTIONS*

Model	Description	Lead Time	List Price
K102	Float Tank with inlet chemical	15	\$480.00
K104	Remote Switch (Time Delay Option Only)	15	\$372.00

*Options are not sold separately and must be purchased when order is placed.



HD Gas Roll Cage

TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HD 3.7/35 Pb Cage	HD3735	3.7 @ 3500 Honda GX390 E/S	15	\$5,258.00
HD 8.0/30 Pb Cage	HD8030	7.8 @ 3000 Honda GX660	15	\$9,700.00
HD 10/20 Pb Cage	HD1020	10 @ 2000 Honda GX660	15	\$9,834.00



HD Electric Roll Cage


TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HD 5.0/30 Ea Cage	HD5030A	5 @ 3000 10HP 230V / 1ph	15	\$9,178.00
HD 5.0/50 Eh Cage	HD5050H	5 @ 5000 20HP 208V / 3ph	15	\$10,237.00
HD 5.0/50 Ef Cage	HD5050F	5 @ 5000 20 HP 575V / 3ph	15	\$10,382.00
HD 8.0/30 Eb Cage	HD8030F	7.8 @ 3000 20HP 230V / 3ph	15	\$10,320.00
HD 8.0/30 Ec Cage	HD8030C	7.8 @ 3000 20HP 460V / 3ph	15	\$10,320.00
HD 10/20 Eb Cage	HD1020B	10 @ 2000 20HP 230V / 3ph	15	\$10,464.00
HD 10/20 Ec Cage	HD1020C	10 @ 2000 20HP 460V / 3ph	15	\$10,464.00

OPTIONS*

Model	Description	Lead Time	List Price
K106	Auto Start / Stop with Time Delay back-up, 6-8 GPM models	15	\$801.00
K107	Auto Start / Stop with Time Delay back-up, 10 GPM models	15	\$904.00
K108	Time Delay Shutdown, all models	15	\$801.00
K105	Time Delay Shutdown, 5-5000 models	15	\$904.00

*Options are not sold separately and must be purchased when order is placed.



HD Electric Stationary

TECHNICAL DATA

Model	Part No.	Description	Lead Time	List Price
HD 6.0/30 Eb ST	HD6030BST	6 @ 3000 15 HP 230V / 3ph	15	\$8,781.00
HD 6.0/30 Ec ST	HD6030CST	6 @ 3000 15HP 460V / 3ph	15	\$8,781.00
HD 8.0/30 Eb ST	HD8030BST	8 @ 3000 20HP 230V / 3ph	15	\$9,597.00
HD 8.0/30 Ec ST	HD8030CST	8 @ 3000 20HP 460V / 3ph	15	\$9,597.00
HD 10/20 Eb ST	HD1020BST	10 @ 2000 20HP 230V / 3ph	15	\$10,454.00
HD 10/20 Ec ST	HD1020CST	10 @ 2000 20HP 460V / 3ph	15	\$10,454.00

OPTIONS*

Model	Description	Lead Time	List Price
K106	Auto Start / Stop with Time Delay back-up, 6-8 GPM models	15	\$801.00
K107	Auto Start / Stop with Time Delay back-up, 10 GPM models	15	\$904.00
K108	Time Delay Shutdown, all models	15	\$904.00
K109	575V 3Ph Electrical upgrade, all models	15	\$904.00

*Options are not sold separately and must be purchased when order is placed.

DON'T FORGET ABOUT SERVICE

Extend the life of your cleaning equipment so you can experience maximum productivity with minimum operating costs. Visit your local authorized Kärcher dealer for scheduling service with one of their factory trained and certified technicians.

25-POINTS.

Preventive maintenance checklist.


Contact information				Satisfactory	Needs immediate attention	Not able to check	Comments
Company Name	_____						
Customer Name	_____	Phone	_____				
Address	_____						
Equipment Location	_____						
Check Performed On	_____	Time	AM/PM _____				
Technician Name	_____						
Detergent Delivered	_____	Quantity	_____				
Preventive maintenance action item				Comments			
Check engine RPM or motor amperage							
Check pump oil condition							
Check pump oil levels; add or change oil as needed							
Check pump for proper operation and inspect for leaks							
Check engine oil condition							
Check engine oil level, add or change oil as needed							
Inspect engine oil filter							
Check drive belts for tension and wear; adjust							
Ensure belt guards are in place							
Check pressure and temperature levels; adjust							
Check coil for soot deposits and lime build up							
Check nozzles for damage or wear							
Check hoses for breaks or leaks							
Inspect trigger gun and wand							
Check couplers for O-ring wear and coupler damage; replace O-rings, if needed							
Inspect and lubricate quick disconnects							
Check burner for proper operation; adjust air and electrodes as needed							
Inspect burner fuel filter							
Test unloader valve for excessive wear							
Clear or replace inlet water filter							
Inspect electric outlet, cord and voltage							
Check pulley alignment, adjust							
Check detergent / chemical suction							
Check insulation for hot spots							
Check electrical switches							
About the pressure washer				Customer needs			
How old?				Service sticker			
Less than 1 year	1-2 years	2-5 years	5+ years	Aqueous parts washer			
Usage?				Detergents			
1-5 hours / week	5-20 hours / week	20+ hours / week		Financing options			
Detergent usage?				Parts catalog			
Type Used	Gal / Month			Wastewater treatment			
What is being cleaned?							
Vehicles	Paint preparation	Building exterior					
Shop / facilities	Heavy equipment	Light equipment					
Engine degreasing	Machinery	Other:					
Customer approval							
Customer Signature _____				Date _____			

1/2016 - p/n 9.803-418.0 - Rights to modifications reserved.



RETAINING VALUE. NATIONWIDE.

The more Kärcher products you see, the more you get out of them. And the more your customers, the environment, culture - and above all people - get out of them. All over the nation, people are increasingly placing their trust in our cleaning systems. In the preservation of world-famous monuments, on the facades of some of the tallest buildings to the up keep of public facilities,





Police Station, Des Moines, IA



Greenwood Cemetery, Brooklyn, NY



our technology reliably delivers top performance under all conditions. For retaining value, for greater hygiene and health, for greater profitability, efficiency, and sustainability. For making our nation not just cleaner, but better.



Please contact us for
more information:

Kärcher North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Tel. 905-364-5006
Fax 905-672-3155

www.karcher.ca